

FX

Premium FX

Atmospheric Special Effects



PREMIUM FACTORY

Professional Special Effects

Contents

[Click on an effect to go to the page](#)

| SPARKS

Compact spark machines	6
Multi-jet spark machines	12
Professional spark machines	16
Falling spark machines	22
Instant spark jet machine	28
Accessories & consumables	30

| BUBBLES

Projected bubble machines	34
Big bubble machines	42
Accessories & consumables	46

| SNOW

Snow flake machines	52
Paper snow machines	58
Accessories & consumables	68

| FOAM

Spray foam machines	74
Falling foam machines	78
Accessories & consumables	84

| WIND & RAIN

Wind machines	90
Mist and rain machines	98
Accessories & consumables	102

| CONFETTIS

Continuous projection confetti cannons	108
Compression cannons for confetti and streamers	116

High pressure confetti cannons	120
Confetti rain machines	126
Electric cannons confetti machines	132
Accessories & consumables	138

| VISUAL DESIGN

Silk flame machines	150
Visual design machines with double effect	154
Inflatable cone machines	162
Accessories & consumables	168

| CO2

CO2 jet gun	174
CO2 jet machines	176
CO2 jet cannons	188
Accessories & consumables	194

| SCENTS



Aroma diffusers for theater	200
Professional fragrance diffusers	206
Accessories & consumables	216

| FIRE & PYRO

Straight flame machines	222
Rotating flame machines	230
Remote U-FLAME SYSTEM	236
Pyrotechnic controllers	244
Accessories & consumables	252

| SMOKE & LOW FOG

Vertical jet smoke machines	258
Professional smoke machines	264
Low fog machines	268
Accessories & consumables	276



| SPARKS

| Compact spark machines_____6

| Multi-jet spark machines_____12

| Professional spark machines_____16

| Falling spark machines_____22

| Instant spark jet machine_____28

| Accessories & consumables_____30



| Compact spark machines

Projected cold spark machines from 2 to 5 meters.



SPARKULAR BLASTER

by Showven

Spark Gun
Jet from 2 to 4 m
Tank capacity 200 g



SPARKULAR MINI NOIRE

by Showven

Ground use
Straight jet up to 3 m
Tank capacity 100 g



SPARKULAR MINI BLANCHE

by Showven

Ground use
Straight jet up to 3 m
Tank capacity 100 g



SPARKULAR

by Showven

Ground use
Straight jet up to 5 m
Tank capacity 280 g



SHOWVEN

PASSION FOR INNOVATION

Spark gun SPARKULAR BLASTER

SHOWVEN



The **SPARKULAR BLASTER** is a 2 to 4-metre spark gun adjustable to 3 shot levels (Small / Medium / Large).

Battery-powered and cable-free, it lasts up to 90 minutes in standby mode and 40 minutes in use mode. To be used only with SHOWVEN MEDIUM 200g spark powder.

The SPARKULAR range will only be taken under warranty if you use SHOWVEN consumables sold on PREMIUM FX.

SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 58.5 x lg 27 x Ht 9.5 cm
Weight	3.8 Kg
Electrical characteristics	240 Volt - 50 Hertz
Number of outputs	1 outlet with continuous jet
Projection of the effect	2 to 4 meters

EXCLUSIVE PACKS

SET 1 MACHINE

SVSPBR

- 1 SPARKULAR BLASTER Gun
- 1 Power supply cable included
- **1 Bag Medium 200g offered**
- Batteries lithium 18650 (not included)

SET 2 MACHINES

SVSPBRP2

- 2 SPARKULAR BLASTER Guns
- 2 Power supply cables included
- **2 Bags Medium 200g offered**
- Batteries lithium 18650 (not included)

SET 4 MACHINES

SVSPBRP4

- 4 SPARKULAR BLASTER Guns
- 4 Power supply cables included
- **4 Bags Medium 200g offered**
- Batteries lithium 18650 (not included)

SET 6 MACHINES

SVSPBRP6

- 6 SPARKULAR BLASTER Guns
- 6 Power supply cables included
- **6 Bags Medium 200g offered**
- Batteries lithium 18650 (not included)



Spark machine SPARKULAR MINI

SHOWVEN

The **Sparkular Mini** is a 2 to 3 meters high sparkler with an effect duration of 3 to 4 minutes depending on the powder consumable used. It is equipped with an included wireless remote control and DMX control.

With its integrated wireless and anti-collision technology, this sparkler is designed to last over time, is easy to use, light and compact. A flight case is available as an option. This model is also sold in sets of 2, 4 and 6 machines with DMX cable and flight case included.

It is a professional quality product adapted to a use mainly on the ground in outside.

Two heights to choose from: 2m with Medium powder | 3m with Large powder (45/50gr only)

SHOWVEN machines from the SPARKULAR range will only be taken under warranty if you use SHOWVEN consumables sold on PREMIUM FX.

[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 16.8 x lg 18 x Ht 22.8 cm
Weight	4.5 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.5 Amp
Number of outputs	1 outlet with continuous jet
Projection of the effect	2 to 3 meters

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSPBT06BL

- 1 SPARKULAR MINI BLACK
- Optional flightcase to choose from accessories
- 1 Wireless remote controller included
- 1 Power cable included
- **1 Bag Large 50g offered**

PACK 2 MACHINES

SVSPBT06P2BL

- 2 SPARKULAR MINI BLACK
- 1 Flightcase of 2 units included (no wheels)
- 2 Wireless remote controllers included
- 2 Power supply cables included
- **2 Bags Large 50g offered**

PACK 4 MACHINES

SVSPBT06P4BL

- 4 SPARKULAR MINI BLACK
- 1 Flightcase of 4 units included
- 4 Wireless remote controllers included
- 4 Power supply cables included
- **4 Bags Large 50g offered**


PACK 6 MACHINES

SVSPBT06P6BL

- 6 SPARKULAR MINI BLACK
- 1 Flightcase of 6 units included
- 6 Wireless remote controllers included
- 6 Power supply cables included
- **6 Bags Large 50g offered**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 20 x lg 21.5 x Ht 30.5 mm
Weight	8.5 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.5 Amp
Number of outputs	1 outlet with variable jet
Projection of the effect	1.5 to 5 meters

Spark machine SPARKULAR

SHOWVEN

The **Sparkular** is a spark machine with a height of 1.5 to 5 meters, adjustable according to your needs, with an effect duration of 10 to 20 minutes depending on the powder consumable used. The control of the machine is done by DMX.

This sparkling machine designed to last over time is one of the pioneers in the field of special effects. A flight case is available as an option. This model is also sold in sets of 2, 4 and 6 machines with DMX cable and flight case included.

It is a professional quality product adapted to a use mainly on the ground in outside.

Variable height from 1m50 to 5m per DMX channel.

SHOWVEN machines from the SPARKULAR range will only be taken under warranty if you use SHOWVEN consumables sold on PREMIUM FX.

EXCLUSIVE PACKS

PACK 1 MACHINE
SVSPBT01

- 1 SPARKULAR
- Optional flightcase to choose from accessories
- 1 Power supply cable included
- 1 Large 200g bags offered

PACK 2 MACHINES
SVSPBT01P2

- 2 SPARKULAR
- 1 Flightcase 2 units included (no wheels)
- 2 Power supply cables included
- 2 Large 200g bags offered

PACK 4 MACHINES
SVSPBT01P4

- 4 SPARKULAR
- 1 Flightcase 4 units included
- 4 Power supply cables included
- 4 Large 200g bags offered

PACK 6 MACHINES
SVSPBT01P6

- 6 SPARKULAR
- 1 Flightcase 6 units included
- 6 Power supply cables included
- 6 Large 200g bags offered



| Multi-jet spark machines

Multi-jet cold sparks machines from 2 to 5 meters.



SPARKULAR SPIN

by Showven

Ground use
2 rotating outlets up to 5 m
Tank capacity 400 g



SPARKULAR TRIPLE

by Showven

Ground use
3 straight jets up to 5 m
Tank capacity 480 g



SHOWVEN

PASSION FOR INNOVATION



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 33 x lg 30.5 x Ht 34.9 cm
Weight	20 Kg
Electrical characteristics	230 Volt - 50 Hertz - 4.3 Amps
Number of outputs	2 outlets with adjustable jets
Projection of the effect	2 to 5 meters

Spark machine SPARKULAR SPIN

SHOWVEN

The **Sparkular Spin** is a double outlet sparking machine with a height of 2 to 5 meters adjustable according to your needs with an effect duration of 8 to 10 minutes depending on the powder consumable used. It is equipped with two nozzles oriented at 20° as well as a bidirectional rotation system which allows you to adjust the direction and speed of rotation.

It is equipped with a wireless remote control and DMX control.

A flight case for transporting 2 units is included. This model is also sold in sets of 2, 4 and 6 machines with DMX cable and flight case included.

It is a professional quality product adapted to a use mainly on the ground in outside.

Two adjustable heights to choose from: 2 to 4m with Medium powder | 2 to 5m with Large powder (200gr only)

SHOWVEN machines from the SPARKULAR range will only be taken under warranty if you use SHOWVEN consumables sold on PREMIUM FX.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSPBT81

- 1 SPARKULAR SPIN
- Optional flightcase to choose from accessories
- 1 Wireless remote controller included
- 1 Power supply cable included
- **1 Bag Large 200g offered**

PACK 2 MACHINES

SVSPBT81P2

- 2 SPARKULAR SPIN
- 1 Flightcase of 2 units included
- 2 Wireless remote controllers included
- 2 Power supply cables included
- **2 Bags Large 200g offered**

PACK 4 MACHINES

SVSPBT81P4

- 4 SPARKULAR SPIN
- 2 Flightcases of 2 units included
- 4 Wireless remote controllers included
- 4 Power supply cables included
- **4 Bags Large 200g offered**

PACK 6 MACHINES

SVSPBT81P6

- 6 SPARKULAR SPIN
- 3 Flightcases of 2 units included
- 6 Wireless remote controllers included
- 6 Power supply cables included
- **6 Bags Large 200g offered**



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 40 x lg 29 x Ht 27 cm
Weight	20 Kg
Electrical characteristics	230 Volt - 50 Hertz - 6.5 Amps
Number of outputs	3 outlets with continuous jet
Projection of the effect	2 to 5 meters

Spark machine SPARKULAR TRIPLE

SHOWVEN

The **Sparkular Triple** is a triple outlet spark machine with a height of 2 to 5 meters, adjustable according to your needs, with an effect time of 10 to 12 minutes depending on the powder consumable used. It is equipped with a vertical nozzle and two nozzles at an angle of 25°, each nozzle can be controlled individually.

The efficiency of the motor ensures excellent flare speed and powerful bursts. Spark effects are stable and uniform, and RDMX technology will help the operator monitor the operating status of each machine. Combined with high quality waterproof connectors, the Sparkular Triple is a stable and reliable professional equipment for the stage.

An optional flight case is available for transport. This model is also sold in sets of 2, 4 and 6 machines with DMX cable and flight case included.

This is a professional quality product suitable for use mainly on the ground outdoors.

SHOWVEN machines from the SPARKULAR range will only be taken under warranty if you use SHOWVEN consumables sold on PREMIUM FX.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSPBT51

- 1 SPARKULAR TRIPLE
- Optional flightcase to choose from accessories
- 1 Power cable included
- 1 Bag Large 200g offered

PACK 2 MACHINES

SVSPBT51P2

- 2 SPARKULAR TRIPLE
- 1 Flightcase of 2 units included
- 2 Power supply cables included
- 2 Bags Large 200g offered

PACK 4 MACHINES

SVSPBT51P4

- SPARKULAR TRIPLE
- 2 Flightcase of 2 units included
- 4 Power supply cables included
- 4 Bags Large 200g offered

PACK 6 MACHINES

SVSPBT51P6

- 6 SPARKULAR TRIPLE
- 3 Flightcase of 2 units included
- 6 Power supply cables included
- 6 Bags Large 200g offered



| Professional spark machines


Cold sparks machines from 2 to 10 meters.



SPARKULAR WAVER

by Showven

Suspended or ground use
Jet swivels 180° (4.5 m)
Tank capacity 400 g



SPARKULAR II

by Showven

Ground use
Straight jet up to 6 m
Tank capacity 300 g



SPARKULAR PRO

by Showven

Anti-rain flap
Straight jet up to 5.5 m
Tank capacity 1200 g



SPARKULAR CYCLONE

by Showven

Great height
Straight jet up to 10 m
Tank capacity 500 g



SHOWVEN

PASSION FOR INNOVATION



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 30 x lg 29 x Ht 27.3 cm
Weight	15.5 Kg
Electrical characteristics	230 Volt - 50 Hertz
Number of outputs	1 outlet with adjustable jet
Projection of the effect	2.5 to 4.5 meters

Spark machine SPARKULAR WAVER

SHOWVEN

The **Sparkular Waver** is a cold spark jet machine that can be rotated up to 180°. Spraying power varies between 2.5 and 4.5 metres depending on the powder consumable used. It features automatic air compression with an internal tank. The machine has 72 predefined firing sequences and a range of modifiable spark effects, so you can express your creativity.

This cold spark machine is also sold in packs of 2, 4 and 6 machines, with power cables and flight case included.

This is a professional-quality product suitable for ground-use.

SHOWVEN machines from the SPARKULAR range will only be taken under warranty if you use SHOWVEN consumables sold on PREMIUM FX.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSPBT84

- 1 SPARKULAR WAVER
- Optional flightcase to choose from accessories
- 1 Remote control included
- 1 Power supply cable included
- **1 Bag Large 200g offered**

PACK 2 MACHINES

SVSPBT842

- 2 SPARKULAR WAVER
- 1 Flightcase of 2 units included
- 2 Remote control included
- 2 Power supply cables included
- **2 Bags Large 200g offered**

PACK 4 MACHINES

SVSPBT84P4

- 4 SPARKULAR WAVER
- 2 Flightcase of 2 units included
- 4 Remote control included
- 4 Power supply cables included
- **4 Bags Large 200g offered**

PACK 6 MACHINES

SVSPBT84P6

- 6 SPARKULAR WAVER
- 3 Flightcase of 2 units included
- 6 Remote control included
- 6 Power supply cables included
- **6 Bags Large 200g offered**



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 28.6 x lg 28 x Ht 25.8 cm
Weight	9 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.5 Amp
Number of outputs	1 outlet with variable jet
Projection of the effect	1.5 to 6 meters

Spark machine SPARKULAR II

SHOWVEN

The **Sparkular II** is a spark machine with a height of 1.5 to 6 meters, adjustable according to your needs, with an effect duration of 10 to 20 minutes depending on the powder consumable used. The control of the machine is done by DMX. **This new version integrates a wireless DMX receiver**, uses more optimized electronics, a more powerful motor minimizing the risks of blocking and guaranteeing a better safety of the shots.

A flight case is available as an option. This model is also sold in sets of 2, 4 and 6 machines with DMX cable and flight case included.

It is a professional quality product adapted to indoor and outdoor use.

Variable height from 1m50 to 6m per DMX channel, wireless.

The SHOWVEN machines of the SPARKULAR range will be taken under warranty only if you use SHOWVEN consumables sold on PREMIUM FX.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSPBT11

- 1 SPARKULAR II
- Optional flightcase to choose from accessories
- 1 Power supply cable included
- **1 Bag Large 200g offered**

PACK 2 MACHINES

SVSPBT11P2

- 2 SPARKULAR II
- 1 Flightcase of 2 units included (no wheels)
- 2 Power supply cables included
- **2 Bags Large 200g offered**

PACK 4 MACHINES

SVSPBT11P4

- 4 SPARKULAR II
- 1 Flightcase of 4 units included
- 4 Power supply cables included
- **4 Bags Large 200g offered**

PACK 6 MACHINES

SVSPBT11P6

- 6 SPARKULAR II
- 1 Flightcase of 6 units included
- 6 Power supply cables included
- **6 Bags Large 200g offered**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 31.5 x lg 29 x Ht 28.5 cm
Weight	16.5 Kg
Electrical characteristics	230 Volt - 50 Hertz - 4.4 Amps
Number of outputs	1 outlet with variable jet
Projection of the effect	2 to 5.5 meters

Spark machine SPARKULAR PRO

SHOWVEN

The **Sparkular Pro** is a sparking machine from 2 to 5,5 meters of variable height according to your needs. It is equipped with a large tank of 1200 grams of refill for a long duration of effect: from 10 to 20 minutes with a 200 grams powder refill. The control of the machine is done by DMX.

Made of stainless steel, this sparkler is designed to last over time and is IP55 certified for use in the rain. It has Neutrik connectors with automatic rain flap

A flight case is available as an option. This model is also sold in sets of 2, 4 and 6 machines with DMX cable and flight case included.

It is a professional quality product adapted to a use mainly on the ground in outside.

Variable height from 2m to 5.5m per DMX channel. 4.5m max with Large 200gr powder | 5.5m max with Large-1 200gr powder

SHOWVEN machines from the SPARKULAR range will only be taken under warranty if you use SHOWVEN consumables sold on PREMIUM FX.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSPBT71P1

- 1 SPARKULAR PRO
- Optional flightcase to choose from accessories
- 1 Power cable included
- **1 Bag Large 1 - 200g offered**

PACK 2 MACHINES

SVSPBT71P2

- 2 SPARKULAR PRO
- 1 Flightcase of 2 units included
- 2 Power supply cables included
- **2 Bags Large 1 - 200g offered**

PACK 4 MACHINES

SVSPBT71P4

- 4 SPARKULAR PRO
- 2 Flightcase of 2 units included
- 4 Power supply cables included
- **4 Bags Large 1 - 200g offered**

PACK 6 MACHINES

SVSPBT71P6

- 6 SPARKULAR PRO
- 3 Flightcase of 2 units included
- 6 Power supply cables included
- **6 Bags Large 1 - 200g offered**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 45.7 x lg 37 x Ht 28 cm
Weight	27 Kg
Electrical characteristics	230 Volt - 50 Hertz - 2.6 Amps
Number of outputs	1 outlet with continuous jet
Projection of the effect	6 to 7 meters

Spark machine SPARKULAR CYCLONE

SHOWVEN

The **Sparkular Cyclone** is a 6 to 10 meters high spark machine with an effect duration of 3 minutes. It is equipped with an automatic braking system that guarantees an immediate stop of the machine even at full power. The Sparkular Cyclone has a waterproof design, which allows it to perform uninterrupted in the rain.

A 2 unit flight case is included. This model is also sold in sets of 2, 4 and 6 machines with DMX cable and flight case included.

It is a professional quality product adapted to a use mainly on the ground in outside.

SHOWVEN machines from the SPARKULAR range will only be taken under warranty if you use SHOWVEN consumables sold on PREMIUM FX.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSPBT61

- 1 SPARKULAR CYCLONE
- Optional flightcase to choose from accessories
- 1 Power supply cable included
- **1 Bag Large 3 - 200g offered**

PACK 2 MACHINES

SVSPBT61P2

- 2 SPARKULAR CYCLONE
- 1 Flightcase of 2 units included
- 2 Power supply cables included
- **2 Bags Large 3 - 200g offered**

PACK 4 MACHINES

SVSPBT61P4

- 4 SPARKULAR CYCLONE
- 2 Flightcase of 2 units included
- 4 Power supply cables included
- **4 Bags Large 3 - 200g offered**

PACK 6 MACHINES

SVSPBT61P6

- 6 SPARKULAR CYCLONE
- 3 Flightcase of 2 units included
- 6 Power supply cables included
- **6 Bags Large 3 - 200g offered**



| Falling spark machines

Falling cold spark machines from 2 to 7 meters.



SPARKULAR WAVERFALL

by Showven

Suspended use
Jet swivels 180° (3 to 7 m)
Tank capacity 400 g



SPARKULAR MINIFALL

by Showven

Suspended use
Falling up to 3 m
Tank capacity 280 g



SPARKULAR FALL

by Showven

Suspended use
Falling up to 7 m
Tank capacity 280 g



SHOWVEN

PASSION FOR INNOVATION



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 30.9 x lg 30.5 x Ht 28.5 cm
Weight	17 Kg
Electrical characteristics	230 Volt - 50 Hertz
Number of outputs	1 outlet with orientable jet at 180°
Projection of the effect	3 to 7 meters

Spark machine SPARKULAR WAVERFALL

SHOWVEN

The **SPARKULAR WAVERFALL** is a spark machine with 180° swivel, originally developed by SHOWVEN. It can shoot in a single direction, from -90° to 90°, or in wavy sequences.

With 72 predefined firing sequences and several modifiable spark effects, it brings infinite creativity to your scene.

SHOWVEN machines from the SPARKULAR range will only be taken under warranty if you use SHOWVEN consumables sold on PREMIUM FX.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSPBT34

- 1 SPARKULAR WAVERFALL
- Optional flightcase to choose from accessories
- 1 Remote control included
- 1 Power supply cable included
- **1 Bag Large II 200g offered**

PACK 2 MACHINES

SVSPBT34P2

- 2 SPARKULAR WAVERFALL
- 1 Flightcase of 2 units included
- 2 Remote control included
- 2 Power supply cables included
- **2 Bags Large II 200g offered**

PACK 4 MACHINES

SVSPBT34P4

- 4 SPARKULAR WAVERFALL
- 2 Flightcase of 2 units included
- 4 Remote control included
- 4 Power supply cables included
- **4 Bags Large II 200g offered**

PACK 6 MACHINES

SVSPBT34P6

- 6 SPARKULAR WAVERFALL
- 3 Flightcase of 2 units included
- 6 Remote control included
- 6 Power supply cables included
- **6 Bags Large II 200g offered**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 15 x lg 16 x Ht 24 cm
Weight	3 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.5 Amp
Number of outputs	1 outlet with continuous jet
Projection of the effect	2 to 3 meters

Spark machine SPARKULAR MINIFALL

SHOWVEN

The **Sparkular MiniFall** is a 2 to 4 meters high sparkler with an effect duration of 13 to 14 minutes depending on the powder consumable used. It is equipped with a wireless remote control and DMX control.

The Sparkular MiniFall is a new generation machine with patented D-QUIET technology, an optimized low-noise design with low power consumption.

A flight case is available as an option. This model is also sold in sets of 2, 4 and 6 machines with DMX cable and flight case included.

This is a professional quality product suitable for indoor or outdoor use only.

SHOWVEN machines from the SPARKULAR range will only be taken under warranty if you use SHOWVEN consumables sold on PREMIUM FX.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSPBT14

- 1 SPARKULAR MINI FALL
- Optional Flightcase to choose from accessories
- 1 Wireless remote controller included
- 1 Power cable included
- **1 Bag Large 200g offered**

PACK 2 MACHINES

SVSPBT14P2

- 2 SPARKULAR MINI FALL
- 1 Flightcase of 2 units included (no wheels)
- 2 Wireless remote controllers included
- 2 Power supply cables included
- **2 Bags Large 200g offered**

PACK 4 MACHINES

SVSPBT14P4

- 4 SPARKULAR MINI FALL
- 1 Flightcase of 4 units included
- 4 Wireless remote controllers included
- 4 Power supply cables included
- **4 Bags Large 200g offered**

PACK 6 MACHINES

SVSPBT14P6

- 6 SPARKULAR MINI FALL
- 1 Flightcase of 6 units included
- 6 Wireless remote controllers included
- 6 power supply cables included
- **6 Bags Large 200g offered**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 19.6 x lg 20.8 x Ht 19.2 cm
Weight	6 Kg
Electrical characteristics	230 Volt - 50 Hertz - 2.2 Amps
Number of outputs	1 outlet with continuous jet
Projection of the effect	2 to 7 meters

Spark machine SPAKULAR FALL

SHOWVEN

The **Sparkular Fall** is a 2 to 7 meters high sparkler with an effect duration of 8 to 14 minutes depending on the powder consumable used. It is equipped with a wireless remote control and DMX control. It is possible to start and stop the machine live with the Alternating Effect mode. Several effect scenarios are available depending on the type of refill used.

A flight case is available as an option. This model is also sold in sets of 2, 4 and 6 machines with DMX cable and flight case included.

This is a professional quality product suitable for indoor or outdoor use only.

SHOWVEN machines from the SPARKULAR range will only be taken under warranty if you use SHOWVEN consumables sold on PREMIUM FX.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSPBT04

- 1 SPARKULAR FALL
- Optional Flightcase to choose from accessories
- 1 Power supply cable included
- **1 Bag Large 2 - 200g offered**

PACK 2 MACHINES

SVSPBT04P2

- 2 SPARKULAR FALL
- 1 Flightcase of 6 units included
- 2 Power supply cables included
- **2 Bags Large 2 - 200g offered**

PACK 4 MACHINES

SVSPBT04P4

- 4 SPARKULAR FALL
- 1 Flightcase of 6 units included
- 4 Power supply cables included
- **4 Bags Large 2 - 200g offered**

PACK 6 MACHINES

SVSPBT04P6

- 6 SPARKULAR FALL
- 1 Flightcase of 6 units included
- 6 Power supply cables included
- **6 Bags Large 2 - 200g offered**



SHOWVEN

PASSION FOR INNOVATION

| Instant spark jet machine

Cold spark machine with an instantaneous jet of 5 to 10 meters.



SPARKULAR JET

by Showven

Ground use (Flash shot)
Instant straight jet up to 10 m
Tank capacity 350 g





SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 19.6 x lg 20.8 x Ht 19.2 cm
Weight	6 Kg
Electrical characteristics	230 Volt - 50 Hertz - 2.2 Amps
Number of outputs	1 outlet with continuous jet
Projection of the effect	5 to 10 meters

Spark machine SPARKULAR JET

SHOWVEN

The **Sparkular Jet** is a 5 to 10 meters high cold spark jet machine depending on the powder consumable used. It is equipped with an automatic air compression with an internal tank. Two types of nozzle are available as options: a nozzle with adjustable firing angle and a nozzle with three outlets. The machine is controlled by DMX.

This cold spark machine is also sold in sets of 2, 4 and 6 machines with DMX cable and flight case included.

It is a professional quality product suitable for indoor or outdoor use.

SHOWVEN machines from the SPARKULAR range will only be taken under warranty if you use SHOWVEN consumables sold on PREMIUM FX.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSPBT91

- 1 SPARKULAR JET
- Optional flightcase to choose from accessories
- 1 Power supply cable included
- **1 Bag Large 200g offered**

PACK 2 MACHINES

SVSPBT91P2

- 2 SPARKULAR JET
- Flightcase of 2 units included
- 2 Power supply cables included
- **2 Bags Large 200g offered**

PACK 4 MACHINES

SVSPBT91P4

- 4 SPARKULAR JET
- 2 Flightcase of 2 units included
- 4 Power supply cables included
- **4 Bags Large 200g offered**

PACK 6 MACHINES

SVSPBT91P6

- 6 SPARKULAR JET
- 3 Flightcase of 2 units included
- 6 Power supply cables included
- **6 Bags Large 200g offered**




| Accessories & consumables




SPARKULAR PORTABLE BATTERY

[SEE ON THE SITE >](#)




WIRELESS DMX SYSTEM

[SEE ON THE SITE >](#)




FLIGHTCASE STANDARD SHOWVEN SPARKULAR

[SEE ON THE SITE >](#)



POWERCON LINK CABLE TRUE 1

[SEE ON THE SITE >](#)



POWERCON SUPPLY CABLE TRUE 1

[SEE ON THE SITE >](#)



POWERCON LINK COUPLER

[SEE ON THE SITE >](#)




UE POWERCON SUPPLY CABLE

[SEE ON THE SITE >](#)




UE POWERCON LINK CABLE

[SEE ON THE SITE >](#)




XLR 3 CABLE M/F

[SEE ON THE SITE >](#)




XLR 5 CABLE M/F

[SEE ON THE SITE >](#)



PYROMOTE

[SEE ON THE SITE >](#)



FX COMMANDER

[SEE ON THE SITE >](#)





BOX OF 12 BAGS
OF POWDER

[SEE ON THE SITE >](#)



BAG OF SPARK POWDER

[SEE ON THE SITE >](#)



| BUBBLES

| Projected bubble machines_____34

| Big bubble machines_____42

| Accessories & consumables_____46



| Projected bubble machines

Projection of a multitude of bubbles from 1.5 to 3 cm in diameter.



UNITED COMPACT BUBBLE

by United FX

Suspended or ground use
DIRECT or DMX-512
Projection up to 5 m



UE K-350 JET-BUBBLE

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Projection up to 8 m



UE ST-350 JET-BUBBLE

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Projection up to 8 m



UE K-500 JET-BUBBLE

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Projection up to 8 m



UE ST-500 JET-BUBBLE

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Projection up to 12 m





SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 59.5 x lg 39 x Ht 44.8 cm
Weight	9.4 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1 Amp
Included accessories	UFX Ground Foot FX, UE Auto Tank Filler, UE box switch or Dimmer
Projection of the effect	5 meters

Bubble machine UNITED COMPACT BUBBLE

UNITED FX

The **UNITED COMPACT BUBBLE** is a compact machine producing bubbles of 1.5 to 3cm in diameter projected up to 8 meters away.

Easy to use and quiet, it can be used on the ground or suspended. It is ideal for small events, theatrical productions and TV sets.


Made of ALUMINUM and stainless steel screws, this bubble production machine is designed to last over time. This is a professional grade product suitable primarily for indoor use.

MODEL

COMPACT BUBBLE

UFXCOBU

- 8m continuous bubble projection machine
- Floor or suspended use



Dimensions	Lg 30 x lg 83 x Ht 76 cm
Weight	19.3 Kg
Electrical characteristics of the BASE	230 Volt - 50 Hertz - 1.5 Amp
Compatible heads	Compatible with all heads
Projection of the effect	8 meters

Bubble machine UE K-350 JET-BUBBLE

UNIVERSAL EFFECTS

The **UE K-350 JET BUBBLE** is a compact and powerful bubble blasting machine, designed for floor or ceiling installation. It produces bubbles from 1.5 to 3 cm in diameter projected up to 8 meters.

Made of ALUMINIUM and stainless steel screws, this bubble machine is designed to last over time. Its unique concept allows the user to keep the same propellant, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

It is a professional quality product adapted mainly for indoor use.

MODELS

UE K-350 JET-BUBBLE STD

UEK350SJB

- 8m Continuous Bubble Projection Machine
- With Base K-350 STD / 355W 230V 50Hz
- 5.3 Liter tank / Supplied with 2 wheels
- Hanging bracket
- **Direct control by PowerCon supply**
- **With integrated dimmer in the head**

UE K-350 JET-BUBBLE SOLO DMX

UEK350DJS

- 8m Continuous Bubble Projection Machine
- With Base K-350 DMX / 355W 230V 50Hz
- 5.3 Liter tank / Supplied with 2 wheels
- Hanging bracket
- **DMX control with PowerCon supply**
- **Without dimmer integrated in the head**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 40 x lg 63 x Ht 57 cm
Weight	18.6 Kg
Electrical characteristics of the BASE	230 Volt - 50 Hertz - 3.8 Amps
Compatible heads	Compatible with all heads
Projection of the effect	10 meters

Bubble machine UE ST-350 JET-BUBBLE

UNIVERSAL EFFECTS

The **UE ST-350 JET BUBBLE** is a high output continuous bubble blasting machine. It produces bubbles 1.5 to 3 cm in diameter projected up to 10 meters. This machine is designed for floor or suspended use.

Made of ALUMINUM and stainless steel screws, this bubble machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

This is a professional grade product suitable for indoor or outdoor use.

MODELS

UE ST-350 JET-BUBBLE STD
UEST350SJB

- 10m continuous projection machine
- Base ST-350 STD / 550W 230V 50Hz
- 5.3 Liter tank - Comes with 2 wheels
- **Direct control by PowerCon supply**
- **With integrated dimmer in the head**

UE ST-350 JET-BUBBLE SOLO DMX
UEST350DJBS

- 10m continuous projection machine
- ST-350 DMX Base / 550W 230V 50Hz
- 5.3 Liter tank - Comes with 2 wheels
- **DMX control with PowerCon supply**
- **Without integrated dimmer on the head**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 28 x lg 62 x Ht 65 cm
Weight	27.4 Kg
Electrical characteristics of the BASE	230 Volt - 50 Hertz - 1.6 Amp
Compatible heads	Compatible with all heads
Projection of the effect	10 meters

Bubble machine UE K-500 JET-BUBBLE

UNIVERSAL EFFECTS

The **UE K-500 JET BUBBLE** is a compact and very powerful bubble blasting machine, designed for floor or hanging installation. It produces bubbles of 1.5 to 3 cm in diameter and a projection up to 10 m.

Made of ALUMINUM and stainless steel screws, this bubble machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and change effects thanks to interchangeable **HEADS**.

This is a professional grade product suitable primarily for indoor use.

MODELS

UE K-500 JET-BUBBLE STD

UEK500JB

- 10m continuous bubble projection machine
- With Base K-500 STD / 355W 230V 50Hz
- 11.2 Liter tank / Supplied with 2 wheels
- Hanging bracket
- **Direct control by PowerCon supply**
- **With integrated dimmer in the head**

UE K-500 JET-BUBBLE SOLO DMX

UEK500JBS

- 10m continuous bubble projection machine
- With Base K-500 DMX / 355W 230V 50Hz
- 11.2 Liter tank - Comes with 2 wheels
- Hanging bracket
- **Direct control by PowerCon supply**
- **Without dimmer integrated in the head**



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 56 x lg 79 x Ht 79 cm
Weight	49.3 Kg
Electrical characteristics of the BASE	230 Volt - 50 Hertz - 6.5 Amps
Compatible heads	Compatible with all heads
Projection of the effect	12 meters

Bubble machine UE ST-500 JET-BUBBLE

UNIVERSAL EFFECTS

The **UE ST-500 JET BUBBLE** is a high throughput continuous bubble blasting machine. It produces bubbles of 1.5 to 3 cm in diameter and a projection up to 12 m. This machine is designed for floor and suspended use.

Made of ALUMINUM and stainless steel screws, this bubble machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

This is a professional grade product suitable for indoor or outdoor use.

MODELS

UE ST-500 JET-BUBBLE STD

UEST500SJB

- 12m Continuous Bubble Projection Machine
- With Base ST-500 STD / 1500W 230V 50Hz
- 11.2 Liter tank - Comes with 2 wheels
- **Direct control by PowerCon supply**
- **With integrated dimmer in the head**

UE ST-500 JET-BUBBLE SOLO DMX

UEST500DJBS

- 12m Continuous Bubble Projection Machine
- With Base ST-500 DMX / 1500W 230V 50Hz
- 11.2 Liter tank - Comes with 2 wheels
- **DMX control with PowerCon supply**
- **Without dimmer integrated in the head**



| Big bubble machines

Creation of bubbles with a diameter from 5 to 15 cm.



UE BUBBLE LARGE

by Universal Effects

Suspended use
DIRECT or DMX-512
Falling projection



UE BUBBLE XL

by Universal Effects

Suspended use
DIRECT or DMX-512
Falling projection





SEE ON THE SITE ►



Bubble machine UE BUBBLE LARGE

UNIVERSAL EFFECTS

The **UE BUBBLE LARGE** is a machine with large falling bubbles from 5 to 7cm in diameter. In the suspended position, you will get a bubble drop. With several machines, you will be able to obtain a curtain of bubbles.

Made of ALUMINUM and stainless steel screws, this bubble production machine is designed to last over time. This is a professional grade product suitable primarily for indoor use.

MODEL

UE BUBBLE LARGE

UEBURL

- Produces 5-7cm drooping bubbles
- Aluminium machine hookable under Truss



WATCH THE VIDEO ►

Dimensions	Lg 21 x lg 28 x Ht 33 cm
Weight	3.4 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.5 Amp
Size of the bubbles	5 to 7 cm
Projection of the effect	8 meters



SEE ON THE SITE ►



WATCH THE VIDEO ►

Bubble machine UE BUBBLE XL

UNIVERSAL EFFECTS

The **UE BUBBLE XL** is a machine with large falling bubbles from 12 to 15cm in diameter. In the suspended position, you will get a bubble drop. With several machines, you will be able to obtain a curtain of bubbles.

Made of ALUMINUM and stainless steel screws, this bubble production machine is designed to last over time. This is a professional grade product suitable primarily for indoor use.

MODEL

UE BUBBLE XL

UEBUMXL

- Produces 12-15cm drooping bubbles
- Aluminium machine hookable under Truss

Dimensions	Lg 27 x lg 44 x Ht 49 cm
Weight	6.4 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.9 Amp
Size of the bubbles	12 to 15 cm
Projection of the effect	8 meters



| Accessories & consumables



UE 350&500 FEET ST-50 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-75 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-100 x4

[SEE ON THE SITE >](#)



UE 350 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 350 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 350 GROUND FOOT K

[SEE ON THE SITE >](#)



UE 500 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 500 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 500 GROUND FOOT K

[SEE ON THE SITE >](#)



UE AUTO TANK FILLER

[SEE ON THE SITE >](#)



POWERCON LINK CABLE
TRUE 1

[SEE ON THE SITE >](#)



POWERCON SUPPLY CABLE
TRUE 1

[SEE ON THE SITE >](#)



POWERCON LINK COUPLER

[SEE ON THE SITE >](#)



UE POWERCON
SUPPLY CABLE

[SEE ON THE SITE >](#)



UE POWERCON
LINK CABLE

[SEE ON THE SITE >](#)



XLR 3 CABLE M/F

[SEE ON THE SITE >](#)



XLR 5 CABLE M/F

[SEE ON THE SITE >](#)



SAFETY CABLE 5MM - 1M

[SEE ON THE SITE >](#)



SAFETY CABLE 4MM - 0.6M

[SEE ON THE SITE >](#)



50MM COMPACT COUPLER
100KG - BLACK

[SEE ON THE SITE >](#)



50MM QUICK COUPLER
200KG - BLACK

[SEE ON THE SITE >](#)



UE MODULE DMX-512

[SEE ON THE SITE >](#)



UE FREQUENCY VARIATOR
16A

[SEE ON THE SITE >](#)



UE BOX DMX 16A 2 OUT

[SEE ON THE SITE >](#)



| Accessories & consumables



UE CONTROLLER 16A 2 OUT

[SEE ON THE SITE >](#)



VARIATOR SINGLE ONE WITH FADER

[SEE ON THE SITE >](#)



PYROMOTE

[SEE ON THE SITE >](#)



FX COMMANDER

[SEE ON THE SITE >](#)



ECONOMY BUBBLE FLUID

[SEE ON THE SITE >](#)



STANDARD BUBBLE FLUID

[SEE ON THE SITE >](#)



FLUO BUBBLE FLUID

[SEE ON THE SITE >](#)



DENSE BUBBLE FLUID




[SEE ON THE SITE >](#)



CONCENTRATED BUBBLE FLUID

[SEE ON THE SITE >](#)





| SNOW

Snow flake machines	52
Paper snow machines	58
Accessories & consumables	68



| Snow flake machines

Snow cannon projecting foam flakes from 8 to 25 meters.



UNITED COMPACT SNOW

by United FX

Suspended or ground use
DIRECT or DMX-512
Projection up to 10 m



UE ST-350 SNOW

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Projection up to 12 m



UE ST-500 SNOW

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Projection up to 25 m




UE SNOW TOUR

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Projection up to 10 m





SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 75 x lg 44 x Ht 90 cm
Weight	27.4 Kg
Electrical characteristics	230 Volt - 50 Hertz - 4.3 Amps
Possible adjustments	In DMX-512: timer and speed variation
Projection of the effect	10 meters

Snow machine UNITED COMPACT SNOW

UNITED FX

The **United Compact Snow** is a compact snow blasting machine with a distance of 8 to 10 meters. Delivered with its support and its 5L canister with remote quick connections.

Powerful and without electronics, it works by air compression without pump. Low noise and very reliable, it is designed for a very easy use. It can be used for animation, concerts, theater and TV sets.

Made of ALUMINIUM and STAINLESS STEEL screws, this snow blasting machine is designed to last over time. It is a professional quality product suitable for floor or suspended use, indoors or outdoors.

MODEL

COMPACT SNOW

UFXCOSN

- Snow projected 8 to 10 m
- With flake adjustment
- 5L container on hookable support



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 45 x lg 37 x Ht 51 cm
Weight	35.9 Kg
Electrical characteristics of the BASE	230 Volt - 50 Hertz - 3.8 Amps
Compatible heads	Compatible with all heads
Projection of the effect	12 meters

Snow machine UE ST-350 SNOW

UNIVERSAL EFFECTS

The **UE ST-350 SNOW** is a continuous snowflake throwing machine. The size of the snowflakes can be adjusted to achieve different degrees of realism and cover a distance of up to 12m.

Made of ALUMINUM and stainless steel screws, this snow machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE** and to change the effect thanks to interchangeable **HEADS**.

This is a professional grade product suitable for indoor or outdoor use.

MODELS

UE ST-350 SNOW STD

UEST350SSN

- Snow machine for 100 to 300 people
- With Base ST-350 STD / 550W 230V 50Hz
- With Compressor 1000W 230V 50Hz
- With 10L tank and connection hoses
- **Direct control by PowerCon supply**

UE ST-350 SNOW SOLO DMX

UEST350DSN

- Snow machine for 100 to 300 people
- With Base ST-350 DMX / 550W 230V 50Hz
- With Compressor 1000W 230V 50Hz
- With 10L tank and connection hoses
- **DMX control with PowerCon power supply**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 56 x lg 79 x Ht 79 cm
Weight	72.3 Kg
Electrical characteristics of the BASE	230 Volt - 50 Hertz - 6.5 Amps
Compatible heads	Compatible with all heads
Projection of the effect	25 meters

Snow machine UE ST-500 SNOW

UNIVERSAL EFFECTS

The **UE ST-500 SNOW** is a continuous snowflake throwing machine. The size of the snowflakes can be adjusted to achieve different degrees of realism and cover a distance of up to 25m.

Made of ALUMINUM and stainless steel screws, this snow machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE**, and to change the effect thanks to interchangeable **HEADS**.

This is a professional grade product suitable for indoor or outdoor use.

MODELS

UE ST-500 SNOW STD

UEST500SSN

- Snow machine for 100 to 500 people
- With Base ST-500 STD / 1500W 230V 50Hz
- With Compressor 1000W 230V 50Hz
- With 25L tank and connection hoses
- **Direct control by PowerCon supply**

UE ST-500 SNOW SOLO DMX

UEST500DSN

- Snow machine for 100 to 500 people
- With Base ST-500 DMX / 1500W 230V 50Hz
- With Compressor 1000W 230V 50Hz
- With 25L tank and connection hoses
- **DMX control with PowerCon power supply**



Snow machine UE SNOW TOUR

UNIVERSAL EFFECTS

The **UE Snow Tour** is a compact machine that throws snow up to 10 meters away. Thermally and acoustically insulated, it is specially designed to face the most difficult working conditions.

This product is delivered with an adjustable yoke from +10° to -190° allowing attachment under Truss. Pilot the machine thanks to its integrated electronic control with Timer and DMX.

Made of ALUMINUM and stainless steel screws, this snow throwing machine is designed to last over time. It is a professional quality product suitable for floor or hanging use, indoors or outdoors.

SEE ON THE SITE ►



MACHINE

UE SNOW TOUR

UESNTD

- Snow machine with integrated 10L tank
- Acoustic and thermal insulation - Flight-case finish
- Control by DMX - Timer - Manual



WATCH THE VIDEO ►

Dimensions	Lg 75 x lg 44 x Ht 90 cm
Weight	27.4 Kg
Electrical characteristics	230 Volt - 50 Hertz - 5.2 Amps
Use in the rain	Usable in the rain
Projection of the effect	10 meters

| Paper snow machines

Projection or falling snow machines of paper flakes from 2 to 20 meters.



UNITED COMPACT STRIPTEASE

by United FX

Suspended use
 Power of 400 Watts
 Falling up to 5 m



UNITED COMPACT PROJECTION

by United FX

Suspended or ground use
 Power of 400 Watts
 Projection up to 10 m



UNITED COMPACT VOLCANO

by United FX

Suspended or ground use
 Power of 430 Watts
 Projection up to 5 m



UE ST-350 PROJECTION

by Universal Effects

Ground use
 Power of 550 Watts
 Projection up to 15 m



UE K-350 STRIPTEASE

by Universal Effects

Suspended use
 Power of 355 Watts
 Falling up to 5 m



UE ST-500 PROJECTION

by Universal Effects

Ground use
 Power of 1500 Watts
 Projection up to 25 m



UE K-500 STRIPTEASE

by Universal Effects

Suspended use
 Power of 355 Watts
 Falling up to 5 m





SEE ON THE SITE ►



Paper snow machine

UNITED COMPACT STRIPTEASE

UNITED FX

The **United Compact StripTease** is a compact machine to drop confetti on 360° from 2 to 4 meters with a duration of effect from 3 to 4 minutes depending on the consumable and the chosen speed. It has an integrated tank of 2 to 4kg depending on the confetti model used.

Made of ALUMINIUM and STAINLESS STEEL screws, this confetti dropper is designed to last over time. It is a professional quality product adapted mainly for indoor use only.

Low noise and without electronics, it will allow you to achieve elegant effects of confetti rain, snow or silver glitter.

MODEL

UNITED COMPACT STRIPTEASE
UFXCOST

- Effect of Falling Confetti, Rain or Petal
- Dispersion over a diameter of 2 to 4 meters
- Only works suspended



WATCH THE VIDEO ►

Dimensions	Lg 64.2 x lg 68 x Ht 68 cm
Weight	13 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.7 Amp
Possible adjustments	In DMX-512: timer and speed variation
Projection of the effect	5 meters



SEE ON THE SITE ►



Paper snow machine UNITED COMPACT PROJECTION

UNITED FX

The **United Compact Projection** is a compact machine for manual confetti projection up to 7 meters.

Delivered with its suction hose, this low decibel machine without electronics is easy to use.

Made of ALUMINIUM and stainless steel screws, this confetti machine is designed to last over time. It is a professional quality product suitable for indoor or outdoor use, on the ground or suspended.

MODEL


UNITED COMPACT PROJECTION

UFXCOPR

- Manual Continuous Confetti Projection
- Up to 7m away
- Suction hose included

WATCH THE VIDEO ►

Dimensions	Lg 94.7 x lg 38.3 x Ht 48.9 cm
Weight	12.6 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.7 Amp
Possible adjustments	In DMX-512: timer and speed variation
Projection of the effect	7 meters



SEE ON THE SITE ►



WATCH THE VIDEO ►

Paper snow machine UNITED COMPACT VOLCANO

UNITED FX

The **United Compact Volcano** is a compact machine for vertical confetti projection up to 6 meters high for an effect duration of 2 to 3 minutes.

Without electronics, it has an integrated tank with a capacity of 1 to 2kg depending on the confetti model used.

Made of ALUMINIUM and STAINLESS STEEL screws, this confetti machine is designed to last over time. It is a professional quality product suitable for indoor or outdoor use, only on the ground for a confetti volcano effect.

MODEL

UNITED COMPACT VOLCANO

UFXCOVO

- Vertical projection of Confetti over 6m
- Integrated tank for 1 to 2 Kg
- 2-3 minute effect

Dimensions	Lg 39 x lg 26.9 x Ht 77.5 cm
Weight	12.4 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.7 Amp
Possible adjustments	In DMX-512: timer and speed variation
Projection of the effect	6 meters



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 122.2 x lg 62 x Ht 63 cm
Weight	25.6 Kg
Electrical characteristics	230 Volt - 50 Hertz - 3.8 Amps
Compatible heads	Compatible with all heads
Projection of the effect	10 meters

Paper snow machine UE ST-350 PROJECTION

UNIVERSAL EFFECTS

The **UE ST-350 Projection** is a manual confetti projection machine up to 10 meters away. As an option, choose the suction pipe or the tank. Control your machine in DMX-512 or in Standard version by the Power-Con supply.

Made of ALUMINUM and stainless steel screws, this confetti throwing machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE** and to change the effect thanks to interchangeable **HEADS**.

This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

MODELS

UE ST-350 PROJECTION STD

UEST350SPR

- Manual Confetti Throwing Machine
- With Base ST-350 STD / 550W 230V 50Hz
- Projection up to 10m away
- Suction pipe or manual tank as an option
- **Direct control by PowerCon supply**

UE ST-350 PROJECTION DMX

UEST350DPR

- Manual Confetti Throwing Machine
- With Base ST-350 DMX / 550W 230V 50Hz
- Projection up to 10m away
- Suction pipe or manual tank as an option
- **DMX control with PowerCon power supply**



SEE ON THE SITE ►



Paper snow machine UE K-350 STRIPTEASE

UNIVERSAL EFFECTS

The **UE K-350 StripTease** is a 360° confetti falling machine from 3 to 5 meters away with an effect duration of 3 to 5 minutes depending on the consumable and the chosen speed. Control your machine in DMX-512 or in Standard version by the PowerCon supply. It has an integrated tank of 3 to 4kg depending on the model of confetti used.

Made of ALUMINUM and stainless steel screws, this confetti falling machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE** and to change the effect thanks to interchangeable **HEADS**.

This is a professional quality product suitable primarily for indoor use only suspended. Quiet and economical, it will allow you to create elegant effects of confetti rain, snow or even silver glitter.

MODELS

UE K-350 STRIPTEASE STD

UEK350SST


- Falling, Rain or Petal Confetti Maker
- With Base K-350 STD / 355W 230V 50Hz
- Reservoir capacity 3 to 4 Kg / Hanging yoke
- **Direct control by PowerCon supply**

UE K-350 STRIPTEASE DMX

UEK350DST

- Falling, Rain or Petal Confetti Maker
- With Base K-350 DMX / 355W 230V 50Hz
- Reservoir capacity 3 to 4 Kg / Hanging yoke
- **DMX control with PowerCon power supply**

Dimensions	Lg 89 x lg 89 x Ht 37 cm
Weight	23.9 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.5 Amp
Compatible heads	Compatible with all heads
Projection of the effect	3 to 5 meters



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 174 x lg 75.1 x Ht 77.2 cm
Weight	49.5 Kg
Electrical characteristics	230 Volt - 50 Hertz - 6.5 Amps
Compatible heads	Compatible with all heads
Projection of the effect	20 meters

Paper snow machine UE ST-500 PROJECTION

UNIVERSAL EFFECTS

The **UE ST-500 Projection** is a manual confetti projection machine up to 20 meters away. As an option, choose the suction pipe or the tank. Control your machine in DMX-512 or in Standard version by the Power-Con supply.

Made of ALUMINUM and stainless steel screws, this confetti throwing machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

MODELS

UE ST-500 PROJECTION STD

UEST500SPR

- Manual Confetti Throwing Machine
- With Base ST-500 STD / 1500W 230V 50Hz
- Projection up to 20m away
- Suction pipe or manual tank as an option
- **Direct control by PowerCon supply**

UE ST-500 PROJECTION DMX

UEST500DPR

- Manual Confetti Throwing Machine
- With Base ST-500 DMX / 1500W 230V 50Hz
- Projection up to 20m away
- Suction pipe or manual tank as an option
- **DMX control with PowerCon power supply**



SEE ON THE SITE ►



Paper snow machine UE K-500 STRIPTEASE

UNIVERSAL EFFECTS

The **UE K-500 StripTease** is a 360° confetti falling machine from 4 to 5 meters away with an effect duration of 4 to 6 minutes depending on the consumable and the speed chosen. Control your machine in DMX-512 or in Standard version by the PowerCon supply. It has an integrated reservoir of 5 to 6 kg depending on the model of confetti used.

Made of ALUMINUM and stainless steel screws, this confetti falling machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE** and to change the effect thanks to interchangeable **HEADS**.

This is a professional grade product suitable primarily for indoor use only overhead. Quiet and economical, it will allow you to create elegant effects of confetti rain, snow or even silver glitter.

MODELS

UE K-500 STRIPTEASE STD

UEK500SST

- Falling, Rain or Petal Confetti Maker
- With Base K-500 STD / 355W 230V 50Hz
- Tank capacity 5 to 6 Kg / Hanging yoke
- **Direct control by PowerCon supply**

UE K-500 STRIPTEASE DMX

UEK500DST

- Falling, Rain or Petal Confetti Maker
- With Base K-500 DMX / 355W 230V 50Hz
- Tank capacity 5 to 6 Kg / Hanging yoke
- **DMX control with PowerCon power supply**

Dimensions	Lg 30 x lg 83 x Ht 76 cm
Weight	33.3 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.5 Amp
Compatible heads	Compatible with all heads
Projection of the effect	4 to 5 meters



| Accessories & consumables



UE 350&500 FEET ST-50 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-75 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-100 x4

[SEE ON THE SITE >](#)



UE 350 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 350 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 350 GROUND FOOT K

[SEE ON THE SITE >](#)



UE 350 FLUID TANK

[SEE ON THE SITE >](#)



UE 500 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 500 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 500 GROUND FOOT K

[SEE ON THE SITE >](#)



UE 500 FLUID TANK

[SEE ON THE SITE >](#)




UE SNOW BARREL

[SEE ON THE SITE >](#)



POWERCON LINK CABLE
TRUE 1

[SEE ON THE SITE >](#)



POWERCON SUPPLY CABLE
TRUE 1

[SEE ON THE SITE >](#)



POWERCON LINK COUPLER

[SEE ON THE SITE >](#)




UE POWERCON
SUPPLY CABLE

[SEE ON THE SITE >](#)




UE POWERCON
LINK CABLE

[SEE ON THE SITE >](#)




XLR 3 CABLE M/F

[SEE ON THE SITE >](#)




XLR 5 CABLE M/F

[SEE ON THE SITE >](#)



SAFETY CABLE 5MM - 1M

[SEE ON THE SITE >](#)




SAFETY CABLE 4MM - 0.6M

[SEE ON THE SITE >](#)




50MM COMPACT COUPLER
100KG - BLACK

[SEE ON THE SITE >](#)



50MM QUICK COUPLER
200KG - BLACK

[SEE ON THE SITE >](#)



UE MODULE DMX-512

[SEE ON THE SITE >](#)



| Accessories & consumables



UE FREQUENCY VARIATOR
16A

[SEE ON THE SITE >](#)



UE BOX DMX 16A 2 OUT

[SEE ON THE SITE >](#)



UE CONTROLLER 16A 2 OUT

[SEE ON THE SITE >](#)



VARIATOR SINGLE ONE
WITH FADER

[SEE ON THE SITE >](#)



PYROMOTE

[SEE ON THE SITE >](#)



FX COMMANDER

[SEE ON THE SITE >](#)



PAPER PIXEL CONFETTI

[SEE ON THE SITE >](#)



ECONOMY SNOW FLUID

[SEE ON THE SITE >](#)



LIGHT SNOW FLUID

[SEE ON THE SITE >](#)



STANDARD SNOW FLUID



[SEE ON THE SITE >](#)



CONCENTRATED
SNOW FLUID

[SEE ON THE SITE >](#)






| FOAM

| Spray foam machines_____74

| Falling foam machines_____78

| Accessories & consumables_____84



| Spray foam machines

Foam cannon projecting the effect over 7 to 15 meters.



UE ST-350 JET-FOAM

by Universal Effects


Ground use
Power of 550 Watts
Projection up to 6 m



UE ST-500 JET-FOAM

by Universal Effects

Ground use
Power of 1500 Watts
Projection up to 10 m





[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 42 x lg 23 x Ht 37 cm
Weight	49.2 Kg
Electrical characteristics	230 Volt - 50 Hertz - 3.8 Amps
Compatible heads	Compatible with all heads
Projection of the effect	6 meters

Foam machine UE ST-350 JET-FOAM

UNIVERSAL EFFECTS

The **UE ST-350 Jet-Foam** is a foam projection machine up to 6 meters away. Available in two versions with or without pump and supply hose. Control your machine in DMX-512 or in Standard version by the Power-Con supply.

Made of ALUMINUM and stainless steel screws, this foam projection machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

This is a professional quality product suitable for indoor or outdoor use, both floor standing and hanging, ideal for 100-500 people capacity.

MODELS

UE ST-350 JET-FOAM STD

UEST350SJFO

- Projected Foam Machine 100 to 500 people
- With Base ST-350 STD / 550W 230V 50Hz
- With pump on stand 800W 230V 50Hz
- With 5m suction hose / 7m to head
- **Direct control by PowerCon supply**

UE ST-350 JET-FOAM DMX

UEST350DJFO

- Projected Foam Machine 100 to 500 people
- With Base ST-350 DMX / 550W 230V 50Hz
- With pump on stand 800W 230V 50Hz
- With 5m suction hose / 7m to head
- **DMX control with PowerCon power supply**

UE ST-350 JET-FOAM SOLO STD

UEST350SJFOS

- Projected Foam Machine 100 to 500 people
- With Base ST-350 STD / 550W 230V 50Hz
- Delivered without Pump or Hoses
- **Direct control by PowerCon supply**

UE ST-350 JET-FOAM SOLO DMX

UEST350DJFOS

- Projected Foam Machine 100 to 500 people
- With Base ST-350 DMX / 550W 230V 50Hz
- Delivered without Pump or Hoses
- **DMX control with PowerCon power supply**



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 47 x lg 23 x Ht 37 cm
Weight	77.5 Kg
Electrical characteristics	230 Volt - 50 Hertz - 6.5 Amps
Compatible heads	Compatible with all heads
Projection of the effect	10 meters

Foam machine UE ST-500 JET-FOAM

UNIVERSAL EFFECTS

The **UE ST-500 Jet-Foam** is a foam projection machine up to 10 meters away. Available in two versions with or without pump and supply hose. Control your machine in DMX-512 or in Standard version by the Power-Con supply.

Made of ALUMINUM and stainless steel screws, this foam projection machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

This is a professional quality product suitable for indoor or outdoor use, both floor standing and hanging, ideal for 300 to 1000 people capacity.

MODELS

UE ST-500 JET-FOAM STD
UEST500SJFO

- Projected Foam Machine 300 to 1000 people
- With Base ST-500 STD /1500W 230V 50Hz
- With pump on stand 1300W 230V 50Hz
- With 5m suction hose / 7m to head
- **Direct control by PowerCon supply**

UE ST-500 JET-FOAM DMX
UEST500DJFO


- Projected Foam Machine 300 to 1000 people
- With Base ST-500 DMX /1500W 230V 50Hz
- With pump on stand 1300W 230V 50Hz
- With 5m suction hose / 7m to head
- **DMX control with PowerCon power supply**

UE ST-500 JET-FOAM SOLO STD
UEST500SJFOS

- Projected Foam Machine 300 to 1000 people
- With Base ST-500 STD /1500W 230V 50Hz
- Delivered without Pump or Hoses
- **Direct control by PowerCon supply**

UE ST-500 JET-FOAM SOLO DMX
UEST500DJFOS

- Projected Foam Machine 300 to 1000 people
- With Base ST-500 DMX /1500W 230V 50Hz
- Delivered without Pump or Hoses
- **DMX control with PowerCon power supply**



| Falling foam machines

Foam bath machine producing 70 to 180 m³ per minute.



UNITED COMPACT FOAM

by United FX

Suspended or ground use
DIRECT or DMX-512
Power of 1000 Watts



UE ST-350 FOAM

by Universal Effects


Ground use
DIRECT or DMX-512
Power of 550 Watts



UE ST-500 FOAM

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Power of 1500 Watts





SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 57.2 x lg 39.4 x Ht 48 cm
Weight	19 Kg
Electrical characteristics	230 Volt - 50 Hertz - 4.3 Amps
Possible adjustments	In DMX-512: timer and speed variation
Projection of the effect	Falling

Foam machine UNITED COMPACT FOAM

UNITED FX

The **United Compact Foam** is a compact machine for the production of falling foam up to 50m³ per minute. This machine is connected directly to the water system with an automatic mixer by a venturi suction system. It is delivered with its support, its 5 liters canister, 2 hoses of 10 and 15 meters and a quick connector for connection to the water network. Professional connection and resettable fuse.

Made of ALUMINIUM and STAINLESS STEEL screws and bolts, this compact falling foam machine is designed to last over time. Control your machine with DMX-512 or Standard version with PowerCon.

This is a professional quality product suitable for indoor or outdoor use, ground or suspended, ideal for a capacity of 100 to 300 people.

MODEL

UNITED COMPACT FOAM

UFXCOFO

- Falling foam 100 to 300 people
- With automatic mixing system
- Works with running water

Foam machine

UE ST-350 FOAM

UNIVERSAL EFFECTS



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 40 x lg 63 x Ht 57 cm
Weight	34.8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 3.8 Amps
Compatible heads	Compatible with all heads
Projection of the effect	Falling

The **UE ST-350 Foam** is a falling foam production machine up to 70m³ per minute. Available in two versions with or without pump and supply hose. Control your machine in DMX-512 or in Standard version by the PowerCon supply.

Made of ALUMINUM and stainless steel screws, this falling foam production machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE** and change the effect thanks to interchangeable **HEADS**.

This is a professional quality product suitable for indoor or outdoor use, both floor standing and hanging, ideal for 100-500 people capacity.

MODELS

UE ST-350 FOAM STD

UEST350SFO

- Falling Foam Machine
- For 100 to 500 people
- With Base ST-350 STD / 550W 230V 50Hz
- With pump on stand 800W 230V 50Hz
- With 5m suction hose / 7m to head
- **Direct control by PowerCon supply**

UE ST-350 FOAM DMX

UEST350DFO

- Falling Foam Machine
- For 100 to 500 people
- With Base ST-350 DMX / 550W 230V 50Hz
- With pump on stand 800W 230V 50Hz
- With 5m suction hose / 7m to head
- **DMX control with PowerCon power supply**

UE ST-350 FOAM SOLO STD

UEST350SFOS

- Falling Foam Machine
- For 100 to 500 people
- With Base ST-350 STD / 550W 230V 50Hz
- Delivered without Pump or Hoses
- **Direct control by PowerCon supply**

UE ST-350 FOAM SOLO DMX

UEST350DFOS

- Falling Foam Machine
- For 100 to 500 people
- With Base ST-350 DMX / 550W 230V 50Hz
- Delivered without Pump or Hoses
- **DMX control with PowerCon**

Foam machine

UE ST-500 FOAM

UNIVERSAL EFFECTS



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 56 x lg 79 x Ht 79 cm
Weight	55.4 Kg
Electrical characteristics	230 Volt - 50 Hertz - 6.5 Amps
Compatible heads	Compatible with all heads
Projection of the effect	Falling

The **UE ST-500 Foam** is a falling foam production machine up to 180m³ per minute. Available in two versions with or without pump and supply hose. Control your machine in DMX-512 or in Standard version by the PowerCon supply.

Made of ALUMINUM and stainless steel screws, this falling foam production machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

This is a professional quality product suitable for indoor or outdoor use, both floor standing and hanging, ideal for 300 to 1000 people capacity.

MODELS

UE ST-500 FOAM STD

UEST500SFO

- Falling Foam Machine
- For 300 to 1000 people
- With Base ST-500 STD / 1500W 230V 50Hz
- With pump on stand 1300W 230V 50Hz
- With 5m suction hose / 7m to head
- **Direct control by PowerCon supply**

UE ST-500 FOAM DMX

UEST500DFO

- Falling Foam Machine
- For 300 to 1000 people
- With Base ST-500 DMX / 1500W 230V 50Hz
- With pump on stand 1300W 230V 50Hz
- With 5m suction hose / 7m to head
- **DMX control with PowerCon power supply**

UE ST-500 FOAM SOLO STD

UEST500SFOS

- Falling Foam Machine
- For 300 to 1000 people
- With Base ST-500 STD / 1500W 230V 50Hz
- Delivered without Pump or Hoses
- **Direct control by PowerCon supply**

UE ST-500 FOAM SOLO DMX

UEST500DFOS

- Falling Foam Machine
- For 300 to 1000 people
- With Base ST-500 DMX / 1500W 230V 50Hz
- Delivered without Pump or Hoses
- **DMX control with PowerCon power supply**



| Accessories & consumables



UE 350&500 FEET ST-50 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-75 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-100 x4

[SEE ON THE SITE >](#)



UE 350 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 350 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 350 GROUND FOOT K

[SEE ON THE SITE >](#)



UE 350 BALLAST

[SEE ON THE SITE >](#)



UE 500 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 500 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 500 GROUND FOOT K

[SEE ON THE SITE >](#)



UE 500 BALLAST

[SEE ON THE SITE >](#)



UE FOAM BARREL & CONTAINER

[SEE ON THE SITE >](#)



POWERCON LINK CABLE
TRUE 1

[SEE ON THE SITE >](#)



POWERCON SUPPLY CABLE
TRUE 1

[SEE ON THE SITE >](#)



POWERCON LINK COUPLER

[SEE ON THE SITE >](#)



UE POWERCON
SUPPLY CABLE

[SEE ON THE SITE >](#)



UE POWERCON
LINK CABLE

[SEE ON THE SITE >](#)



XLR 3 CABLE M/F

[SEE ON THE SITE >](#)



XLR 5 CABLE M/F

[SEE ON THE SITE >](#)



SAFETY CABLE 5MM - 1M

[SEE ON THE SITE >](#)



SAFETY CABLE 4MM - 0.6M

[SEE ON THE SITE >](#)



50MM COMPACT COUPLER
100KG - BLACK

[SEE ON THE SITE >](#)



50MM QUICK COUPLER
200KG - BLACK

[SEE ON THE SITE >](#)



UE MODULE DMX-512

[SEE ON THE SITE >](#)



| Accessories & consumables



UE FREQUENCY VARIATOR
16A

[SEE ON THE SITE >](#)



UE BOX DMX 16A 2 OUT

[SEE ON THE SITE >](#)



UE CONTROLLER 16A 2 OUT

[SEE ON THE SITE >](#)



VARIATOR SINGLE ONE
WITH FADER

[SEE ON THE SITE >](#)



PYROMOTE

[SEE ON THE SITE >](#)



FX COMMANDER

[SEE ON THE SITE >](#)



LC ECONOMY
FOAM FLUID

[SEE ON THE SITE >](#)



CC ECONOMY
FOAM FLUID

[SEE ON THE SITE >](#)



LC PREMIUM
FOAM FLUID

[SEE ON THE SITE >](#)



CC PREMIUM
FOAM FLUID

[SEE ON THE SITE >](#)



HC PREMIUM
FOAM FLUID




[SEE ON THE SITE >](#)



FOAM NEUTRALIZATION
FLUID

[SEE ON THE SITE >](#)





| WIND & RAIN

Wind machines	90
Mist and rain machines	98
Accessories & consumables	102



|Wind machines

Professional stage wind machine of different power.



UE K-350 WIND

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Wind speed 50 Km/h



UE ST-350 WIND

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Wind speed 71 Km/h



UE K-500 WIND

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Wind speed 44 Km/h



UE ST-500 WIND

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Wind speed 75 Km/h



UE WIND 350

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Power of 550 Watts



UE WIND 450

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Power of 1500 Watts





SEE ON THE SITE ►



Wind machine UE K-350 WIND

UNIVERSAL EFFECTS

The **UE K-350 Wind** is an effective directed wind throwing machine from 6 to 12 meters away. Control your machine in DMX-512 or in Standard version by the PowerCon supply.

Made of ALUMINUM and stainless steel screws, this low decibel wind projection machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE** and to change the effect thanks to interchangeable **HEADS**.

It is a professional quality product suitable for use suspended or on the ground with its support (optional), indoors and outdoors.

MODELS

UE K-350 WIND STD

UEK350SWI

- Directed and precise wind projection machine
- With Base K-350 STD / 355W 230V 50Hz
- Effective from 6m to 12m away
- **Direct control by PowerCon supply**

UE K-350 WIND DMX

UEK350DWI

- Directed and precise wind projection machine
- With Base K-350 DMX / 355W 230V 50Hz
- Effective from 6m to 12m away
- **DMX control with PowerCon power supply**

Dimensions	Lg 28 x lg 62 x Ht 65 cm
Weight	17.3 Kg
Electrical characteristics	230 Volt - 50 Hertz - 2.4 Amps
Compatible heads	Compatible with all heads
Wind speed	50 Km/h



SEE ON THE SITE ►



Wind machine UE ST-350 WIND

UNIVERSAL EFFECTS

The **UE ST-350 Wind** is an effective directed wind throwing machine from 6 to 12 meters away. Control your machine in DMX-512 or in Standard version by the PowerCon supply.

Made of ALUMINUM and stainless steel screws, this wind throwing machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

This is a professional grade product suitable for suspended or floor mounted use, indoors or outdoors.

MODELS

UE ST-350 WIND STD

UEST350SWI

- Directed and precise wind projection machine
- With Base ST-350 STD / 550W 230V 50Hz
- Effective from 6m to 12m away
- **Direct control by PowerCon supply**

UE ST-350 WIND DMX

UEST350DWI

- Directed and precise wind projection machine
- With Base ST-350 DMX / 550W 230V 50Hz
- Effective from 6m to 12m away
- **DMX control with PowerCon**

Dimensions	Lg 40 x lg 63 x Ht 57 cm
Weight	24 Kg
Electrical characteristics	230 Volt - 50 Hertz - 3.8 Amps
Compatible heads	Compatible with all heads
Wind speed	71 Km/h



SEE ON THE SITE ►



Wind machine UE K-500 WIND

UNIVERSAL EFFECTS

The **UE K-500 Wind** is an effective directed wind throwing machine from 6 to 20 meters away. Control your machine in DMX-512 or in Standard version by the PowerCon supply.

Made of ALUMINUM and stainless steel screws, this low decibel wind projection machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

It is a professional quality product suitable for use suspended or on the ground with its support (optional), indoors and outdoors.

MODELS

UE K-500 WIND STD

UEK500SWI

- Directed and precise wind projection machine
- With Base K-500 STD / 355W 230V 50Hz
- Effective from 6m to 20m away
- **Direct control by PowerCon supply**

UE K-500 WIND DMX

UEK500DWI

- Directed and precise wind projection machine
- With Base K-500 DMX / 355W 230V 50Hz
- Effective from 6m to 20m away
- **DMX control with PowerCon power supply**

Dimensions	Lg 30 x lg 83 x Ht 76 cm
Weight	25.5 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.5 Amp
Compatible heads	Compatible with all heads
Wind speed	44 Km/h



Wind machine UE ST-500 WIND

UNIVERSAL EFFECTS

The **UE ST-500 Wind** is an effective directed wind throwing machine from 6 to 20 meters away. Control your machine in DMX-512 or in Standard version by the PowerCon supply.

Made of ALUMINUM and stainless steel screws, this wind throwing machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

This is a professional grade product suitable for suspended or floor mounted use, indoors or outdoors.

SEE ON THE SITE ►

MODELS

UE ST-500 WIND STD

UEST500SWI

- Directed and precise wind projection machine
- With Base ST-500 STD / 1500W 230V 50Hz
- Effective from 6m to 20m away
- **Direct control by PowerCon supply**

UE ST-500 WIND DMX

UEST500DWI

- Directed and precise wind projection machine
- With Base ST-500 DMX / 1500W 230V 50Hz
- Effective from 6m to 20m away
- **DMX control with PowerCon power supply**

Dimensions	Lg 56 x lg 79 x Ht 79 cm
Weight	44.5 Kg
Electrical characteristics	230 Volt - 50 Hertz - 6.5 Amps
Compatible heads	Compatible with all heads
Wind speed	75 Km/h



SEE ON THE SITE ►



Wind machine UE WIND 350

UNIVERSAL EFFECTS

The **UE Wind 350** is an effective wind machine from 10 to 20 meters away and variable from 0 to 100% with its control by DMX-512. It is equipped with an integrated air rectifier at the output for high precision in the orientation of the wind.

Made of ALUMINUM and stainless steel screws, this wind machine is designed to last over time.

It is a professional quality product suitable for suspended or floor use thanks to its 210° adjustable yoke, indoors or outdoors.

This machine is ideal for stage performances and for fixed installations.

MODEL

UE WIND 350

UEWIM350

- Effective over 10 meters
- Built-in Rectifier and Drive
- With DMX-512, XLR 3 and 5 Pin

Dimensions	Lg 55 x lg 50 x Ht 25 cm
Weight	14 Kg
Electrical characteristics	230 Volt - 50 Hertz - 2.4 Amps
Possible adjustments	In DMX-512: timer and speed variation
Rotation speed	2800 rpms



SEE ON THE SITE ►



Wind machine UE WIND 450

UNIVERSAL EFFECTS

The **UE Wind 450** is an efficient wind machine from 10 to 30 meters away and variable from 0 to 100% with its control by DMX-512. It is equipped with an integrated air rectifier at the output for high precision in the orientation of the wind.

Made of ALUMINUM and stainless steel screws, this wind machine is designed to last over time.

It is a professional quality product suitable for suspended or floor use thanks to its 210° adjustable yoke, indoors or outdoors.

This machine is ideal for stage performances and for fixed installations.

MODEL

UE WIND 450

UEWIM450

- Effective over 20 meters
- Built-in Rectifier and Drive
- With DMX-512, 3 and 5 Pin XLR

Dimensions	Lg 75 x lg 70 x Ht 25 cm
Weight	20 Kg
Electrical characteristics	230 Volt - 50 Hertz - 6.2 Amps
Possible adjustments	In DMX-512: timer and speed variation
Rotation speed	2800 rpms



| Mist and rain machines

Machine allowing the projection of rain or mist thanks to their double nozzles.



UE ST-350 MIST & RAIN

by Universal Effects

Ground use
DIRECT or DMX-512
Projection of the effect 6 m



UE ST-500 MIST & RAIN

by Universal Effects

Ground use
DIRECT or DMX-512
Projection of the effect 10 m



Mist and rain machine

UE ST-350 MIST & RAIN

UNIVERSAL EFFECTS



The **UE ST-350 Mist & Rain** is a mist and rain projection machine up to 6 meters away. Available in two versions with or without pump and supply hose. Control your machine in DMX-512 or in Standard version by the PowerCon supply.

Made of ALUMINUM and stainless steel screws, this mist and rain projection machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

This is a professional grade product suitable primarily for floor use, both indoors and outdoors.

SEE ON THE SITE ►



MODELS

UE ST-350 MIST & RAIN STD

UEST350SMR

- Rain and Mist projection machine
- With Base ST-350 STD / 550W 230V 50Hz
- With pump on stand 800W 230V 50Hz
- With 5m suction hose / 7m to head
- **Direct control by PowerCon supply**

UE ST-350 MIST & RAIN DMX

UEST350DMR

- Rain and Mist projection machine
- With Base ST-350 DMX / 550W 230V 50Hz
- With pump on stand 800W 230V 50Hz
- With 5m suction hose / 7m to head
- **DMX control with PowerCon power supply**

UE ST-350 MIST & RAIN SOLO STD

UEST350SMRS

- Rain and Mist projection machine
- With Base ST-350 STD / 550W 230V 50Hz
- Delivered without Pump or Hoses
- **Direct control by PowerCon supply**

UE ST-350 MIST & RAIN SOLO DMX

UEST350DMRS

- Rain and Mist projection machine
- With Base ST-350 DMX / 550W 230V 50Hz
- Delivered without Pump or Hoses
- **DMX control with PowerCon power supply**

WATCH THE VIDEO ►

Dimensions	Lg 40 x lg 63 x Ht 57 cm
Weight	24 Kg
Electrical characteristics	230 Volt - 50 Hertz - 3.8 Amps
Compatible heads	Compatible with all heads
Projection of the effect	6 meters

Mist and rain machine

UE ST-500 MIST & RAIN

UNIVERSAL EFFECTS



[SEE ON THE SITE ►](#)



The **UE ST-500 Mist & Rain** is a mist and rain projection machine up to 10 meters away. Available in two versions with or without pump and supply hose. Control your machine in DMX-512 or in Standard version by the PowerCon supply.

Made of ALUMINUM and stainless steel screws, this mist and rain projection machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

This is a professional grade product suitable primarily for floor use, both indoors and outdoors

MODELS

UE ST-500 MIST & RAIN STD

UEST500SMR

- Rain and Mist projection machine
- With Base ST-500 STD / 1500W 230V 50Hz
- With pump on stand 1300W 230V 50Hz
- With 5m suction hose / 7m to head
- **Direct control by PowerCon supply**

UE ST-500 MIST & RAIN DMX

UEST500DMR

- Rain and Mist projection machine
- With Base ST-500 DMX / 1500W 230V 50Hz
- With pump on stand 1300W 230V 50Hz
- With 5m suction hose / 7m to head
- **DMX control with PowerCon power supply**

UE ST-500 MIST & RAIN SOLO STD

UEST500SMRS

- Rain and Mist projection machine
- With Base ST-500 STD / 1500W 230V 50Hz
- Delivered without Pump or Hoses
- **Direct control by PowerCon supply**

UE ST-500 MIST & RAIN SOLO DMX

UEST500DMRS

- Rain and Mist projection machine
- With Base ST-500 DMX / 1500W 230V 50Hz
- Delivered without Pump or Hoses
- **DMX control with PowerCon power supply**

[WATCH THE VIDEO ►](#)

Dimensions	Lg 56 x lg 79 x Ht 79 cm
Weight	44.5 Kg
Electrical characteristics	230 Volt - 50 Hertz - 6.5 Amps
Compatible heads	Compatible with all heads
Projection of the effect	10 meters



| Accessories & consumables



UE 350&500 FEET ST-50 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-75 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-100 x4

[SEE ON THE SITE >](#)



UE 350 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 350 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 350 GROUND FOOT K

[SEE ON THE SITE >](#)



UE 500 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 500 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 500 GROUND FOOT K

[SEE ON THE SITE >](#)



POWERCON LINK COUPLER

[SEE ON THE SITE >](#)



UE POWERCON
SUPPLY CABLE

[SEE ON THE SITE >](#)



UE POWERCON
LINK CABLE

[SEE ON THE SITE >](#)



XLR 3 CABLE M/F

[SEE ON THE SITE >](#)



XLR 5 CABLE M/F

[SEE ON THE SITE >](#)



SAFETY CABLE 5MM - 1M

[SEE ON THE SITE >](#)



SAFETY CABLE 4MM - 0.6M

[SEE ON THE SITE >](#)



50MM COMPACT COUPLER
100KG - BLACK

[SEE ON THE SITE >](#)



50MM QUICK COUPLER
200KG - BLACK

[SEE ON THE SITE >](#)



UE MODULE DMX-512

[SEE ON THE SITE >](#)



UE FREQUENCY VARIATOR
16A

[SEE ON THE SITE >](#)



UE BOX DMX 16A 2 OUT

[SEE ON THE SITE >](#)



UE CONTROLLER 16A 2 OUT

[SEE ON THE SITE >](#)



VARIATOR SINGLE ONE
WITH FADER

[SEE ON THE SITE >](#)



PYROMOTE

[SEE ON THE SITE >](#)






| Accessories & consumables



FX COMMANDER

[SEE ON THE SITE >](#)





| CONFETTIS

Continuous projection confetti cannons_____	108
Compression cannons for confetti and streamers_____	116
High pressure confetti cannons_____	120
Confetti rain machines_____	126
Electric cannons confetti machines_____	132
Accessories & consumables_____	138

| Continuous projection confetti cannons


Confetti cannons in continuous projection by manual feed from 6 to 25 meters.



U-FETTI BLOWER 10M

by Showven

Suspended or ground use
 Power of 1600 Watts
 Projection up to 10 m



U-FETTI BLOWER 18M

by Showven

Ground use
 Power of 2400 Watts
 Projection up to 18 m



UNITED COMPACT PROJECTION

by United FX

Suspended or ground use
 Power of 400 Watts
 Falling up to 10 m



UNITED COMPACT VOLCANO

by United FX

Suspended or ground use
 Power of 430 Watts
 Projection up to 5 m



**UE ST-350
PROJECTION**

by Universal Effects

Ground use
Power of 550 Watts
Projection up to 15 m



**UE ST-500
PROJECTION**

by Universal Effects

Ground use
Power of 1500 Watts
Projection up to 25 m



SEE ON THE SITE ►

Confetti machine U-FETTI BLOWER 10M

SHOWVEN

The **U-FETTI BLOWER 10M** is a continuous confetti projection machine up to 10 meters away. Control your machine using DMX-512 or manually.

The machine is equipped with an automatic confetti dosing tank to adjust the density of confetti output, and a lyre to modify the angle of projection.

It has a large 9 Liter tank (about 3kg of confetti), and a powerful blower allowing it to shoot up to 10 meters.



WATCH THE VIDEO ►

Dimensions	Lg 53 x lg 30 x Ht 38.2 cm
Weight	17 Kg
Electrical characteristics	230 Volt - 50 Hertz
Number of outputs	1 outlet with continuous jet
Projection of the effect	10 meters

EXCLUSIVE PACKS

PACK 1 MACHINE

SVUCBL10

- 1 U-FETTI BLOWER 10M
- Optional flightcase to choose from accessories
- 1 Power supply cable included
- **2 Kg rectangle MC confetti offered**

PACK 2 MACHINES

SVUCBL10P2

- 2 U-FETTI BLOWER 10M
- 1 Flightcase de 2 unités inclus
- 2 Câbles d'alimentation inclus
- **4 Kg de confetti rectangle MC offerts**

PACK 4 MACHINES

SVUCBL10P4

- 4 U-FETTI BLOWER 10M
- 2 Flightcases of 2 units included
- 4 Power supply cables included
- **8 Kg rectangle MC confetti offered**

PACK 6 MACHINES

SVUCBL10P6

- 6 U-FETTI BLOWER 10M
- 3 Flightcases of 2 units included
- 6 Power supply cables included
- **12 Kg rectangle MC confetti offered**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 88 x lg 66 x Ht 129.5 cm
Weight	112 Kg
Electrical characteristics	230 Volt - 50 Hertz
Number of outputs	1 outlet with continuous jet
Projection of the effect	18 meters

Confetti machine U-FETTI BLOWER 18M

SHOWVEN

The **U-FETTI BLOWER 18M** is a projection machine that projects confetti up to 18 metres away.

It has 2 confetti tanks (2x2Kg) with an automatic dosage system. These tanks can be managed independently, either manually or via DMX.

Thanks to a high-power ventilation turbine and a design optimised by the Venturi effect, the confetti can be spread much further and more widely.

EXCLUSIVE PACKS

PACK 1 MACHINE
SVUCBL

- 1 U-FETTI BLOWER 18M
- Product integrated into flightcase
- 1 Power supply cable included
- **4kg of multicolored confetti offered**

PACK 2 MACHINES
SVUCBLP2

- 2 U-FETTI BLOWER 18M
- Product integrated into flightcase
- 2 Power supply cables included
- **10kg of multicolored confetti offered**

PACK 4 MACHINES
SVUCBLP4

- 4 U-FETTI BLOWER 18M
- Product integrated into flightcase
- 4 Power supply cables included
- **20kg of multicolored confetti offered**

PACK 6 MACHINES
SVUCBLP6

- 6 U-FETTI BLOWER 18M
- Product integrated into flightcase
- 6 Power supply cables included
- **30kg of multicolored confetti offered**



[SEE ON THE SITE ►](#)



Confetti machine UNITED COMPACT PROJECTION

UNITED FX

The **United Compact Projection** is a compact machine for manual confetti projection up to 7 meters.

Delivered with its suction hose, this low decibel machine without electronics is easy to use.

Made of ALUMINIUM and stainless steel screws, this confetti machine is designed to last over time. It is a professional quality product suitable for indoor or outdoor use, on the ground or suspended.

MODEL

UNITED COMPACT PROJECTION

UFXCOPR

- Manual Continuous Confetti Projection
- Up to 7m away
- Suction hose included

[WATCH THE VIDEO ►](#)

Dimensions	Lg 94.7 x lg 38.3 x Ht 48.9 cm
Weight	12.6 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.7 Amp
Possible adjustments	In DMX-512: timer and speed variation
Projection of the effect	7 meters



SEE ON THE SITE ►



WATCH THE VIDEO ►

Confetti machine UNITED COMPACT VOLCANO

UNITED FX

The **United Compact Volcano** is a compact machine for vertical confetti projection up to 6 meters high for an effect duration of 2 to 3 minutes.

Without electronics, it has an integrated tank with a capacity of 1 to 2kg depending on the confetti model used.

Made of ALUMINIUM and STAINLESS STEEL screws, this confetti machine is designed to last over time. It is a professional quality product suitable for indoor or outdoor use, only on the ground for a confetti volcano effect.

MODEL

UNITED COMPACT VOLCANO

UFXCVOV

- Vertical projection of Confetti over 6m
- Integrated tank for 1 to 2 Kg
- 2-3 minute effect

Dimensions	Lg 39 x lg 26,9 x Ht 77.5 cm
Weight	12.4 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.7 Amp
Possible adjustments	In DMX-512: timer and speed variation
Projection of the effect	6 meters



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 122.2 x lg 62 x Ht 63 cm
Weight	25.6 Kg
Electrical characteristics	230 Volt - 50 Hertz - 3.8 Amps
Compatible heads	Compatible with all heads
Projection of the effect	10 meters

Confetti machine UE ST-350 PROJECTION

UNIVERSAL EFFECTS

The **UE ST-350 Projection** is a manual confetti projection machine up to 10 meters away. As an option, choose the suction pipe or the tank. Control your machine in DMX-512 or in Standard version by the Power-Con supply.

Made of ALUMINUM and stainless steel screws, this confetti throwing machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE** and to change the effect thanks to interchangeable **HEADS**.

This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

MODELS

UE ST-350 PROJECTION STD

UEST350SPR

- Manual Confetti Throwing Machine
- With Base ST-350 STD / 550W 230V 50Hz
- Projection up to 10m away
- Suction pipe or manual tank as an option
- **Direct control by PowerCon supply**

UE ST-350 PROJECTION DMX

UEST350DPR

- Manual Confetti Throwing Machine
- With Base ST-350 DMX / 550W 230V 50Hz
- Projection up to 10m away
- Suction pipe or manual tank as an option
- **DMX control with PowerCon power supply**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 174 x lg 75.1 x Ht 77.2 cm
Weight	49.5 Kg
Electrical characteristics	230 Volt - 50 Hertz - 6.5 Amps
Compatible heads	Compatible with all heads
Projection of the effect	20 meters

Confetti machine UE ST-500 PROJECTION

UNIVERSAL EFFECTS

The **UE ST-500 Projection** is a manual confetti projection machine up to 20 meters away. As an option, choose the suction pipe or the tank. Control your machine in DMX-512 or in Standard version by the Power-Con supply.

Made of ALUMINUM and stainless steel screws, this confetti throwing machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

MODELS

UE ST-500 PROJECTION STD

UEST500SPR

- Manual Confetti Throwing Machine
- With Base ST-500 STD / 1500W 230V 50Hz
- Projection up to 20m away
- Suction pipe or manual tank as an option
- **Direct control by PowerCon supply**

UE ST-500 PROJECTION DMX

UEST500DPR

- Manual Confetti Throwing Machine
- With Base ST-500 DMX / 1500W 230V 50Hz
- Projection up to 20m away
- Suction pipe or manual tank as an option
- **DMX control with PowerCon power supply**

| Compression cannons for confetti and streamers

Confetti cannon with integrated air compressor.



U-FETTI SHOOTER 12L

by Showven

Ground use
Battery powered
Projection up to 22/43 m



U-FETTI SHOOTER 36L

by Showven

Ground use
Power of 8 bar
Projection up to 22/45 m





SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 60 x lg 56 x Ht 88 cm
Weight	75 Kg
Electrical characteristics	230 Volt - 50 Hertz
Number of outputs	1 outlet
Projection of the effect	22 meters confetti / 43 meters streamer

Confetti and streamer cannons U-FETTI SHOOTER 12L

SHOWVEN

The **U-FETTI SHOOTER 12L** is a new type of battery-powered confetti/streamer machine operated by integrated compressed air.

The outlet tube can hold up to 5 litres of confetti or streamers and can be oriented from -27° to -41°. The 12-litre compressed air tank can withstand pressures of up to 8 bar.

It offers the option of battery operation to make stadium applications much easier, with SHOWVEN's PYROSLAVE series firing system for wireless control.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVUCSH12

- 1 U-FETTI SHOOTER 12L
- 1 Flightcase integrated into the product
- 1 Power supply cable included
- 2 Kg rectangle MC confetti offered

PACK 2 MACHINES

SVUCSH12P2

- 2 U-FETTI SHOOTER 12L
- 2 Flightcases integrated into the product
- 2 Power supply cables included
- 4 Kg rectangle MC confetti offered
- 1 Button SAFETY E-STOPPER offered

PACK 4 MACHINES

SVUCSH12P4

- 4 U-FETTI SHOOTER 12L
- 4 Flightcases integrated into the product
- 4 Power supply cables included
- 8 Kg rectangle MC confetti offered
- 1 Button SAFETY E-STOPPER offered

PACK 6 MACHINES

SVUCSH12P6

- 6 U-FETTI SHOOTER 12L
- 6 Flightcases integrated into the product
- 6 Power supply cables included
- 12 Kg rectangle MC confetti offered
- 1 Button SAFETY E-STOPPER offered



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 73 x lg 64.5 x Ht 88 cm
Weight	90 Kg
Electrical characteristics	230 Volt - 50 Hertz
Number of outputs	1 outlet
Projection of the effect	22 meters confetti / 45 meters streamer

Confetti and streamer cannons

U-FETTI SHOOTER 36L

SHOWVEN

The **U-FETTI SHOOTER 36L** is a new type of confetti/streamer machine powered by integrated compressed air.

The outlet tube can hold up to 10 litres of confetti or streamers and can be oriented from -27° to -41°. The 36-litre compressed air tank withstands pressures of up to 8 bar.

A very powerful machine that projects confetti up to 22 metres and streamers up to 45 metres.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVUCSH36

- 1 U-FETTI SHOOTER 36L
- 1 Flightcase integrated into the product
- 1 Power supply cable included
- 4 Kg rectangle MC confetti offered

PACK 2 MACHINES

SVUCSH36P2

- 2 U-FETTI SHOOTER 36L
- 2 Flightcases integrated into the product
- 2 Power supply cables included
- 10 Kg rectangle MC confetti offered
- 1 Button SAFETY E-STOPPER offered

PACK 4 MACHINES

SVUCSH36P4

- 4 U-FETTI SHOOTER 36L
- 4 Flightcases integrated into the product
- 4 Power supply cables included
- 20 Kg rectangle MC confetti offered
- 1 Button SAFETY E-STOPPER offered

PACK 6 MACHINES

SVUCSH36P6

- 6 U-FETTI SHOOTER 36L
- 6 Flightcases integrated into the product
- 6 Power supply cables included
- 30 Kg rectangle MC confetti offered
- 1 Button SAFETY E-STOPPER offered



| High pressure confetti cannons

Confetti cannons in automatic projection by high pressure gas from 10 to 30 meters.



UE SUPER SHOOTER 6

by Showven

Suspended or ground use
Power of 50 Bar
Projection up to 20 m



UE EXTRA SHOOTER 3

by Universal Effects

Suspended or ground use
Power of 50 Bar
Projection up to 12 m



UE EXTRA SHOOTER 6

by Universal Effects

Suspended or ground use
Power of 50 Bar
Projection up to 20 m





[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 150 x lg 59 x Ht 69 cm
Weight	18.8 Kg
Electrical characteristics	230 Volt - 50 Hertz
Power	50 Bar with CO2 ; 200 Bar with Nitrogen
Projection of the effect	15 to 20 meters with CO2 ; 20 to 30 meters with Nitrogen

Confetti cannon UE SUPER SHOOTER 6

UNIVERSAL EFFECTS

The **UE Super Shooter 6** is a high pressure confetti throwing machine operating with Co2 at 50 Bar with a throw up to 20 meters or with Ni-trogen at 200 Bar with a throw up to 30 meters away.

It has an integrated tank with a capacity of 10 to 15kg depending on the model of confetti used and a projection angle adjustable to 100°.

Made of ALUMINUM and stainless steel screws, this confetti throwing machine is designed to last over time. This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

Control your machine in DMX-512 or in Standard version by the Power-Con supply.

MODEL

UE SUPER SHOOTER 6

UESSH6

- Projection from 15 to 30 meters
- Adjustable over 100°, floor or suspended use
- Integrated tank for 10 to 15 Kg

Confetti cannon UE EXTRA SHOOTER 3

UNIVERSAL EFFECTS



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 135 x lg 52 x Ht 50 cm
Weight	10.2 Kg
Electrical characteristics	230 Volt - 50 Hertz
Power	50 Bar with CO2
Projection of the effect	12 to 20 meters

The **UE Extra Shooter 3** is a high pressure confetti throwing machine operating with Co2 at 50 Bar with a throw up to 12 meters or with Nitrogen at 200 Bar with a throw up to 20 meters away.

It has an integrated tank with a capacity of 5 to 7 kg depending on the model of confetti used.

Made of ALUMINUM and stainless steel screws, this confetti throwing machine is designed to last over time. This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

Control your machine in DMX-512 or in Standard version by the Power-Con supply.

MODEL

UE EXTRA SHOOTER 3

UEESH3

- Project at 12 m with Co2 and at 20 m with Nitrogen
- Can be hung or placed on the ground
- Integrated tank for 5 to 7 Kg

Confetti cannon UE EXTRA SHOOTER 6

UNIVERSAL EFFECTS



The **UE Extra Shooter 6** is a high pressure confetti throwing machine operating with Co2 at 50 Bar with a throw up to 20 meters or with Nitrogen at 200 Bar with a throw up to 30 meters away.

It has an integrated tank with a capacity of 5 to 7 kg depending on the model of confetti used.

Made of ALUMINUM and stainless steel screws, this confetti throwing machine is designed to last over time. This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

Control your machine in DMX-512 or in Standard version by the Power-Con supply.

SEE ON THE SITE ►



MODEL

UE EXTRA SHOOTER 6

UEESH6

- Projects at 20m with Co2 and at 30m with Nitrogen
- Can be hung or placed on the ground
- Integrated tank for 5 to 7 Kg



WATCH THE VIDEO ►

Dimensions	Lg 158 x lg 52 x Ht 50 cm
Weight	13.6 Kg
Electrical characteristics	230 Volt - 50 Hertz
Power	50 Bar with CO2
Projection of the effect	20 to 30 meters



| Confetti rain machines

Confetti rain from 0 to 100% in a diameter from 2 to 5 meters.



UNITED COMPACT STRIPTEASE

by United FX

Suspended use
Power of 400 Watts
Falling up to 5 m



UE K-350 STRIPTEASE

by Universal Effects

Suspended use
Power of 355 Watts
Falling up to 5 m



UE K-500 STRIPTEASE

by Universal Effects

Suspended use
Power of 355 Watts
Falling up to 5 m





SEE ON THE SITE ►



Confetti machine UNITED COMPACT STRIPTEASE

UNITED FX

The **United Compact StripTease** is a compact machine to drop confetti on 360° from 2 to 4 meters with a duration of effect from 3 to 4 minutes depending on the consumable and the chosen speed. It has an integrated tank of 2 to 4kg depending on the confetti model used.

Made of ALUMINIUM and STAINLESS STEEL screws, this confetti dropper is designed to last over time. It is a professional quality product adapted mainly for indoor use only.

Low noise and without electronics, it will allow you to achieve elegant effects of confetti rain, snow or silver glitter.

MODEL

UNITED COMPACT STRIPTEASE

UFXCOST

- Effect of Falling Confetti, Rain or Petal
- Dispersion over a diameter of 2 to 4 meters
- Only works suspended



WATCH THE VIDEO ►

Dimensions	Lg 64.2 x lg 68 x Ht 68 cm
Weight	13 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.7 Amp
Possible adjustments	In DMX-512: timer and speed variation
Projection of the effect	5 meters



SEE ON THE SITE ►



Confetti machine UE K-350 STRIPTEASE

UNIVERSAL EFFECTS

The **UE K-350 StripTease** is a 360° confetti falling machine from 3 to 5 meters away with an effect duration of 3 to 5 minutes depending on the consumable and the chosen speed. Control your machine in DMX-512 or in Standard version by the PowerCon supply. It has an integrated tank of 3 to 4kg depending on the model of confetti used.

Made of ALUMINUM and stainless steel screws, this confetti falling machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE** and to change the effect thanks to interchangeable **HEADS**.

This is a professional quality product suitable primarily for indoor use only suspended. Quiet and economical, it will allow you to create elegant effects of confetti rain, snow or even silver glitter.

MODELS

UE K-350 STRIPTEASE STD

UEK350SST

- Falling, Rain or Petal Confetti Maker
- With Base K-350 STD / 355W 230V 50Hz
- Reservoir capacity 3 to 4 Kg / Hanging yoke
- **Direct control by PowerCon supply**

UE K-350 STRIPTEASE DMX

UEK350DST

- Falling, Rain or Petal Confetti Maker
- With Base K-350 DMX / 355W 230V 50Hz
- Reservoir capacity 3 to 4 Kg / Hanging yoke
- **DMX control with PowerCon power supply**

Dimensions	Lg 89 x lg 89 x Ht 37 cm
Weight	23.9 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.5 Amp
Compatible heads	Compatible with all heads
Projection of the effect	3 to 5 meters



Confetti machine UE K-500 STRIPTEASE

UNIVERSAL EFFECTS

The **UE K-500 StripTease** is a 360° confetti falling machine from 4 to 5 meters away with an effect duration of 4 to 6 minutes depending on the consumable and the speed chosen. Control your machine in DMX-512 or in Standard version by the PowerCon supply. It has an integrated reservoir of 5 to 6 kg depending on the model of confetti used.

Made of ALUMINUM and stainless steel screws, this confetti falling machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE** and to change the effect thanks to interchangeable **HEADS**.

This is a professional grade product suitable primarily for indoor use only overhead. Quiet and economical, it will allow you to create elegant effects of confetti rain, snow or even silver glitter.

MODELS

UE K-500 STRIPTEASE STD

UEK500SST

- Falling, Rain or Petal Confetti Maker
- With Base K-500 STD / 355W 230V 50Hz
- Tank capacity 5 to 6 Kg / Hanging yoke
- **Direct control by PowerCon supply**

UE K-500 STRIPTEASE DMX

UEK500DST

- Falling, Rain or Petal Confetti Maker
- With Base K-500 DMX / 355W 230V 50Hz
- Tank capacity 5 to 6 Kg / Hanging yoke
- **DMX control with PowerCon power supply**

Dimensions	Lg 30 x lg 83 x Ht 76 cm
Weight	33.3 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.5 Amp
Compatible heads	Compatible with all heads
Projection of the effect	4 to 5 meters



| Electric cannons confetti machines

Instant-fire cannon of confetti and streamers



UNITED SHOOT SINGLE

by United FX

Ground use
DIRECT or DMX-512
Power of 60 Watts



UNITED SHOOT DOUBLE

by United FX

Ground use
DIRECT or DMX-512
Power of 60 Watts



UNITED SHOOT BATTERY 4

by United FX

Ground use
DIRECT or DMX-512
Power of 60 Watts



UNITED SHOOT BATTERY 8

by United FX

Ground use
DIRECT or DMX-512
Power of 60 Watts





[SEE ON THE SITE ►](#)



Confetti machine UNITED SHOOT SINGLE

UNITED FX

The **United Shoot Single** is a single tube firing system for electric confetti or streamer guns. The firing is triggered by a 220V/50Hz electrical impulse and the gun can be rotated 180°. Possibility to control by DMX-512 external controller or with the standard version with PowerCon.

Made of ALUMINIUM and stainless steel screws, this firing system is designed to last over time. It is a professional quality product suitable for indoor or outdoor use, on the ground or suspended.

By multiplying the number of machines positioned in different areas of your venue, you will achieve a great confetti or streamer effect. The United Shoot Single can be used for animation, concerts, theaters and TV sets.

MODEL

UNITED SHOOT SINGLE

UFXSHSI

- United Shoot Single, for 1 Tube



[WATCH THE VIDEO ►](#)

Dimensions	Lg 16 x lg 15 x Ht 17 cm
Weight	2 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.2 Amp
Recharge type	Confetti/Streamer electric cannon
Projection of the effect	4 to 12 m with 40 cm and 80 cm electric confetti cannon ; 12 to 20 m with 40 cm and 80 cm electric streamer cannon



SEE ON THE SITE ►



WATCH THE VIDEO ►

Confetti machine UNITE SHOOT DOUBLE

UNITE FX

The **United Shoot Double** is a two-tube firing system for electric confetti or streamer cannons. The firing is triggered by a 220V/50Hz electrical impulse and the gun can be rotated 180°. Possibility to control by DMX-512 external controller or with the standard version with PowerCon.

Made of ALUMINIUM and stainless steel screws, this firing system is designed to last over time. It is a professional quality product suitable for indoor or outdoor use, on the ground or suspended.

By multiplying the number of machines positioned in different areas of your venue, you will get a great confetti or streamer effect. The United Shoot Double can be used for events, concerts, theaters and TV sets.

MODEL

UNITE SHOOT DOUBLE

UFXSHDO

- United Shoot Double, for 2 Tubes

Dimensions	Lg 27 x lg 15 x Ht 17 cm
Weight	6 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.2 Amp
Recharge type	Confetti/Streamer electric cannon
Projection of the effect	4 to 12 m with 40 cm and 80 cm electric confetti cannon ; 12 to 20 m with 40 cm and 80 cm electric streamer cannon

Confetti machine UNITED SHOOT BATTERY 4

UNITED FX



SEE ON THE SITE ►



MODEL

UNITED SHOOT BATTERY 4

UFXSHBA4

- United Shoot Battery 4, for 4 Tubes
- Two separate power supplies - 2x2 shots



WATCH THE VIDEO ►

Dimensions	Lg 60 x lg 37 x Ht 25 cm
Weight	4,8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.2 Amp
Recharge type	Confetti/Streamer electric cannon
Projection of the effect	4 to 12 m with 40 cm and 80 cm electric confetti cannon ; 12 to 20 m with 40 cm and 80 cm electric streamer cannon

Confetti machine UNITED SHOOT BATTERY 8

UNITED FX



SEE ON THE SITE ►



The **United Shoot Battery 8** is an eight-tube firing system for electric confetti or streamer cannons that can be fired individually or simultaneously. It is equipped with two power supplies allowing a triggering of the effect by series of four. The firing is triggered by a 220V/50Hz electrical impulse. Control your machine in DMX-512 or in Standard version by the PowerCon power supply.

Made of ALUMINIUM and stainless steel screws, this firing system is designed to last over time. It is a professional quality product suitable for indoor or outdoor use, ground or suspended.

The United Shoot Battery 8 can be used for animation, concerts, theater and TV sets. A discreet and easy to use machine offering a multitude of choices during your performances.

MODEL

UNITED SHOOT BATTERY 8

UFXSHBA8

- United Shoot Battery 8, for 8 Tubes
- Two separate power supplies - 2x4 shots



WATCH THE VIDEO ►

Dimensions	Lg 108 x lg 37 x Ht 25 cm
Weight	7.8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.2 Amp
Recharge type	Confetti/Streamer electric cannon
Projection of the effect	4 to 12 m with 40 cm and 80 cm electric confetti cannon ; 12 to 20 m with 40 cm and 80 cm electric streamer cannon



| Accessories & consumables



UE 350&500 FEET ST-50 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-75 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-100 x4

[SEE ON THE SITE >](#)



UE 350 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 350 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 350 GROUND FOOT K

[SEE ON THE SITE >](#)



UE 350 PIPE PROJECTION

[SEE ON THE SITE >](#)



UE 350 MANUAL TANK PROJECTION

[SEE ON THE SITE >](#)



UE 500 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 500 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 500 GROUND FOOT K

[SEE ON THE SITE >](#)



UE 500 PIPE PROJECTION

[SEE ON THE SITE >](#)



UE 500 MANUAL TANK PROJECTION

[SEE ON THE SITE >](#)



GROUND FOOT EXTRA SHOOTER

[SEE ON THE SITE >](#)



CONNEXION ECO SHOOTER

[SEE ON THE SITE >](#)



CONNEXION SYSTEM SHOOTER

[SEE ON THE SITE >](#)



MANOMETER 250 BAR

[SEE ON THE SITE >](#)



UNITED BASE PLATE FOR SINGLE SHOOT

[SEE ON THE SITE >](#)



SUPER ECO CONNECTION

[SEE ON THE SITE >](#)



CO2 SYSTEM CONNECTION

[SEE ON THE SITE >](#)



MANOMETER 100 BAR

[SEE ON THE SITE >](#)



GAS BLACK HOSE

[SEE ON THE SITE >](#)



GAS HP-PIPE

[SEE ON THE SITE >](#)



T-SPLITTER 1-2 PIPE

[SEE ON THE SITE >](#)



| Accessories & consumables



GAS COUPLER 2-1 PIPE

[SEE ON THE SITE >](#)



GAS SPLITTER 1-4 ECO

[SEE ON THE SITE >](#)



GAS SPLITTER 1-2 ECO

[SEE ON THE SITE >](#)



GAS SPLITTER 1-3 ECO

[SEE ON THE SITE >](#)



GAS SPLITTER 1-4 CHAMBER

[SEE ON THE SITE >](#)



GAS SPLITTER 1-2 CHAMBER

[SEE ON THE SITE >](#)



**POWERCON LINK CABLE
TRUE 1**

[SEE ON THE SITE >](#)



**POWERCON SUPPLY CABLE
TRUE 1**

[SEE ON THE SITE >](#)



POWERCON LINK COUPLER

[SEE ON THE SITE >](#)



**UE POWERCON
SUPPLY CABLE**

[SEE ON THE SITE >](#)



**UE POWERCON
LINK CABLE**

[SEE ON THE SITE >](#)



XLR 3 CABLE M/F

[SEE ON THE SITE >](#)



XLR 5 CABLE M/F

[SEE ON THE SITE >](#)



SAFETY CABLE 5MM - 1M

[SEE ON THE SITE >](#)



SAFETY CABLE 4MM - 0.6M

[SEE ON THE SITE >](#)



50MM COMPACT COUPLER
100KG - BLACK

[SEE ON THE SITE >](#)



50MM QUICK COUPLER
200KG - BLACK

[SEE ON THE SITE >](#)



ELECTRO VALVE SHOOTER
ECO

[SEE ON THE SITE >](#)



BOX DMX SHOOTER 2 EV

[SEE ON THE SITE >](#)



BOX DMX SHOOTER 1 EV

[SEE ON THE SITE >](#)



UE MODULE DMX-512

[SEE ON THE SITE >](#)



UE FREQUENCY VARIATOR
16A

[SEE ON THE SITE >](#)



UE BOX DMX 16A 2 OUT

[SEE ON THE SITE >](#)



UE CONTROLLER 16A 2 OUT

[SEE ON THE SITE >](#)



| Accessories & consumables



VARIATOR SINGLE ONE WITH FADER

[SEE ON THE SITE >](#)



PYROMOTE

[SEE ON THE SITE >](#)



FX COMMANDER

[SEE ON THE SITE >](#)



PAPER RECTANGLE CONFETTI

[SEE ON THE SITE >](#)



PAPER RECTANGLE UV CONFETTI

[SEE ON THE SITE >](#)



PAPER SQUARE CONFETTI

[SEE ON THE SITE >](#)



SMALL PAPER SQUARE CONFETTI

[SEE ON THE SITE >](#)



PAPER TWISTER CONFETTI

[SEE ON THE SITE >](#)



PAPER PIXEL CONFETTI

[SEE ON THE SITE >](#)



PAPER ROUND CONFETTI

[SEE ON THE SITE >](#)



PAPER STAR CONFETTI

[SEE ON THE SITE >](#)



PAPER HEART CONFETTI

[SEE ON THE SITE >](#)



METAL SQUARE CONFETTI

[SEE ON THE SITE >](#)



METAL PIXEL CONFETTI

[SEE ON THE SITE >](#)



METAL ROUND CONFETTI

[SEE ON THE SITE >](#)



METAL STAR CONFETTI

[SEE ON THE SITE >](#)



METAL HEART CONFETTI

[SEE ON THE SITE >](#)



METAL LASER CONFETTI

[SEE ON THE SITE >](#)



PAPER 5M x 0.85CM
STREAMER

[SEE ON THE SITE >](#)



PAPER 10M x 1.5CM
STREAMER

[SEE ON THE SITE >](#)



PAPER 10M x 2.5CM
STREAMER

[SEE ON THE SITE >](#)



PAPER 10M x 5CM
STREAMER

[SEE ON THE SITE >](#)



PAPER 20M x 2.5CM
STREAMER

[SEE ON THE SITE >](#)



PAPER 20M x 5CM
STREAMER

[SEE ON THE SITE >](#)



| Accessories & consumables



METAL 5M x 0.85CM
STREAMER

[SEE ON THE SITE >](#)



METAL 10M x 1.5CM
STREAMER

[SEE ON THE SITE >](#)



METAL 10M x 2.5CM
STREAMER

[SEE ON THE SITE >](#)



METAL 10M x 5CM
STREAMER

[SEE ON THE SITE >](#)



METAL 20M x 2.5CM
STREAMER

[SEE ON THE SITE >](#)



METAL 20M x 5CM
STREAMER

[SEE ON THE SITE >](#)



EMPTY ELECTRIC CANNON

[SEE ON THE SITE >](#)



ELECTRIC CANNON
CONFETTI 50CM PAPER

[SEE ON THE SITE >](#)



ELECTRIC CANNON
CONFETTI 50CM MIX

[SEE ON THE SITE >](#)



ELECTRIC CANNON
HEART 50CM PAPER

[SEE ON THE SITE >](#)



ELECTRIC CANNON
CONFETTI 50CM METAL

[SEE ON THE SITE >](#)



ELECTRIC CANNON
CONFETTI 80CM PAPER

[SEE ON THE SITE >](#)



**ELECTRIC CANNON
CONFETTI 80CM MIX**

[SEE ON THE SITE >](#)



**ELECTRIC CANNON
WHITE PIXEL 80CM PAPER**

[SEE ON THE SITE >](#)



**ELECTRIC CANNON
HEART 80CM PAPER**

[SEE ON THE SITE >](#)



**ELECTRIC CANNON
CONFETTI 80CM METAL**

[SEE ON THE SITE >](#)



**ELECTRIC CANNON
STREAMER 50CM PAPER**

[SEE ON THE SITE >](#)



**ELECTRIC CANNON
STREAMER 80CM PAPER**

[SEE ON THE SITE >](#)



**ELECTRIC CANNON
STREAMER 50CM METAL**

[SEE ON THE SITE >](#)



**ELECTRIC CANNON
STREAMER 80CM METAL**

[SEE ON THE SITE >](#)



EMPTY HANDLE CANNON

[SEE ON THE SITE >](#)



**MANUAL CANNON
HEART 28CM PAPER**

[SEE ON THE SITE >](#)



**MANUAL CANNON
CONFETTI 50CM PAPER**

[SEE ON THE SITE >](#)



**MANUAL CANNON
CONFETTI 50CM MIX**

[SEE ON THE SITE >](#)



| Accessories & consumables



MANUAL CANNON
HEART 50CM PAPER

[SEE ON THE SITE >](#)



MANUAL CANNON
CONFETTI 50CM METAL

[SEE ON THE SITE >](#)



MANUAL CANNON
CONFETTI 80CM PAPER

[SEE ON THE SITE >](#)



MANUAL CANNON
WHITE PIXEL 80CM PAPER

[SEE ON THE SITE >](#)



MANUAL CANNON
CONFETTI 80CM MIX

[SEE ON THE SITE >](#)



MANUAL CANNON
HEART 80CM PAPER

[SEE ON THE SITE >](#)



MANUAL CANNON
CONFETTI 80CM METAL

[SEE ON THE SITE >](#)



MANUAL CANNON
STREAMER 50CM PAPER

[SEE ON THE SITE >](#)



MANUAL CANNON
STREAMER 50CM METAL

[SEE ON THE SITE >](#)



MANUAL CANNON
STREAMER 80CM PAPER

[SEE ON THE SITE >](#)



MANUAL CANNON
STREAMER 80CM MIX




[SEE ON THE SITE >](#)



MANUAL CANNON
STREAMER 80CM METAL

[SEE ON THE SITE >](#)





| VISUAL DESIGN

Silk flame machines_____	150
Visual design machines with double effect_____	154
Inflatable cone machines_____	162
Accessories & consumables_____	168



| Silk flame machines

Silk false flame machines from 2 to 4 meters.



UE DECOFLAME 120

by Universal Effects

Ground use
Lighting included
Height up to 5 m



UE DECOFLAME 200

by Universal Effects

Ground use
Lighting included
Height up to 5 m





SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 50 x lg 37 x Ht 40 cm
Weight	13 Kg
Electrical characteristics	230 Volt - 50 Hertz - 2.4 Amps
Lighting included	2 LEDs of 71 Watts
Effect's height	1.2 to 5 meters

Silk flame machine UE DECOFLAME 120

UNIVERSAL EFFECTS

The **UE DecoFlame 120** is a white or black silk flame visual design machine from 1.2 to 5 meters in height. Lighting is provided by an orange dichroic filter for the Light version or by LED.

Made of ALUMINIUM and stainless steel screws, this silk flame machine is designed to last over time. This is a professional grade product intended for floor use.

The UE DECOFLAME is available in two widths, **120 or 200 centimeters in the Light or LED version.**

MODELS

UE DECOFLAME 120 LIGHT
UEDF120LIGHTS

- Aroma DecoFlame 120 Light
- With MR16 illumination and orange dichroic filter
- Flame height from 1.2 to 5 meters

UE DECOFLAME 120 LIGHT DMX
UEDF120LIGHTD


- Aroma DecoFlame 120 Light DMX
- With MR16 illumination and orange dichroic filter
- Flame height from 1.2 to 5 meters
- **Control by DMX 3 & 5 pin**

UE DECOFLAME 120 LED HP
UEDF120LEDS

- Aroma DecoFlame 120 LED
- With integrated 18 RGB LED lighting
- Flame height from 1.2 to 5 meters
- **Control by DMX 3 & 5 pin**



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 74 x lg 37 x Ht 41 cm
Weight	20.2 Kg
Electrical characteristics	230 Volt - 50 Hertz - 4.1 Amps
Lighting included	2 LEDs of 71 Watts
Effect's height	1.5 to 5 meters

Silk flame machine UE DECOFLAME 200

UNIVERSAL EFFECTS

The **UE DecoFlame 200** is a white or black silk flame visual design machine from 1.2 to 5 meters in height. Lighting is provided by an orange dichroic filter for the Light version or by LED.

Made of ALUMINIUM and stainless steel screws, this silk flame machine is designed to last over time. This is a professional grade product intended for floor use.

The UE DECOFLAME is available in two widths, **120 or 200 centimeters in the Light or LED version.**

MODELS

UE DECOFLAME 200 LIGHT

UEDF200LIGHTS

- Aroma DecoFlame 200 Light
- With MR16 illumination and orange dichroic filter
- Flame height from 1.5 to 5 meters

UE DECOFLAME 200 LIGHT DMX

UEDF200LIGHTD

- Aroma DecoFlame 200 Light DMX
- With MR16 illumination and orange dichroic filter
- Flame height from 1.5 to 5 meters
- **Control by DMX 3 & 5 pin**

UE DECOFLAME 200 LED HP

UEDF200LEDS

- Aroma DecoFlame 200 LED
- With integrated 2x18 RGB LED lighting
- Flame height from 1.5 to 5 meters
- **Control by DMX 3 & 5 pin**



| Visual design machines with double effect

Machines with false flame in silk from 1.5 to 6m and moving tube from 2 to 12m high.



UNITED COMPACT AIRFLAME

by United FX

Suspended or ground use
Lighting included
Height up to 4 m



UE K-350 AIRFLAME

by Universal Effects

Suspended or ground use
Lighting included
Height up to 6 m



UE ST-350 AIRFLAME

by Universal Effects

Ground use
Lighting included
Height up to 6 m



UE K-500 AIRFLAME

by Universal Effects

Suspended or ground use
Lighting included
Height up to 12 m



UE ST-500 AIRFLAME


by Universal Effects

Ground use
Lighting included
Height up to 12 m





SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 39 x lg 29.4 x Ht 53 cm
Weight	13.2 Kg
Electrical characteristics	230 Volt - 50 Hertz - 2.4 Amps
Lighting included	2 LEDs of 71 Watts
Effect's height	1 to 3 meters

Visual design machine UNITED COMPACT AIRFLAME

UNITED FX

The **United Compact AirFlame** is a compact machine with a visual design.

Choose your design according to your needs: White or black silk flame from 1 to 3 meters high or air handle from 2 to 3 meters high.

Low noise and easy to use on the ground or suspended.

Made of ALUMINIUM and stainless steel screws, this visual design machine is designed to last over time.

MODEL

COMPACT AIRFLAME
UFXCOAF

- Double Visual Effect Machine with lighting
- Silk flame effect from 1m to 3m high
- Windsock effect from 2m to 3m high



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 59.2 x lg 61.6 x Ht 51.9 cm
Weight	18.4 Kg
Electrical characteristics of the BASE	230 Volt - 50 Hertz - 1.6 Amps
Compatible heads	Compatible with all heads
Effect's height	2 to 6 meters

Visual design machine UE K-350 AIRFLAME

UNIVERSAL EFFECTS

The **UE K-350 AirFlame** is a low decibel visual design machine. Choose your design according to your needs: White or black silk flame from 2 to 4 meters in height or Windsock from 4 to 6 meters in height.

Lighting is provided by an orange dichroic filter for the Light version or by LED. This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

Made of ALUMINUM and stainless steel screws, this visually designed machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

Control your machine in DMX-512 or in Standard version by the PowerCon supply.

MODELS

UE K-350 AIRFLAME LIGHT STD

UEK350SAIL

- Dynamic Visual Machines
- Integrated lighting
- Silk flame effect from 2m to 4m high
- Sock effect from 4m to 6m high
- With Base K-350 STD / 355W 230V 50Hz
- **PowerCon control**

UE K-350 AIRFLAME LIGHT DMX

UEK350DAIL

- Dynamic Visual Machines
- Integrated lighting
- Silk flame effect from 2m to 4m high
- Sock effect from 4m to 6m high
- With Base K-350 DMX / 355W 230V 50Hz
- **DMX control with PowerCon power supply**

UE K-350 AIRFLAME SOLO STD

UEK350SAIS

- Dynamic Visual Machines
- Without lighting
- Silk flame effect from 2m to 4m high
- Sock effect from 4m to 6m high
- With Base K-350 STD / 355W 230V 50Hz
- **PowerCon control**

UE K-350 AIRFLAME SOLO DMX

UEK350DAIS

- Dynamic Visual Machines
- Without lighting
- Silk flame effect from 2m to 4m high
- Sock effect from 4m to 6m high
- With Base K-350 DMX / 355W 230V 50Hz
- **DMX control with PowerCon power supply**



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 44.8 x lg 62 x Ht 76 cm
Weight	25.6 Kg
Electrical characteristics	230 Volt - 50 Hertz - 3.8 Amps
Compatible heads	Compatible with all heads
Effect's height	2 to 6 meters

Visual design machine UE ST-350 AIRFLAME

UNIVERSAL EFFECTS

The **UE ST-350 AirFlame** is a visual design machine. Choose your design according to your needs: White or black silk flame from 2 to 4 meters in height or Windsock from 4 to 6 meters in height. Lighting is provided by an orange dichroic filter for the Light version or by LED. This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

Made of ALUMINUM and stainless steel screws, this visually designed machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

Control your machine in DMX-512 or in Standard version by the PowerCon supply.

MODELS

UE ST-350 AIRFLAME LIGHT STD

UEST350SAIL

- Dynamic Visual Machines
- Integrated lighting
- Silk flame effect from 2m to 4m high
- Sock effect from 4m to 6m high
- With Base ST-350 STD / 355W 230V 50Hz
- **PowerCon power supply control**

UE ST-350 AIRFLAME LIGHT DMX

UEST350DAIL

- Dynamic Visual Machines
- Integrated lighting
- Silk flame effect from 2m to 4m high
- Sock effect from 4m to 6m high
- With Base ST-350 DMX / 355W 230V 50Hz
- **DMX control with PowerCon power supply**

UE ST-350 AIRFLAME SOLO STD

UEST350SAIS

- Dynamic Visual Machines
- Without lighting
- Silk flame effect from 2m to 4m high
- Sock effect from 4m to 6m high
- With Base ST-350 STD / 355W 230V 50Hz
- **PowerCon power supply control**

UE ST-350 AIRFLAME SOLO DMX

UEST350DAIS

- Dynamic Visual Machines
- Without lighting
- Silk flame effect from 2m to 4m high
- Sock effect from 4m to 6m high
- With Base ST-350 DMX / 355W 230V 50Hz
- **DMX control with PowerCon power supply**



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 75.2 x lg 83 x Ht 49.4 cm
Weight	28.2 Kg
Electrical characteristics of the BASE	230 Volt - 50 Hertz - 1.6 Amps
Compatible heads	Compatible with all heads
Effect's height	4 to 12 meters

Visual design machine UE K-500 AIRFLAME

UNIVERSAL EFFECTS

The **UE K-500 AirFlame** is a low decibel visual design machine. Choose your design according to your needs: White or black silk flame 4-6 meters high or Windsock 6-12 meters high.

Lighting is provided by an orange dichroic filter for the Light version or by LED. This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

Made of ALUMINUM and stainless steel screws, this visually designed machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

Control your machine in DMX-512 or in Standard version by the Power-Con supply.

MODELS

UE K-500 AIRFLAME LIGHT STD

UEK500SAIL

- Dynamic Visual Machines
- Integrated lighting
- Silk flame effect from 4m to 6m high
- Windsock effect from 6m to 12m high
- With Base K-500 STD / 355W 230V 50Hz
- **PowerCon control**

UE K-500 AIRFLAME LIGHT DMX

UEK500DAIL

- Dynamic Visual Machines
- Integrated lighting
- Silk flame effect from 4m to 6m high
- Windsock effect from 6m to 12m high
- With Base K-500 DMX / 355W 230V 50Hz
- **DMX control with PowerCon power supply**

UE K-500 AIRFLAME SOLO STD

UEK500SAIS

- Dynamic Visual Machines
- Without lighting
- Silk flame effect from 4m to 6m high
- Windsock effect from 6m to 12m high
- With Base K-500 STD / 355W 230V 50Hz
- **PowerCon control**

UE K-500 AIRFLAME SOLO DMX

UEK500DAIS

- Dynamic Visual Machines
- Without lighting
- Silk flame effect from 4m to 6m high
- Windsock effect from 6m to 12m high
- With Base K-500 DMX / 355W 230V 50Hz
- **DMX control with PowerCon power supply**



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 59 x lg 75.1 x Ht 85.2 cm
Weight	47.2 Kg
Electrical characteristics	230 Volt - 50 Hertz - 6.5 Amps
Compatible heads	Compatible with all heads
Effect's height	6 to 12 meters

Visual design machine UE ST-500 AIRFLAME

UNIVERSAL EFFECTS

The **UE ST-500 AirFlame** is a visual design machine. Choose your design according to your needs: White or black silk flame 4-6 meters high or Windsock 6-12 meters high.

Lighting is provided by an orange dichroic filter for the Light version or by LED. This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

Made of ALUMINUM and stainless steel screws, this visually designed machine is designed to last over time. Its unique concept allows its user to keep the same thruster, called **BASE**, and to change effects thanks to interchangeable **HEADS**.

Control your machine in DMX-512 or in Standard version by the Power-Con supply.

MODELS

UE ST-500 AIRFLAME LIGHT STD

UEST500SAIL

- Dynamic Visual Machines
- Integrated lighting
- Silk flame effect from 4m to 6m high
- Windsock effect from 6m to 12m high
- With Base ST-500 STD / 1500W 230V 50Hz
- **PowerCon control**

UE ST-500 AIRFLAME LIGHT DMX

UEST500DAIL

- Dynamic Visual Machines
- Integrated lighting
- Silk flame effect from 4m to 6m high
- Windsock effect from 6m to 12m high
- With Base ST-500 DMX / 1500W 230V 50Hz
- **DMX control with PowerCon power supply**

UE ST-500 AIRFLAME SOLO STD

UEST500SAIS

- Dynamic Visual Machines
- Without lighting
- Silk flame effect from 4m to 6m high
- Windsock effect from 6m to 12m high
- With Base ST-500 STD / 1500W 230V 50Hz
- **PowerCon control**

UE ST-500 AIRFLAME SOLO DMX

UEST500DAIS

- Dynamic Visual Machines
- Without lighting
- Silk flame effect from 4m to 6m high
- Windsock effect from 6m to 12m high
- With Base ST-500 DMX / 1500W 230V 50Hz
- **DMX control with PowerCon power supply**



| Inflatable cone machines


Inflatable cone or tube machines with a diameter of 50, 80 and 100cm and a height of 2 to 8 meters.



UE DECOAIR 500

by Universal Effects

Suspended or ground use
LED lighting
Height up to 6 m



UE DECOAIR 800

by Universal Effects

Suspended or ground use
LED lighting
Height up to 6 m



UE DECOAIR 1000



by Universal Effects

Suspended or ground use
LED lighting
Height up to 8 m





SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 50 x lg 50 x Ht 19 cm
Weight	9.6 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.4 Amp
Lighting included	With or without LEDs
Effect's height	2 to 6 meters

Inflatable design machine UE DECOAIR 500

UNIVERSAL EFFECTS

The **UE DecoAir 500** is an inflatable visual design machine from 2 to 6 meters depending on the model used. Lighting is provided by an orange dichroic filter for the Light version or by LED.

This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

Made of ALUMINUM and stainless steel screws, this visually designed machine is designed to last over time.

Control your machine in DMX-512 or in Standard version by the Power-Con supply.

MODELS

UE DECOAIR 500 STD

UEDA500S

- Aroma DecoAir 500, STD version
- Inflatable height from 2 to 6 meters
- **Central power supply for the use of a spot**


UE DECOAIR 500 LED HP

UEDA500L

- Aroma DecoAir 500, RGB LED version
- Inflatable height from 2 to 6 meters
- **Control by DMX 3 & 5 Pin**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 80 x lg 80 x Ht 25 cm
Weight	17.4 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.4 Amp
Lighting included	With or without LEDs
Effect's height	2 to 8 meters

Inflatable design machine UE DECOAIR 800

UNIVERSAL EFFECTS

The **UE DecoAir 800** is an inflatable visual design machine from 2 to 8 meters depending on the model used. Lighting is provided by an orange dichroic filter for the Light version or by LED. This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

Made of ALUMINUM and stainless steel screws, this visually designed machine is designed to last over time.

Control your machine in DMX-512 or in Standard version by the Power-Con supply.

MODELS

UE DECOAIR 800 STD

UEDA800S

- Aroma DecoAir 800, in STD version
- Inflatable height from 2 to 8 meters
- **Central power supply for the use of a spot**


UE DECOAIR 800 LED HP

UEDA800L

- Aroma DecoAir 800, RGB LED version
- Inflatable height from 2 to 8 meters
- **Control by DMX 3 & 5 Pin**



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 100 x lg 100 x Ht 25 cm
Weight	20 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.4 Amps
Lighting included	With or without LEDs
Projection of the effect	2 to 8 meters

Inflatable design machine UE DECOAIR 1000

UNIVERSAL EFFECTS

The **UE DecoAir 1000** is an inflatable visual design machine from 2 to 8 meters depending on the model used.

Lighting is provided by an orange dichroic filter for the Light version or by LED. This is a professional grade product suitable for indoor or outdoor use, both floor standing and hanging.

Made of ALUMINUM and stainless steel screws, this visually designed machine is designed to last over time.

Control your machine in DMX-512 or in Standard version by the Power-Con supply.

MODELS

UE DECOAIR 1000 STD

UEDA1000S

- Aroma DecoAir 1000, in STD version
- Inflatable height from 2 to 8 meters
- **Central power supply for the use of a spot**

UE DECOAIR 1000 LED HP

UEDA1000L

- Aroma DecoAir 1000, in RGB LED version
- Inflatable height from 2 to 8 meters
- **Control by DMX 3 & 5 Pin**



| Accessories & consumables



UE 350&500 FEET ST-50 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-75 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-100 x4

[SEE ON THE SITE >](#)



UE 350 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 350 GROUND FOOT K

[SEE ON THE SITE >](#)



UE 350 FLAME HOLDER

[SEE ON THE SITE >](#)



UE 500 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 500 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 500 GROUND FOOT K

[SEE ON THE SITE >](#)



UE 500 FLAME HOLDER

[SEE ON THE SITE >](#)



UE DECOAIR BRACKET

[SEE ON THE SITE >](#)



POWERCON LINK COUPLER

[SEE ON THE SITE >](#)



**UE POWERCON
SUPPLY CABLE**

[SEE ON THE SITE >](#)



**UE POWERCON
LINK CABLE**

[SEE ON THE SITE >](#)



XLR 3 CABLE M/F

[SEE ON THE SITE >](#)



XLR 5 CABLE M/F

[SEE ON THE SITE >](#)



SAFETY CABLE 5MM - 1M

[SEE ON THE SITE >](#)



SAFETY CABLE 4MM - 0.6M

[SEE ON THE SITE >](#)



**50MM COMPACT COUPLER
100KG - BLACK**

[SEE ON THE SITE >](#)



**50MM QUICK COUPLER
200KG - BLACK**

[SEE ON THE SITE >](#)



UE MODULE DMX-512

[SEE ON THE SITE >](#)



**UE FREQUENCY VARIATOR
16A**

[SEE ON THE SITE >](#)



UE BOX DMX 16A 2 OUT

[SEE ON THE SITE >](#)



UE CONTROLLER 16A 2 OUT

[SEE ON THE SITE >](#)



| Accessories & consumables



VARIATOR SINGLE ONE
WITH FADER

[SEE ON THE SITE >](#)



PYROMOTE

[SEE ON THE SITE >](#)



FX COMMANDER

[SEE ON THE SITE >](#)



FLYTUBE AIRFLAME 350

[SEE ON THE SITE >](#)



FLYTUBE AIRFLAME 500

[SEE ON THE SITE >](#)



WHITE SILK FLAME
AIRFLAME 350

[SEE ON THE SITE >](#)



BLACK SILK FLAME
AIRFLAME 500

[SEE ON THE SITE >](#)



SILK FLAME DECOFLAME 120

[SEE ON THE SITE >](#)



SILK FLAME DECOFLAME 200

[SEE ON THE SITE >](#)



CONE DECOAIR 500

[SEE ON THE SITE >](#)



CONE DECOAIR 800

[SEE ON THE SITE >](#)



CONE DECOAIR 1000

[SEE ON THE SITE >](#)



FIXTUBE DECOAIR 500

[SEE ON THE SITE >](#)



FIXTUBE DECOAIR 800

[SEE ON THE SITE >](#)



FIXTUBE DECOAIR 1000

[SEE ON THE SITE >](#)








WHITE SILK FLAME
COMPACT

[SEE ON THE SITE >](#)



BLACK SILK FLAME
COMPACT

[SEE ON THE SITE >](#)



| CO2

CO2 jet gun	174
CO2 jet machines	176
CO2 jet cannons	188
Accessories & consumables	194



| CO2 jet gun

Colt and mobile Co2 jet gun for evening entertainment.



UNITED CRYO COLT & GUN

by United FX


Very wide and powerful
Consumption 0,20 Kg/sec of CO2



CO2 jet gun

UNITED CRYO COLT & GUN

UNITED FX



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

The **United Co2 Gun** is a Co2 jet gun from 6 to 7 meters away depending on the humidity in the air. Designed for use with a Co2 bottle, the barrel outlet is totally secure to avoid any danger of burns.

Made of ALUMINUM and stainless steel screws, this Co2 machine is designed to last over time. It is a professional quality product, recommended and ideal for entertainment services and DJs.

There are two models to choose from, the United Cryo Colt with a short barrel and the United Cryo Gun with a long barrel.

MODELS

UNITED COLT SOLO

UFXCRCO

- Short pistol sold alone
- Possible option for Back Pack

UNITED GUN SOLO

UFXCRGU

- Long gun sold alone
- Possible option for Back Pack

UNITED COLT BACK PACK

UFXCRCOBP

- Short pistol sold with Back Pack
- Including bottle connection hoses
- Bottle holder vest with black cover

UNITED GUN BACK PACK

UFXCRGUBP

- Long pistol sold with Back Pack
- Including bottle connection hoses
- Bottle holder vest with black cover



| CO2 jet machines

Compact Co2 jet cannon with head change to create different effects.



UNITED CRYO MINI JET

by United FX

Suspended or ground use
DIRECT or DMX-512
Very wide and powerful



UE MINI STAGE NARROW CO2

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Fine and straight jet



UE MINI STAGE WIDE CO2

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Wide jet



UE MINI STAGE SILENT CO2

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Straight jet with noise reducer



UE MINI STAGE BALL CO2

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Ball-shaped jet



UE MINI STAGE MULTIJET CO2

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Vertical jet with 3 outlets



UE MINI STAGE BLADE CO2

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Blade-shaped jet



UE MINI STAGE CROSS CO2

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Horizontal jet with 4 outlets



UE MINI STAGE WALL CO2

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
360° horizontal jet



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 23 x lg 20 x Ht 23 cm
Weight	3 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.1 Amp
Number of CO2 outlet nozzles	1 outlet nozzle
Projection of the effect	6 to 7 meters

CO2 machine UNITED CRYO MINI JET

UNITED FX

The **United Cryo Mini Jet** is a Co2 jet machine from 6 to 7 meters away depending on the humidity in the air.

The Co2 outlet cannon can be rotated 180° to facilitate its installation.

Made of ALUMINUM and stainless steel screws, this Co2 machine is designed to last over time. It is a professional quality product intended for use with a Co2 cylinder on the ground or suspended.

MODEL

UNITED CRYO MINI JET

UFXMJ

- Co2 Jet projector with adjustable output
- Allows a shot from approximately 6 to 7 meters away
- Intended for a Co2 cylinder



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 28 x lg 17 x Ht 34 cm
Weight	2,8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.1 Amp
Number of CO2 outlet nozzles	1 outlet nozzle
Projection of the effect	7 to 8 meters

CO2 machine

UE MINI STAGE-CO2 NARROW

UNIVERSAL EFFECTS

The **UE Mini Stage Co2** is a Co2 jet machine from 7 to 8 meters away depending on the humidity in the air. Its unique concept of interchangeable heads allows you to choose from 8 different Co2 jet effects.

The Co2 effect with the NARROW interchangeable head is a fine and straight jet.

Made of ALUMINUM and stainless steel screws, this Co2 machine is designed to last over time. It is a professional quality product intended for use with a Co2 cylinder on the ground or suspended.

Two versions of Base Mini Stage-Co2 are available:

- STANDARD version, directly controlled by the PowerCon supply.
- DMX version, incorporating a DMX-512 control card with 3 & 5 Pin XLR.

MODELS

UE MINI STAGE-CO2 NARROW DMX

UECO2MSDHNA

- Mini Stage-Co2 STD with Narrow Head
- Smoke effect by straight and tight Co2 jet
- **Directly controlled by the power supply**

UE MINI STAGE-CO2 NARROW STD

UECO2MSSHNA

- Mini Stage-Co2 DMX with Narrow Head
- Smoke effect by straight and tight Co2 jet
- Controlled by DMX, XLR 3 & 5 Pin



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 28 x lg 17 x Ht 34 cm
Weight	2.8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.1 Amp
Number of CO2 outlet nozzles	1 outlet nozzle
Projection of the effect	7 to 8 meters

CO2 machine

UE MINI STAGE-CO2 WIDE

UNIVERSAL EFFECTS

The **UE Mini Stage Co2** is a Co2 jet machine from 7 to 8 meters away depending on the humidity in the air. Its unique concept of interchangeable heads allows you to choose from 8 different Co2 jet effects.

The Co2 effect with the interchangeable WIDE head is a wide jet.

Made of ALUMINUM and stainless steel screws, this Co2 machine is designed to last over time. It is a professional quality product intended for use with a Co2 cylinder on the ground or suspended.

Two versions of Base Mini Stage-Co2 are available:

- STANDARD version, directly controlled by the PowerCon supply.
- DMX version, incorporating a DMX-512 control card with 3 & 5 Pin XLR.

MODELS

UE MINI STAGE-CO2 WIDE DMX

UECO2MSDHWI

- Mini Stage-Co2 STD with Wide Head
- Smoke effect by straight and wide Co2 jet
- **Directly controlled by the power supply**

UE MINI STAGE-CO2 WIDE STD

UECO2MSSHWI

- Mini Stage-Co2 DMX with Wide Head
- Smoke effect by straight and wide Co2 jet
- **Controlled by DMX, XLR 3 & 5 Pin**



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 28 x lg 17 x Ht 34 cm
Weight	2.8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.1 Amp
Number of CO2 outlet nozzles	1 outlet nozzle
Projection of the effect	7 to 8 meters

CO2 machine

UE MINI STAGE-CO2 SILENT

UNIVERSAL EFFECTS

The **UE Mini Stage Co2** is a Co2 jet machine from 7 to 8 meters away depending on the humidity in the air. Its unique concept of interchangeable heads allows you to choose from 8 different Co2 jet effects.

The Co2 effect with the interchangeable SILENT head is a fine, straight jet equipped with a noise reducer.

Made of ALUMINUM and stainless steel screws, this Co2 machine is designed to last over time. It is a professional quality product intended for use with a Co2 cylinder on the ground or suspended.

Two versions of Base Mini Stage-Co2 are available:

- STANDARD version, directly driven by the PowerCon supply.
- DMX version, integrating a DMX-512 control card with XLR 3 & 5 Pins.

MODELS

UE MINI STAGE-CO2 SILENT DMX

UECO2MSDHSI

- Mini Stage-Co2 STD with Silent Head
- Smoke effect by straight and tight Co2 jet
- With integrated noise reduction
- **Directly controlled by the power supply**

UE MINI STAGE-CO2 SILENT STD

UECO2MSSHSI

- Mini Stage-Co2 DMX with Silent Head
- Smoke effect by straight and tight Co2 jet
- With integrated noise reduction
- **Directly controlled by the power supply**



SEE ON THE SITE ►



CO2 machine UE MINI STAGE-CO2 BALL

UNIVERSAL EFFECTS

The **UE Mini Stage Co2** is a Co2 jet machine from 7 to 8 meters away depending on the humidity in the air. Its unique concept of interchangeable heads allows you to choose from 8 different Co2 jet effects.

The Co2 effect with the BALL interchangeable head is a ball-shaped jet.

Made of ALUMINUM and stainless steel screws, this Co2 machine is designed to last over time. It is a professional quality product intended for use with a Co2 cylinder on the ground or suspended.

Two versions of Base Mini Stage-Co2 are available:

- STANDARD version, directly driven by the PowerCon supply.
- DMX version, integrating a DMX-512 control card with XLR 3 & 5 Pins.

MODELS

UE MINI STAGE-CO2 BALL DMX

UECO2MSDHBA

- Mini Stage-Co2 STD with Ball Head
- Ball-shaped Co2 jet smoke effect
- **Directly controlled by the power supply**

UE MINI STAGE-CO2 BALL STD

UECO2MSSHBA

- Mini Stage-Co2 DMX with Ball Head
- Ball-shaped Co2 jet smoke effect
- **Controlled by DMX, XLR 3 & 5 Pin**

WATCH THE VIDEO ►

Dimensions	Lg 28 x lg 17 x Ht 34 cm
Weight	2.8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.1 Amp
Number of CO2 outlet nozzles	1 outlet nozzle
Projection of the effect	7 to 8 meters



SEE ON THE SITE ►

CO2 machine UE MINI STAGE-CO2 MULTIJET UNIVERSAL EFFECTS

The **UE Mini Stage Co2** is a Co2 jet machine from 7 to 8 meters away depending on the humidity in the air. Its unique concept of interchangeable heads allows you to choose from 8 different Co2 jet effects.

The Co2 effect with the MULTIJET interchangeable head is a vertical jet multiplied by three thanks to several outlet guns.

Made of ALUMINUM and stainless steel screws, this Co2 machine is designed to last over time. It is a professional quality product intended for use with a Co2 cylinder on the ground or suspended.

Two versions of Base Mini Stage-Co2 are available:

- STANDARD version, directly driven by the PowerCon supply.
- DMX version, integrating a DMX-512 control card with XLR 3 & 5 Pins.

MODELS

UE MINI STAGE-CO2 MULTIJET DMX

UECO2MSDHMU

- Mini Stage-Co2 STD with Multijet Head
- Smoke effect by Co2 jet with 3 straight jets
- **Directly controlled by the power supply**

UE MINI STAGE-CO2 MULTIJET STD

UECO2MSSHMU

- Mini Stage-Co2 DMX with Multijet Head
- Smoke effect by Co2 jet with 3 straight jets
- **Controlled by DMX, XLR 3 & 5 Pin**

WATCH THE VIDEO ►

Dimensions	Lg 28 x lg 17 x Ht 34 cm
Weight	2.8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.1 Amp
Number of CO2 outlet nozzles	1 outlet nozzle
Projection of the effect	7 to 8 meters



CO2 machine

UE MINI STAGE-CO2 BLADE

UNIVERSAL EFFECTS

The **UE Mini Stage Co2** is a Co2 jet machine from 7 to 8 meters away depending on the humidity in the air. Its unique concept of interchangeable heads allows you to choose from 8 different Co2 jet effects.

The Co2 effect with the interchangeable **BLADE** head is a thin, straight, blade-like jet.

Made of ALUMINUM and stainless steel screws, this Co2 machine is designed to last over time. It is a professional quality product intended for use with a Co2 cylinder on the ground or suspended.

Two versions of Base Mini Stage-Co2 are available:

- STANDARD version, directly controlled by the PowerCon supply.
- DMX version, incorporating a DMX-512 control card with 3 & 5 Pin XLR.

SEE ON THE SITE ►

MODELS

UE MINI STAGE-CO2 BLADE DMX

UECO2MSDHBL

- Mini Stage-Co2 STD with Head Blade
- Blade-shaped Co2 jet smoke effect
- **Directly controlled by the power supply**

UE MINI STAGE-CO2 BLADE STD

UECO2MSSHBL

- Mini Stage-Co2 DMX with Blade Head
- Blade-shaped Co2 jet smoke effect
- **Controlled by DMX, XLR 3 & 5 Pin**

WATCH THE VIDEO ►

Dimensions	Lg 28 x lg 17 x Ht 34 cm
Weight	2.8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.1 Amp
Number of CO2 outlet nozzles	1 outlet nozzle
Projection of the effect	7 to 8 meters



[SEE ON THE SITE ►](#)



CO2 machine UE MINI STAGE-CO2 CROSS

UNIVERSAL EFFECTS

The **UE Mini Stage Co2** is a Co2 jet machine from 7 to 8 meters away depending on the humidity in the air. Its unique concept of interchangeable heads allows you to choose from 8 different Co2 jet effects.

The Co2 effect with the **CROSS** interchangeable head is a horizontal multidirectional jet thanks to its four outlet guns.

Made of ALUMINUM and stainless steel screws, this Co2 machine is designed to last over time. It is a professional quality product intended for use with a Co2 cylinder on the ground or suspended.

Two versions of Base Mini Stage-Co2 are available:

- STANDARD version, directly driven by the PowerCon supply.
- DMX version, integrating a DMX-512 control card with XLR 3 & 5 Pins.

MODELS

UE MINI STAGE-CO2 CROSS DMX

UECO2MSDHCR

- Mini Stage-Co2 STD with Cross Head
- Smoke effect by Co2 cross jet
- **Directly controlled by the power supply**

UE MINI STAGE-CO2 CROSS STD

UECO2MSSHCR

- Mini Stage-Co2 DMX with Cross Head
- Smoke effect by Co2 cross jet
- **Controlled by DMX, XLR 3 & 5 Pin**

[WATCH THE VIDEO ►](#)

Dimensions	Lg 28 x lg 17 x Ht 34 cm
Weight	2.8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.1 Amp
Number of CO2 outlet nozzles	1 outlet nozzle
Projection of the effect	7 to 8 meters



[SEE ON THE SITE ►](#)



CO2 machine UE MINI STAGE-CO2 WALL

UNIVERSAL EFFECTS

The **UE Mini Stage Co2** is a Co2 jet machine from 7 to 8 meters away depending on the humidity in the air. Its unique concept of interchangeable heads allows you to choose from 8 different Co2 jet effects.

The Co2 effect with the WALL interchangeable head is a 360° horizontal jet.

Made of ALUMINUM and stainless steel screws, this Co2 machine is designed to last over time. It is a professional quality product intended for use with a Co2 cylinder on the ground or suspended.

Two versions of Base Mini Stage-Co2 are available:

- STANDARD version, directly driven by the PowerCon supply.
- DMX version, integrating a DMX-512 control card with XLR 3 & 5 Pins.

MODELS

UE MINI STAGE-CO2 WALL DMX

UECO2MSDHWA

- Mini Stage-Co2 STD with Wall Head
- Smoke effect by Co2 jet in 360° blade
- **Directly controlled by the power supply**

UE MINI STAGE-CO2 WALL STD

UECO2MSSHWA

- Mini Stage-Co2 DMX with Wall Head
- Smoke effect by Co2 jet in 360° blade
- **Directly controlled by the power supply**

[WATCH THE VIDEO ►](#)

Dimensions	Lg 28 x lg 17 x Ht 34 cm
Weight	2.8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.1 Amp
Number of CO2 outlet nozzles	1 outlet nozzle
Projection of the effect	7 to 8 meters



| CO2 jet cannons

Powerful Co2 jet cannon in different versions with 2, 4 and 8 output nozzles.



UE JET-CO2 DUO

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Wide and powerful



UE JET-CO2 QUATTRO

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Wide and powerful



UE JET-CO2 MEGA 4

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Wide and very powerful



UE JET-CO2 MEGA 8

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Very wide and powerful





SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 70 x lg 60 x Ht 54 cm
Weight	13.6 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.1 Amp
Nombre de outlet nozzles	2 outlet nozzles
Projection of the effect	8 to 10 meters

CO2 cannon UE JET-CO2 DUO

UNIVERSAL EFFECTS

The **UE Jet-Co2 Duo** is a Co2 jet machine from 8 to 10 meters away depending on the humidity in the air. It is equipped with two combined nozzles for a wide effect. Several options are available on this product: control of the machine by DMX-512 or connection by direct power supply.

You also have the possibility to link several machines together by a Slave control: control a machine in DMX, the command will be transmitted to the other Standard machines simultaneously.

This is a professional grade product ideal for large indoor and outdoor spaces.

Designed for use on the ground or suspended with two bottles of Co2 TP.

MODELS

UE JET-CO2 DUO STD
UECO2JET2S

- Equipped with 2 nozzles - **STD version**
- Perfect for hanging use
- Works with 2 bottles of Co2 TP

UE JET-CO2 DUO DMX
UECO2JET2D

- Equipped with 2 nozzles - **DMX version**
- Perfect for hanging use
- Works with 2 bottles of Co2 TP



[SEE ON THE SITE ►](#)



[WATCH THE VIDEO ►](#)

Dimensions	Lg 70 x lg 60 x Ht 54 cm
Weight	14.8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.2 Amp
Number of CO2 outlet nozzles	4 outlet nozzles
Projection of the effect	8 to 10 meters

CO2 cannon UE JET-CO2 QUATTRO

UNIVERSAL EFFECTS

The **UE Jet-Co2 Quattro** is a Co2 jet machine from 8 to 10 meters away depending on the humidity in the air. It is equipped with four combined nozzles for a very wide effect. Several options are available on this product: control of the machine by DMX-512 or connection by direct power supply.

You also have the possibility to link several machines together by a Slave control: control a machine in DMX, the command will be transmitted to the other Standard machines simultaneously.

This is a professional grade product ideal for large indoor and outdoor spaces.

Intended for suspended use with four bottles of Co2 TP.

MODELS

UE JET-CO2 QUATTRO STD

UECO2JET4S

- Equipped with 4 nozzles - **STD version**
- Perfect for hanging use
- Works with 4 bottles of Co2 TP

UE JET-CO2 QUATTRO DMX

UECO2JET4D

- Equipped with 4 nozzles - **DMX version**
- Perfect for hanging use
- Works with 4 bottles of Co2 TP



SEE ON THE SITE ►

CO2 cannon UE JET-CO2 MEGA 4

UNIVERSAL EFFECTS

The **UE Jet-Co2 Mega 4** is a Co2 jet machine from 8 to 10 meters away depending on the humidity in the air. It is equipped with four combined nozzles and a wide outlet for a very powerful effect. Several options are available on this product: control of the machine by DMX-512 or connection by direct power supply.

You also have the possibility to link several machines together by a Slave control: control a machine in DMX, the command will be transmitted to the other Standard machines simultaneously.

This is a professional grade product ideal for large indoor and outdoor spaces.

Intended for suspended use with four bottles of Co2 TP.



WATCH THE VIDEO ►

Dimensions	Lg 71 x lg 82 x Ht 74 cm
Weight	22.4 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.2 Amp
Number of CO2 outlet nozzles	4 outlet nozzles
Projection of the effect	8 to 10 meters

MODELS

UE JET-CO2 MEGA 4 STD

UECO2JTM4S

- Equipped with 4 nozzles - **STD version**
- Perfect for hanging use
- Model with large outlet
- Works with 4 bottles of Co2 TP

UE JET-CO2 MEGA 4 DMX

UECO2JTM4D

- Equipped with 4 nozzles - **DMX version**
- Perfect for hanging use
- Model with large outlet
- Works with 4 bottles of Co2 TP



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 71 x lg 82 x Ht 74 cm
Weight	26.6 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.5 Amp
Number of CO2 outlet nozzles	8 outlet nozzles
Projection of the effect	8 to 10 meters

CO2 cannon UE JET-CO2 MEGA 8

UNIVERSAL EFFECTS

The **UE Jet-Co2 Mega 8** is a Co2 jet machine from 8 to 10 meters away depending on the humidity in the air. It is equipped with eight combi nozzles and a wide outlet for a very powerful effect. Several options are available on this product: control of the machine by DMX-512 or connection by direct power supply.

You also have the possibility to link several machines together by a Slave control: control a machine in DMX, the command will be transmitted to the other Standard machines simultaneously.

This is a professional grade product ideal for large indoor and outdoor spaces.

Intended for suspended use with eight bottles of Co2 TP.

MODELS

UE JET-CO2 MEGA 8 STD

UECO2JEM8S

- Equipped with 8 nozzles - **STD version**
- Perfect for hanging use
- Model with large outlet
- Works with 8 bottles of Co2 TP

UE JET-CO2 MEGA 8 DMX

UECO2JEM8D

- Equipped with 8 nozzles - **DMX version**
- Perfect for hanging use
- Model with large outlet
- Works with 8 bottles of Co2 TP



| Accessories & consumables



UE HEAD NARROW MINI STAGE

[SEE ON THE SITE >](#)



UE HEAD WIDE MINI STAGE

[SEE ON THE SITE >](#)



UE HEAD SILENT MINI STAGE

[SEE ON THE SITE >](#)



UE HEAD BALL MINI STAGE

[SEE ON THE SITE >](#)



UE HEAD MULTIJET MINI STAGE

[SEE ON THE SITE >](#)



UE HEAD BLADE MINI STAGE

[SEE ON THE SITE >](#)



UE HEAD CROSS MINI STAGE

[SEE ON THE SITE >](#)



UE HEAD WALL MINI STAGE

[SEE ON THE SITE >](#)



SUPER ECO CONNECTION

[SEE ON THE SITE >](#)



ECO CONNECTION

[SEE ON THE SITE >](#)



MANOMETER 100 BAR

[SEE ON THE SITE >](#)



GAS BLACK HOSE

[SEE ON THE SITE >](#)



GAS HP-PIPE

[SEE ON THE SITE >](#)



T-SPLITTER 1-2 PIPE

[SEE ON THE SITE >](#)



GAS COUPLER 2-1 PIPE

[SEE ON THE SITE >](#)



GAS SPLITTER 1-4 ECO

[SEE ON THE SITE >](#)



GAS SPLITTER 1-2 ECO

[SEE ON THE SITE >](#)



GAS SPLITTER 1-3 ECO

[SEE ON THE SITE >](#)



GAS SPLITTER 1-4 CHAMBER

[SEE ON THE SITE >](#)



GAS SPLITTER 1-2 CHAMBER

[SEE ON THE SITE >](#)



ALUMINUM 5KG CO2 BOTTLE

[SEE ON THE SITE >](#)



BACK PACK CO2 BOTTLE

[SEE ON THE SITE >](#)



COUPLER DETECTOR CO2

[SEE ON THE SITE >](#)



SPLITTER DETECTOR CO2

[SEE ON THE SITE >](#)



| Accessories & consumables



INTERFACE SECURITY PACK

[SEE ON THE SITE >](#)



UE DETECTOR-CO2 CABLE

[SEE ON THE SITE >](#)



UE LEVEL DETECTOR CO2

[SEE ON THE SITE >](#)



POWERCON LINK CABLE
TRUE 1

[SEE ON THE SITE >](#)



POWERCON SUPPLY CABLE
TRUE 1

[SEE ON THE SITE >](#)



POWERCON LINK COUPLER

[SEE ON THE SITE >](#)



UE POWERCON
SUPPLY CABLE

[SEE ON THE SITE >](#)



UE POWERCON
LINK CABLE

[SEE ON THE SITE >](#)



XLR 3 CABLE M/F

[SEE ON THE SITE >](#)



XLR 5 CABLE M/F

[SEE ON THE SITE >](#)



SAFETY CABLE 5MM - 1M

[SEE ON THE SITE >](#)



SAFETY CABLE 4MM - 0.6M

[SEE ON THE SITE >](#)



50MM COMPACT COUPLER
100KG - BLACK

[SEE ON THE SITE >](#)



50MM QUICK COUPLER
200KG - BLACK

[SEE ON THE SITE >](#)








PYROMOTE

[SEE ON THE SITE >](#)



FX COMMANDER

[SEE ON THE SITE >](#)



| SCENTS

Aroma diffusers for theater	200
Professional fragrance diffusers	206
Accessories & consumables	216



| Aroma diffusers for theater

Professional scent diffuser for events and shows.



UE K-350 FRAGRANCE

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Output in Mono, Duo, Quattro



UE ST-350 FRAGRANCE

by Universal Effects

Ground use
DIRECT or DMX-512
Output in Mono, Duo, Quattro



UE K-500 FRAGRANCE

by Universal Effects

Suspended or ground use
DIRECT or DMX-512
Output in Mono, Duo, Quattro



UE ST-500 FRAGRANCE

by Universal Effects

Ground use
DIRECT or DMX-512
Output in Mono, Duo, Quattro



PREMIUM FRAGRANCES
CREATE SCENTS EXPERIENCES





[SEE ON THE SITE ►](#)



Aroma diffuser UE K-350 FRAGRANCE

UNIVERSAL EFFECTS

The **UE K-350 Fragrance** is a medium-volume scent diffusion machine. It is equipped with 1, 2 or 4 nozzles depending on the model chosen. Deposit-free and safe for the public and the environment, this fragrance diffuser allows you to change scents in seconds. Control your machine in DMX-512 or in Standard version by the PowerCon supply.

Made of ALUMINUM and stainless steel screws, this low decibel scent diffusion machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE** and to change the effect thanks to interchangeable **HEADS**.

It is a professional quality product suitable for mainly indoor use, suspended or on the ground with its support (optional).

MODELS

UE K-350 FRAGRANCE MONO STD OR DMX

UEK350SFRM OR UEK350DFRM

- Scent Diffusion Machine
- With Base ST-350 STD / 355W 230V 50Hz
- Scent Projection 1 diffuser
- **PowerCon control (and DMX)**

UE K-350 FRAGRANCE DUO STD OR DMX

UEK350SFRD OR UEK350DFRD

- Scent Diffusion Machine
- With Base ST-350 STD / 355W 230V 50Hz
- Fragrance projection 2 diffusers
- **PowerCon control (and DMX)**

UE K-350 FRAGRANCE QUATTRO STD OR DMX

UEK350SFRQ OR UEK350DFRQ

- Scent Diffusion Machine
- With Base ST-350 STD / 355W 230V 50Hz
- Fragrance projection 4 diffusers
- **PowerCon control (and DMX)**

Dimensions	Lg 28 x lg 62 x Ht 65 cm
Weight	22.9 Kg
Compatible heads	Compatible with all heads
Number of outputs	Mono, Duo, Quattro
Diffusion	Medium area



SEE ON THE SITE ►



Aroma diffuser UE ST-350 FRAGRANCE

UNIVERSAL EFFECTS

The **UE ST-350 Fragrance** is a high volume scent diffusion machine. It is equipped with 1, 2 or 4 nozzles depending on the model chosen. Deposit-free and safe for the public and the environment, this fragrance diffuser allows you to change scents in seconds. Control your machine in DMX-512 or in Standard version by the PowerCon supply.

Made of ALUMINUM and stainless steel screws, this scent diffusion machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE** and to change the effect thanks to interchangeable **HEADS**.

This is a professional grade product suitable for primarily indoor, floor standing and hanging use.

MODELS

UE ST-350 FRAGRANCE MONO STD OR DMX

UEST350SFRM OR UEST350DFRM

- Scent Diffusion Machine
- With Base ST-350 STD / 355W 230V 50Hz
- Scent Projection 1 diffuser
- **PowerCon control (and DMX)**

UE ST-350 FRAGRANCE DUO STD OR DMX

UEST350SFRD OR UEST350DFRD

- Scent Diffusion Machine
- With Base ST-350 STD / 355W 230V 50Hz
- Fragrance projection 2 diffusers
- **PowerCon control (and DMX)**

UE ST-350 FRAGRANCE QUATTRO STD OR DMX

UEST350SFRQ OR UEST350DFRQ

- Scent Diffusion Machine
- With Base ST-350 STD / 355W 230V 50Hz
- Fragrance projection 4 diffusers
- **PowerCon control (and DMX)**

Dimensions	Lg 40 x lg 62 x Ht 57 cm
Weight	30.1 Kg
Compatible heads	Compatible with all heads
Number of outputs	Mono, Duo, Quattro
Diffusion	Large area



SEE ON THE SITE ►



Aroma diffuser UE K-500 FRAGRANCE

UNIVERSAL EFFECTS

The **UE K-500 Fragrance** is a powerful mid-volume fragrance delivery machine. It is equipped with 1, 2 or 4 nozzles depending on the model chosen. Deposit-free and safe for the public and the environment, this fragrance diffuser allows you to change scents in seconds. Control your machine in DMX-512 or in Standard version by the PowerCon supply.

Made of ALUMINUM and stainless steel screws, this low-decibel scent diffusion machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE** and to change the effect thanks to interchangeable **HEADS**.

It is a professional quality product suitable for mainly indoor use, suspended or on the ground with its support (optional).

MODELS

UE K-500 FRAGRANCE MONO STD OR DMX

UEK500SFRM OR UEK500DFRM

- Scent Diffusion Machine
- With Base K-500 STD / 355W 230V 50Hz
- Scent Projection 1 diffuser
- Hanging bracket
- **PowerCon control (and DMX)**

UE K-500 FRAGRANCE DUO STD OR DMX

UEK500SFRD OR UEK500DFRD

- Scent Diffusion Machine
- With Base K-500 STD / 355W 230V 50Hz
- Fragrance projection 2 diffusers
- Hanging bracket
- **PowerCon control (and DMX)**

UE K-500 FRAGRANCE QUATTRO STD

UEK500SFRQ OR UEK500DFRQ

- Scent Diffusion Machine
- With Base K-500 STD / 355W 230V 50Hz
- Fragrance projection 4 diffusers
- Hanging bracket
- **PowerCon control (and DMX)**

Dimensions	Lg 30 x lg 83 x Ht 76 cm
Weight	33.4 Kg
Compatible heads	Compatible with all heads
Number of outputs	Mono, Duo, Quattro
Diffusion	Medium area



SEE ON THE SITE ►



Aroma diffuser UE ST-500 FRAGRANCE

UNIVERSAL EFFECTS

The **UE ST-500 Fragrance** is a powerful fragrance diffusion machine for very large volumes. It is equipped with 1, 2 or 4 nozzles depending on the model chosen. Deposit-free and safe for the public and the environment, this fragrance diffuser allows you to change scents in seconds. Control your machine in DMX-512 or in Standard version by the PowerCon supply.

Made of ALUMINUM and stainless steel screws, this scent diffusion machine is designed to last over time. Its unique concept allows its user to keep the same propellant, called **BASE** and to change the effect thanks to interchangeable **HEADS**.

This is a professional grade product suitable for primarily indoor, floor standing and hanging use.

MODELS

UE ST-500 FRAGRANCE MONO STD OR DMX

UEST500SFRM OR UEST500DFRM

- Scent Diffusion Machine
- With Base ST-500 STD / 1500W 230V 50Hz
- Scent Projection 1 diffuser
- **PowerCon control (and DMX)**

UE ST-500 FRAGRANCE DUO STD OR DMX

UEST500SFRD OR UEST500DFRD

- Scent Diffusion Machine
- With Base ST-500 STD / 1500W 230V 50Hz
- Fragrance projection 2 diffusers
- **PowerCon control (and DMX)**

UE ST-500 FRAGRANCE QUATTRO STD OR DMX

UEST500SFRQ OR UEST500DFRQ

- Scent Diffusion Machine
- With Base ST-500 STD / 1500W 230V 50Hz
- Fragrance projection 4 diffusers
- **PowerCon control (and DMX)**

Dimensions	Lg 56 x lg 79 x Ht 79 cm
Weight	52.4 Kg
Compatible heads	Compatible with all heads
Number of outputs	Mono, Duo, Quattro
Diffusion	Very large area



| Professional fragrance diffusers

Professional fragrance diffuser for ambiance creation.



TINY 1

by Premium Fragrances

Bluetooth control
Tank capacity 130 ml
Diffusion up to 100 m²



TINY 2

by Premium Fragrances

Bluetooth control
Tank capacity 130 ml
Diffusion up to 100 m²



TINY 3

by Premium Fragrances

Bluetooth control
Tank capacity 300 ml
Diffusion up to 100 m²



MEDIUM 1

by Premium Fragrances

Bluetooth control
Tank capacity 500 ml
Diffusion up to 800 m²



MEDIUM 2

by Premium Fragrances

Bluetooth control
Tank capacity 500 ml
Diffusion up to 1 200 m²



MEDIUM 3

by Premium Fragrances

Bluetooth control
Tank capacity 800 ml
Diffusion up to 800 m²



PLAZA 1

by Premium Fragrances

Bluetooth control
Tank capacity 800 ml
Diffusion up to 4 000 m²



PLAZA 2

by Premium Fragrances

Bluetooth control
Tank capacity 5 000 ml
Diffusion up to 4 000 m²



PREMIUM FRAGRANCES
CREATE SCENTS EXPERIENCES



Fragrance diffuser TINY 1

PREMIUM FRAGRANCES

The **TINY 1** is a home fragrance diffuser for small spaces up to 100m². Discreet and practical, this diffuser is controllable by Bluetooth with its dedicated application. It is equipped with a removable tank of 130ml.

Two possibilities of use are available to you, wall mounting or on a stand thanks to its included table support.

Ideal for small spaces such as offices, lobbies, changing rooms, waiting rooms, hotel rooms, shops.



SEE ON THE SITE ►



MODEL

TINY 1

PFDIT1

- Version with table stand included
- Very quiet 45 dba
- Volume: 50 to 250 m³
- Removable tank capacity 130ML
- External power supply: 12V
- Power: 1.1W

Dimensions	Lg 7.5 x lg 9 x Ht 20.5 cm
Weight	0.5 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.1 Amp
Control type	Bluetooth
Diffusion	50 m ³ to 250 m ³



SEE ON THE SITE ►



Fragrance diffuser TINY 2

PREMIUM FRAGRANCES

The **TINY 2** is a home fragrance diffuser for small spaces up to 100m². Discreet and practical, this diffuser is controllable by Bluetooth with its dedicated application. It is equipped with a removable tank of 130ml.

Two possibilities of use are available to you, wall or table mounting.

Ideal for small spaces such as offices, lobbies, changing rooms, waiting rooms, hotel rooms, shops.

MODEL

TINY 2

PFDIT2

- External Power Supply Provided: 12V
- Power: 5.4W
- Noise level: 30 dba
- Capacity: 130ml
- Application volume: 50-250m³
- Bluetooth control

Dimensions	Lg 15 x lg 6 x Ht 15 cm
Weight	0.64 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.5 Amp
Control type	Bluetooth
Diffusion	50 m ³ to 250 m ³



SEE ON THE SITE ►



Fragrance diffuser TINY 3

PREMIUM FRAGRANCES

The **TINY 3** is a home fragrance diffuser for small spaces up to 100m². Discreet and practical, this diffuser is controllable by Bluetooth with its dedicated application. Very easy to use with its integrated Timer for weekly programming, it is equipped with a removable 300ml tank.

You will appreciate its finish with an Acrylic front on a white lacquered metal box. Two possibilities of use are available to you, wall or table mounting.

Ideal for small spaces such as offices, lobbies, changing rooms, waiting rooms, hotel rooms, shops.

MODEL

TINY 3

PFDIT3

- Version with table stand included
- Very quiet 35 dba
- Volume: 50 to 250 m³
- Removable tank capacity 300ml
- External Power Supply Supplied: 12 V
- Power: 4W

Dimensions	Lg 20 x lg 7 x Ht 23.5 cm
Weight	2.72 Kg
Electrical characteristics	230 Volt - 50 Hertz - 0.3 Amp
Control type	Bluetooth
Diffusion	50 m ³ to 250 m ³



SEE ON THE SITE ►



Fragrance diffuser MEDIUM 1

PREMIUM FRAGRANCES

The **MEDIUM 1** is a home fragrance diffuser for medium spaces up to 800m². Discreet and practical, this diffuser is controllable by Bluetooth with its dedicated application. Very easy to use with its integrated Timer for weekly programming, it is equipped with a removable 500ml tank.

You will appreciate its finish with an Acrylic front on a white lacquered metal box. Two possibilities of use are available to you, wall or table mounting.

Ideal for medium-sized spaces such as gyms, libraries, common areas, games rooms.

MODEL

MEDIUM 1

PFDIM1

- Very quiet 40 dba
- Volume: 200m² to 2000m³
- Removable tank capacity 500ml
- External power supply Provided: 12 V
- Power: 12W

Dimensions	Lg 25 x lg 9.5 x Ht 28 cm
Weight	4.97 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1 Amp
Control type	Bluetooth
Diffusion	200 m ³ to 2000 m ³



SEE ON THE SITE ►



Fragrance diffuser MEDIUM 2

PREMIUM FRAGRANCES

The **MEDIUM 2** is a white lacquered aluminum air freshener diffuser for medium spaces up to 800m². Discreet and practical, this diffuser is controllable by Bluetooth with its dedicated application. Very easy to use with its integrated Timer for weekly programming, it is equipped with a removable 500ml tank and an efficient dispersion system.

Two possibilities of use are available to you, wall or table mounting.

Ideal for medium-sized spaces such as gyms, libraries, common areas, games rooms.

MODEL

MEDIUM 2

PFDIM2

- Very quiet 45 dba
- Volume: 200m² to 2000m³
- Removable tank capacity 500ml
- External power supply: 12V
- Power: 12.6W

Dimensions	Lg 16.5 x lg 16.7 x Ht 36 cm
Weight	4.96 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1 Amp
Control type	Bluetooth
Diffusion	200 m ³ to 2000 m ³



SEE ON THE SITE ►

Fragrance diffuser MEDIUM 3

PREMIUM FRAGRANCES

The **MEDIUM 3** is an air freshener diffuser for medium spaces up to 1200m². Discreet and practical, this diffuser is controllable by Bluetooth and 4G with its dedicated application. It is equipped with a removable 800ml tank and an air conditioning tube for possible connection to the air conditioning system.

Two possibilities of use are available to you, wall or table mounting.

Ideal for medium-sized spaces such as gyms, libraries, common areas, games rooms.

MODEL

MEDIUM 3

PFDIM3

- Noise level: 40dba
- Volume: from 300m² to 3000m³
- Removable reservoir capacity 800ml
- External power supply: 12V
- Power: 12W



Dimensions	Lg 23.5 x lg 11.5 x Ht 23.5 cm
Weight	2.97 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1 Amp
Control type	Bluetooth
Diffusion	200 m ³ to 2000 m ³



SEE ON THE SITE ►



Fragrance diffuser PLAZA 1

PREMIUM FRAGRANCES

The **PLAZA 1** is a room fragrance diffuser for large spaces up to 4000m². Controllable by Bluetooth with its dedicated application, it is very easy to use and has an integrated Timer for weekly programming. It is equipped with a removable tank of 800ml.

The PLAZA 1 diffuser is particularly suitable for use with Air Conditioning Systems. Two possibilities of use are available to you, wall or table mounting.

Ideal for large volumes such as conference rooms, art galleries, wellness centers, supermarkets, shops.

MODEL

PLAZA 1

PFDIP1

- Wall or table mounting
- Noise level: 55 dba
- Volume: 10,000 m³
- Removable reservoir capacity 800ml
- External Power Supply Provided: 24V
- Power: 27W

Dimensions	Lg 33 x lg 17 x Ht 31 cm
Weight	8.37 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.2 Amp
Control type	Bluetooth
Diffusion	Up to 10 000 m ³



SEE ON THE SITE ►



Fragrance diffuser PLAZA 2

PREMIUM FRAGRANCES

The **PLAZA 2** is an air freshener diffuser for large spaces up to 4000m². Controllable by Bluetooth with its dedicated application, it is very easy to use and has an integrated Timer for weekly programming. It is equipped with a separate tank of 5000ml.

The PLAZA 2 diffuser is particularly suitable for use with Air Conditioning Systems.

Ideal for large volumes such as conference rooms, art galleries, wellness centers, supermarkets, shops.

MODEL

PLAZA 2

PFDIP2

- Noise level: 55 dba
- Volume: 10,000 m³
- Removable tank capacity 5000ml
- External Power Supply Provided: 24V
- Power: 27W

Dimensions	Lg 25 x lg 17 x Ht 12 cm
Weight	5.5 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.1 Amp
Control type	Bluetooth
Diffusion	Up to 10 000 m ³



| Accessories & consumables



UE 350&500 FEET ST-50 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-75 x4

[SEE ON THE SITE >](#)



UE 350&500 FEET ST-100 x4

[SEE ON THE SITE >](#)



UE 350 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 350 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 350 GROUND FOOT K

[SEE ON THE SITE >](#)



UE 500 SKATE BOARD ST

[SEE ON THE SITE >](#)



UE 500 SHOOT TOWER ST

[SEE ON THE SITE >](#)



UE 500 GROUND FOOT K

[SEE ON THE SITE >](#)



POWERCON LINK COUPLER

[SEE ON THE SITE >](#)



UE POWERCON
SUPPLY CABLE

[SEE ON THE SITE >](#)



UE POWERCON
LINK CABLE

[SEE ON THE SITE >](#)



XLR 3 CABLE M/F

[SEE ON THE SITE >](#)



XLR 5 CABLE M/F

[SEE ON THE SITE >](#)



SAFETY CABLE 5MM - 1M

[SEE ON THE SITE >](#)



SAFETY CABLE 4MM - 0.6M

[SEE ON THE SITE >](#)



50MM COMPACT COUPLER
100KG - BLACK

[SEE ON THE SITE >](#)



50MM QUICK COUPLER
200KG - BLACK

[SEE ON THE SITE >](#)



UE MODULE DMX-512

[SEE ON THE SITE >](#)



UE FREQUENCY VARIATOR
16A

[SEE ON THE SITE >](#)



UE BOX DMX 16A 2 OUT

[SEE ON THE SITE >](#)



UE CONTROLLER 16A 2 OUT

[SEE ON THE SITE >](#)



VARIATOR SINGLE ONE
WITH FADER

[SEE ON THE SITE >](#)



PYROMOTE

[SEE ON THE SITE >](#)



| Accessories & consumables



FX COMMANDER




[SEE ON THE SITE >](#)



PREMIUM FRAGRANCES
SCENTS AND PERFUMES

[SEE ON THE SITE >](#)





| FIRE & PYRO

Straight flame machines	222
Rotating flame machines	230
Remote U-FLAME SYSTEM	236
Pyrotechnic controllers	244
Accessories & consumables	252

SHOWVEN

PASSION FOR INNOVATION

| Straight flame machines

Flame machine with liquid or gas consumable and vertical jet from 3 to 10 meters.



U-FLAMER MAX

by Showven

Liquid-powered system
Straight flame up to 20 m
Wired or battery-powered



U-FLAMER II

by Showven

Liquid-powered system
Straight flame up to 12 m
Operates in the rain



U-FLAMER

by Showven

Liquid-powered system
Straight flame up to 10 m
Operates in the rain



U-FLAMER GASBOOM

by Showven

Gas cartridge-powered
Massive flame up to 8 m
Wired or battery-powered



U-FLAMER VOLCANO

by Showven

Liquid-powered system
5-flame output up 10 m
Operates in the rain (IPX3)



SHOWVEN

PASSION FOR INNOVATION



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 57 x lg 42.5 x Ht 38 cm
Weight	60 Kg
Electrical characteristics	240 Volt - 50 Hertz
Number of outputs	1 outlet
Projection of the effect	20 meters

Flame machine U-FLAMER MAX

SHOWVEN

The **U-FLAMER MAX** is a machine for projecting straight flames up to 20 meters, suitable for outdoor use.

This model features a 17L reservoir, battery operation, fluid level monitoring (in %) and a rain-resistant aluminum design.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVUFMAX

- 1 U-FLAMER MAX
- 1 Flightcase of 1 unit included
- 1 Power supply cable included
- 1 Nozzle XXH (20m) included
- **1 Drum of Fire Yellow 20L offered**

PACK 2 MACHINES

SVUFMAXP2

- 2 U-FLAMER MAX
- 2 Flightcases of 1 unit included
- 2 Power supply cables included
- 2 Nozzles XXH (20m) included
- **2 Drums of Fire Yellow 20L offered**
- **1 Button SAFETY E-STOPPER offered**

PACK 4 MACHINES

SVUFMAXP4

- 4 U-FLAMER MAX
- 4 Flightcases of 1 unit included
- 4 Power supply cables included
- 4 Nozzles XXH (20m) included
- **4 Drums of Fire Yellow 20L offered**
- **1 Button SAFETY E-STOPPER offered**

PACK 6 MACHINES

SVUFMAXP6

- 6 U-FLAMER MAX
- 6 Flightcases of 1 unit included
- 6 Power supply cables included
- 6 Nozzles XXH (20m) included
- **6 Drums of Fire Yellow 20L offered**
- **1 Button SAFETY E-STOPPER offered**

Flame machine U-FLAMER II

SHOWVEN



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 46 x lg 33 x Ht 33 cm
Weight	25 Kg
Electrical characteristics	240 Volt - 50 Hertz
Number of outputs	1 outlet
Projection of the effect	6 to 12 meters

The **U-FLAMER II** is a 6 to 12-meter straight flame projection machine suitable for both indoor and outdoor use.

This model features an 8L reservoir, battery operation, fluid level monitoring (in %) and a rain-resistant aluminum design.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVUFF2

- 1 U-FLAMER II
- Optional flightcase to choose from accessories
- 1 Power supply cable included
- 1 Nozzle H (10 to 12m) included
- **2 Nozzles M (8 to 10m) & L (6 to 8m) offered**
- **1 Drum of Fire Yellow 10L offered**

PACK 2 MACHINES

SVUFF2P2

- 2 U-FLAMER II
- 1 Flightcase of 2 units included
- 2 Power supply cables included
- 2 Nozzles H (10 to 12m) included
- **4 Nozzles M (8 to 10m) & L (6 to 8m) offered**
- **2 Drums of Fire Yellow 10L offered**
- **1 Button SAFETY E-STOPPER offered**

PACK 4 MACHINES

SVUFF2P4

- 4 U-FLAMER II
- 2 Flightcases of 2 units included
- 4 Power supply cables included
- 4 Nozzles H (10 to 12m) included
- **8 Nozzles M (8 to 10m) & L (6 to 8m) offered**
- **4 Drums of Fire Yellow 10L offered**
- **1 Button SAFETY E-STOPPER offered**

PACK 6 MACHINES

SVUFF2P6

- 6 U-FLAMER II
- 3 Flightcases of 2 units included
- 6 Power supply cables included
- 6 Nozzles H (10 to 12m) included
- **12 Nozzles M (8 to 10m) & L (6 to 8m) offered**
- **6 Drums of Fire Yellow 10L offered**
- **1 Button SAFETY E-STOPPER offered**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 33 x lg 26 x Ht 32 cm
Weight	14 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.3 Amp
Number of outputs	1 outlet
Projection of the effect	5 to 8 meters

Flame machine U-FLAMER

SHOWVEN

The **U-FLAMER** is a 5 or 8 meter straight flame projection machine suitable for indoor and outdoor use.

It is equipped with two solenoid valves and a tilt sensor for perfect safety.

With its 5L tank capacity and its waterproof stainless steel casing, the U-Flamer guarantees a long duration of effect and use. The control of the machine is operated in DMX-512.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVUFF1

- 1 U-FLAMER
- Optional flightcase to choose from accessories
- 1 Power supply cable included
- 1 Nozzle M (8 to 10m) included
- **1 Nozzle L (6 to 8m) offered**
- **1 Drum of Fire Yellow 5L offered**

PACK 2 MACHINES

SVUFF1P2

- 2 U-FLAMER
- 1 Flightcase of 2 units included
- 2 Power supply cables included
- 2 Nozzles M (8 to 10m) included
- **2 Nozzles L (6 to 8m) offered**
- **2 Drums of Fire Yellow 5L offered**

PACK 4 MACHINES

SVUFF1P4

- 4 U-FLAMER
- 1 Flightcase of 4 units included
- 4 Power supply cables included
- 4 Nozzles M (8 to 10m) included
- **4 Nozzles L (6 to 8m) offered**
- **4 Drums of Fire Yellow 5L offered**

PACK 6 MACHINES

SVUFF1P6

- 6 U-FLAMER
- 1 Flightcase of 6 units included
- 6 Power supply cables included
- 6 Nozzles M (8 to 10m) included
- **6 Nozzles L (6 to 8m) offered**
- **6 Drums of Fire Yellow 5L offered**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 32 x lg 31 x Ht 32.5 cm
Weight	13 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.3 Amps
Number of outputs	1 outlet
Projection of the effect	2 to 8 meters (depending on the nozzle used and outside temperature)

Flame machine U-FLAMER GASBOOM

SHOWVEN

The **U-FLAMER GASBOOM** is a machine for projecting straight flames from 2 to 8 metres.

It runs on commercially available GAS cartridges.

In its standard version, it has a G20 nozzle and a holder for 2 gas cartridges.

Accessories (not included): GA nozzle and a holder for 4 gas cartridges (see data sheet).

Can run on 18650 lithium batteries (not included, easy to find in shops).

EXCLUSIVE PACKS

PACK 1 MACHINE

SVUFGPB

- 1 U-FLAMER GASBOOM Machine
- Optional flightcase to choose from accessories
- 1 Power supply cable included
- 1 Nozzle G20 (4m) included
- **1 Nozzle GA (6 to 8m) offered**
- **Batteries and standard gas cartridge (not included)**

PACK 2 MACHINES

SVUFGPB2

- 2 U-FLAMER GASBOOM Machines
- 1 Flightcase of 2 units included
- 2 Power supply cables included
- 2 Nozzles G20 (4m) included
- **2 Nozzles GA (6 to 8m) offered**
- **1 Button SAFETY E-STOPPER offered**
- **Batteries and standard gas cartridge (not included)**

PACK 4 MACHINES

SVUFGPB4

- 4 U-FLAMER GASBOOM Machines
- 2 Flightcases of 2 units included
- 4 Power supply cables included
- 4 Nozzles G20 (4m) included
- **4 Nozzles GA (6 to 8m) offered**
- **1 Button SAFETY E-STOPPER offered**
- **Batteries and standard gas cartridge (not included)**

PACK 6 MACHINES

SVUFGPB6

- **6 U-FLAMER GASBOOM Machines**
- **3 Flightcases of 2 units included**
- **6 Power supply cables included**
- **6 Nozzles G20 (4m) included**
- **6 Nozzles GA (6 to 8m) offered**
- **1 Button SAFETY E-STOPPER offered**
- **Batteries and standard gas cartridge (not included)**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 63 x lg 45 x Ht 40 cm
Weight	48 Kg
Electrical characteristics	230 Volt - 50 Hertz - 8.7 Amps
Number of outputs	5 sorties
Projection of the effect	5 to 8 meters

Flame machine U-FLAMER VOLCANO

SHOWVEN

The **U-Flamer Volcano** is a 5 to 10 meter flame projection machine with five individual and simultaneous outputs suitable for indoor and outdoor use.

Equipped with a 25 liter stainless steel tank, it will allow you a long sequence of effects. The U-Flamer Volcano is driven by the DMX-512 system allowing you independent control of each flame with over 90 predefined firing sequences available.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVUFVO

- 1 U-FLAMER VOLCANO
- Optional flightcase to choose from accessories
- 1 Power supply cable included
- **1 Drum of Fire Yellow 20L offered**

PACK 2 MACHINES

SVUFVOP2

- 2 U-FLAMER VOLCANO
- 2 Flightcase of 1 unit included
- 2 Power supply cables included
- **2 Drums of Fire Yellow 20L offered**

PACK 4 MACHINES

SVUFVOP4

- 4 U-FLAMER VOLCANO
- 4 Flightcase of 1 unit included
- 4 Power supply cables included
- **4 Drums of Fire Yellow 20L offered**

PACK 6 MACHINES

SVUFVOP6

- 6 U-FLAMER VOLCANO
- 6 Flightcase of 1 unit included
- 6 Power supply cables included
- **6 Drums of Fire Yellow 20L offered**



| Rotating flame machines

Flame machines with liquid or gas consumable and rotating jet of 180° / 210° / 360°.



U-FLAMER X GASBOOM

by Showven


Gas cartridge-powered
Jet swivels 180° (8 m)
Operates in the rain



CIRCLE FLAMER X-F1800 II

by Showven

Liquid-powered system
Jet swivels 210° (12 m)
Operates in the rain



U-FLAMER X-F1800

by Showven

Liquid-powered system
Jet swivels 210° (10 m)
Operates in the rain



CIRCLE FLAMER X-F3600

by Showven

Liquid-powered system
Jet swivels 360° (10 m)
Operates in the rain



SHOWVEN

PASSION FOR INNOVATION



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 40 x lg 36 x Ht 35 cm
Weight	20 Kg
Electrical characteristics	240 Volt - 50 Hertz
Number of outputs	1 outlet
Projection of the effect	2 to 8 meters (depending on the nozzle used and outside temperature)

Flame machine U-FLAMER X GASBOOM

SHOWVEN

The **U-FLAMER X GASBOOM** is a gas-fired flame thrower with a 180° swivel jet, from 2 to 8 meters.

In its standard version, it features a G20 + GA outlet nozzle and a holder for 2 gas cartridges.

Accessories (not included): Holder for 4 gas cartridges (see data sheet).

Can run on 18650 lithium batteries (not included, easy to find in shops).

EXCLUSIVE PACKS

PACK 1 MACHINE

SVUFG BX

- 1 U-FLAMER X GASBOOM Machine
- Optional flightcase to choose from accessories
- 1 Power supply cable included
- 1 Nozzle G20 (4m) included
- **1 Nozzle GA (6 to 8m) offered**
- **Batteries and standard gas cartridge (not included)**

PACK 2 MACHINES

SVUFG BX P2

- 2 U-FLAMER X GASBOOM Machines
- 1 Flightcase of 2 units included
- 2 Power supply cables included
- 2 Nozzles G20 (4m) included
- **2 Nozzles GA (6 to 8m) offered**
- **1 Button SAFETY E-STOPPER offered**
- **Batteries and standard gas cartridge (not included)**

PACK 4 MACHINES

SVUFG BX P4

- 4 U-FLAMER X GASBOOM Machines
- 2 Flightcases of 2 units included
- 4 Power supply cables included
- 4 Nozzles G20 (4m) included
- **4 Nozzles GA (6 to 8m) offered**
- **1 Button SAFETY E-STOPPER offered**
- **Batteries and standard gas cartridge (not included)**

PACK 6 MACHINES

SVUFG BX P6

- 6 U-FLAMER X GASBOOM Machines
- 3 Flightcases of 2 units included
- 6 Power supply cables included
- 6 Nozzles G20 (4m) included
- **6 Nozzles GA (6 to 8m) offered**
- **1 Button SAFETY E-STOPPER offered**
- **Batteries and standard gas cartridge (not included)**

Flame machine

CIRCLE FLAMER X-F1800 II

SHOWVEN



SEE ON THE SITE ►



EXCLUSIVE PACKS

PACK 1 MACHINE

SVCFXF18II

- 1 CIRCLE FLAMER X-F1800 II
- 1 Flightcase of 1 unit included
- 1 Power supply cable included
- 1 Nozzle H (10 à 12m) included
- 2 Nozzles M (8 to 10m) & L (6 to 8m) offered
- 1 Drum of Fire Yellow 10L offered

PACK 2 MACHINES

SVCFXF18IIP2

- 2 CIRCLE FLAMER X-F1800 II
- 2 Flightcases of 1 unit included
- 2 Power supply cables included
- 2 Nozzles H (10 à 12m) included
- 4 Nozzles M (8 to 10m) & L (6 to 8m) offered
- 2 Drums of Fire Yellow 10L offered
- 1 Button SAFETY E-STOPPER offered

PACK 4 MACHINES

SVCFXF18IIP4

- 4 CIRCLE FLAMER X-F1800 II
- 4 Flightcases de 1 unité inclus
- 4 Câbles d'alimentation inclus
- 4 Buses taille H (10 to 12m) incluses
- 8 Buses M (8 to 10m) & L (6 to 8m) offertes
- 4 Bidons de Fire Yellow 10L offerts
- 1 Bouton SAFETY E-STOPPER offert

PACK 6 MACHINES

SVCFXF18IIP6

- 6 CIRCLE FLAMER X-F1800 II
- 6 Flightcases of 1 unit included
- 6 Power supply cables included
- 6 Nozzles H (10 à 12m) included
- 12 Nozzles M (8 to 10m) & L (6 to 8m) offered
- 6 Drums of Fire Yellow 10L offered
- 1 Button SAFETY E-STOPPER offered



WATCH THE VIDEO ►

Dimensions	Lg 61 x lg 33 x Ht 33 cm
Weight	32 Kg
Electrical characteristics	240 Volt - 50 Hertz
Number of outputs	1 outlet
Projection of the effect	6 to 12 meters


Flame machine

CIRCLE FLAMER X-F1800

SHOWVEN



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 59 x lg 36 x Ht 37 cm
Weight	30 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.7 Amp
Number of outputs	1 outlet
Projection of the effect	8 to 10 meters

The **Circle Flamer X-F1800** is an 8 to 10 meter flame projection machine with a 210° rotation angle suitable for indoor and outdoor use subject to weather conditions.

With its 10L capacity tank and its waterproof stainless steel case, the Circle Flamer X-F1800 guarantees you a long duration of effect and use.

It is equipped with 88 predefined firing sequences which can all be triggered with the Showven Host Controller, a DMX console or a pyrotechnic firing system.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVCFXF18

- 1 CIRCLE FLAMER X-F1800 Machine
- 1 Flightcase of 1 unit included
- 1 Power supply cable included
- 1 Nozzle size M (8 to 10m) included
- **1 Nozzle size L (6 to 8m) offered**
- **1 Drum of Fire Yellow 10L offered**

PACK 2 MACHINES

SVCFXF18P2

- 2 CIRCLE FLAMER X-F1800 Machines
- 2 Flightcases of 1 unit included
- 2 Power supply cables included
- 2 Nozzles size M (8 to 10m) included
- **2 Nozzles size L (6 to 8m) offered**
- **2 Drums of Fire Yellow 10L offered**

PACK 4 MACHINES

SVCFXF18P4

- 4 CIRCLE FLAMER X-F1800 Machines
- 4 Flightcases of 1 unit included
- 4 Power supply cables included
- 4 Nozzles size M (8 to 10m) included
- **4 Nozzles size L (6 to 8m) offered**
- **4 Drums of Fire Yellow 10L offered**

PACK 6 MACHINES

SVCFXF18P6

- 6 CIRCLE FLAMER X-F1800 Machines
- 6 Flightcases of 1 unit included
- 6 Power supply cables included
- 6 Nozzles size M (8 to 10m) included
- **6 Nozzles size L (6 to 8m) offered**
- **6 Drums of Fire Yellow 10L offered**

Flame machine

CIRCLE FLAMER X-F3600

SHOWVEN



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 64 x lg 36 x Ht 37 cm
Weight	30 Kg
Electrical characteristics	230 Volt - 50 Hertz - 1.65 Amp
Number of outputs	1 outlet
Projection of the effect	8 to 10 meters

The **Circle Flamer X-F3600** is an 8-10 meter circular flame throwing machine suitable for indoor or outdoor use subject to weather conditions.

Its use is made by the DMX-512 signal and allows to control the rotating nozzle of 1080° over 3 cycles with a maximum of 182 preset shot sequences. With its 10L capacity tank and its waterproof stainless steel case, the Circle Flamer X-F3600 guarantees you a long duration of effect and use.

For better reliability, it is recommended to use the Host Controller by Showven control system provided specifically for this product.

However, you can control your machine with a DMX console or a pyrotechnic firing system.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVCFXF36

- 1 CIRCLE FLAMER X-F3600 Machine
- 1 Flightcase of 1 unit included
- 1 Power supply cable included
- 1 Nozzle size M (8 to 10m) included
- **1 Nozzle size L (6 to 8m) offered**
- **1 Drum of Fire Yellow 10L offered**

PACK 2 MACHINES

SVCFXF36P2

- 2 CIRCLE FLAMER X-F3600 Machines
- 2 Flightcases of 1 unit included
- 2 Power supply cables included
- 2 Nozzles size M (8 to 10m) included
- **2 Nozzles size L (6 to 8m) offered**
- **2 Drums of Fire Yellow 10L offered**

PACK 4 MACHINES

SVCFXF36P4

- 4 CIRCLE FLAMER X-F3600 Machines
- 4 Flightcases of 1 unit included
- 4 Power supply cables included
- 4 Nozzles size M (8 to 10m) included
- **4 Nozzles size L (6 to 8m) offered**
- **4 Drums of Fire Yellow 10L offered**

PACK 6 MACHINES

SVCFXF36P6

- 6 CIRCLE FLAMER X-F3600 Machines
- 6 Flightcases of 1 unit included
- 6 Power supply cables included
- 6 Nozzles size M (8 to 10m) included
- **6 Nozzles size L (6 to 8m) offered**
- **6 Drums of Fire Yellow 10L offered**

SHOWVEN

PASSION FOR INNOVATION

| Remote U-FLAME SYSTEM

Remote filling station and flame projection heads.



U-FLAMER PF10

by Showven

Projection head (IP67)
Straight flame up to 10 m
Integrated into U-FLAME SYSTEM



CIRCLE FLAMER X1800

by Showven

Projection head
Jet swivels 210° (10 m)
Integrated into U-FLAME SYSTEM



U-PUMPER P4

by Showven

Pumping station 4 outputs
Tank capacity de 32 L
Integrated into U-FLAME SYSTEM



U-PUMPER P20

by Showven

Pumping station 20 outputs
Tank capacity 250 L
Integrated into U-FLAME SYSTEM



U-FLAMER X20

by Showven

Projection head
Straight flame up to 18 m
Integrated into U-FLAME SYSTEM



U-PUMPER P20H

by Showven

Pumping station (U-FLAMER X20)
Tank capacity 250 L
Integrated into U-FLAME SYSTEM





SEE ON THE SITE ►



Dimensions	Lg 25 x lg 20 x Ht 41 cm
Weight	15 Kg
Electrical characteristics	230 Volt - 50 Hertz
Number of outputs	1 outlet
Projection of the effect	5 to 8 meters

Projection head U-FLAMER PF10

SHOWVEN

The **U-FLAME SYSTEM** solution is composed of 2 main parts:

- The pumping station **P4** (4 outlets) or **P20** (up to 20 projectors)
- The flame projection head **PF10** (straight flame) and **X1800** (rotating flame)

The **U-Flamer PF10** is a straight flame projector up to a height of 10m. **IP67 certified**, it can be immersed in shallow water (fountains, ponds, etc.).

This system allows for the remote feeding of machines. You need to add a few accessories such as connecting hoses and possibly a splitter if you want several heads on the same outlet, see that in the accessories section.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVUFPF10

- Straight flame projection head (10m)
- Product integrated with remote filling system
- 1 Power supply cable included

PACK 2 MACHINES

SVUFPF10P2

- 2 U-FLAMER PF10
- Product integrated with remote filling system
- 2 Power supply cables included

PACK 4 MACHINES

SVUFPF10P4

- 4 U-FLAMER PF10
- Product integrated with remote filling system
- 4 Power supply cables included

PACK 6 MACHINES

SVUFPF10P6

- 6 U-FLAMER PF10
- Product integrated with remote filling system
- 6 Power supply cables included



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 37 x lg 38 x Ht 38 cm
Weight	19 Kg
Electrical characteristics	230 Volt - 50 Hertz
Number of outputs	1 outlet
Projection of the effect	8 to 10 meters

Projection head CIRCLE FLAMER X1800

SHOWVEN

The **U-FLAME SYSTEM** solution is composed of 2 main parts:

- The pumping station **P4** (4 outlets) or **P20** (20 outlets)
- The flame projectors **PF10** (straight flame) and **X1800** (rotating flame)

The **U-Flamer X1800** is a 210° rotating flame projector with a height of up to 10m.

This system allows for the remote feeding of machines. Of course, it is necessary to add some accessories such as hoses and possibly splitters if you want several heads on the same outlet, see that in the accessory section.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVUFX1800

- Rotating flame projection head (210°)
- Product integrated with remote filling system
- Optional flightcase to choose from accessories
- 1 Power supply cable included

PACK 2 MACHINES

SVUFX1800P2

- 2 CIRCLE FLAMER X1800
- Product integrated with remote filling system
- 2 Flightcase of 1 unit included
- 2 Power supply cables included

PACK 4 MACHINES

SVUFX1800P4

- 4 CIRCLE FLAMER X1800
- Product integrated with remote filling system
- 4 Flightcase of 1 unit included
- 4 Power supply cables included

PACK 6 MACHINES

SVUFX1800P6

- 6 CIRCLE FLAMER X1800
- Product integrated with remote filling system
- 6 Flightcase of 1 unit included
- 6 Power supply cables included



[SEE ON THE SITE ►](#)



Pumping station U-PUMPER P4

SHOWVEN

The **U-FLAME SYSTEM** solution is composed of 2 main parts:

- The **P4** (4 outlets) or **P20** (up to 20 projectors) pumping station
- The flame projection heads **PF10** (straight flame) and **X1800** (rotating flame)

The **U-Pumper P4** is a compact pumping station designed to supply 4 outlets to a series of flame projectors.

Its tank has a capacity of 32 liters. This system allows the remote supply of the machines. You need to add some accessories such as hoses and possibly splitters if you want to have several heads on the same outlet, see this in the accessory section.

EXCLUSIVE PACK

PACK 1 MACHINE

SVUFP4

- Designed for outdoor or indoor installation
- 32 L fuel tank
- Configured with pressure monitoring
- Integrated pump, no nitrogen tank required
- Optional flightcase to choose from accessories
- Power cable included

[WATCH THE VIDEO ►](#)

Dimensions	Lg 58 x lg 42 x Ht 46 cm
Weight	48 Kg
Electrical characteristics	230 Volt - 50 Hertz
Power	1800 Watts
Tank capacity	32 Liters



SEE ON THE SITE ►



Pumping station U-PUMPER P20

SHOWVEN

The **U-FLAME SYSTEM** solution is composed of 2 main parts:

- The pumping station **P4** (4 outlets) or **P20** (up to 20 projectors)
- The flame projection heads **PF10** (straight flame) and **X1800** (rotating flame)

The **U-Pumper P20** is a pumping station designed to supply up to 20 flame projectors. Its reservoir has a capacity of 250 liters.

This system allows the remote supply of the machines. You need to add some accessories such as hoses and possibly splitters if you want to have several heads on the same outlet, see this in the accessory section.

EXCLUSIVE PACK

PACK 1 MACHINE

SVUFP20

- Designed for outdoor or indoor installation
- Extra large 250L fuel tank
- Configured with pressure monitoring
- Built-in pump, no nitrogen tank needed
- Power cable included

WATCH THE VIDEO ►

Dimensions	Lg 110 x lg 70 x Ht 109,5 cm
Weight	285 Kg
Electrical characteristics	230 Volt - 50 Hertz
Power	6000 Watts
Tank capacity	250 Liters



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 33 x lg 33 x Ht 32 cm
Weight	18 Kg
Electrical characteristics	220 or 110 Volt customizable - 50 Hertz
Number of outputs	1 outlet
Projection of the effect	16 to 18 meters

Projection head U-FLAMER X20

SHOWVEN

The **SHOWVEN U-FLAME SYSTEM** solution is composed of 2 main parts:

- The pumping station **P20H** (up to 2 projectors)
- The flame projection head **X20** (straight flame)

The **U-Flamer X20** is a straight flame projector up to a height of 18m.

This system allows for the remote feeding of machines. You need to add a few accessories such as connecting hoses and possibly a splitter if you want several heads on the same outlet, see that in the accessories section.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVUFX20

- Straight flame projection head (20m)
- Product integrated with remote filling system
- 1 Power supply cable included

PACK 2 MACHINES

SVUFX20P2

- 2 U-FLAMER X20
- Product integrated with remote filling system
- 1 Flightcase of 2 units included
- 2 Power supply cables included

PACK 4 MACHINES

SVUFX20P4

- 4 U-FLAMER X20
- Product integrated with remote filling system
- 2 Flightcase of 2 units included
- 4 Power supply cables included

PACK 6 MACHINES

SVUFX20P6

- 6 U-FLAMER X20
- Product integrated with remote filling system
- 3 Flightcase of 2 units included
- 6 Power supply cables included



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 110 x lg 70 x Ht 109.5 cm
Weight	285 Kg
Electrical characteristics	230 Volt - 50 Hertz
Power	6000 Watts
Tank capacity	250 Liters

Pumping station U-PUMPER P20H

SHOWVEN

La solution **SHOWVEN U-FLAME SYSTEM** est composée de 2 parties principales :

- La têtes de projection de flamme **U-FLAMER X20** (aucune limite d'angle d'installation, même to l'envers)
- La station de remplissage to distance **P20H** (compatible avec la U-FLAMER X20)

La **U-Pumper P20H** est une station de pompage conçue pour alimenter jusqu'à 2 projecteurs to flamme. Ce nombre peut monter to 3 en utilisant un **ACCUMULATOR MODULE**. Son réservoir to une capacité de 250 litres.

Ce système permet l'alimentation to distance des machines. Il faut bien sûr ajouter quelques accessoires tels que les tuyaux liaisons et éventuellement des splitter de répartition si vous souhaitez plusieurs têtes sur une même sortie, voir cela dans la partie accessoire.

EXCLUSIVE PACK

PACK 1 MACHINE

SVUFP20H

- Remote pumping station for flame projectors
- Extra large 250 L tank
- Supports ISOPAR
- Configured with pressure monitoring
- Built-in pump, no nitrogen tank needed
- Power cable included



| Pyrotechnic controllers

Wireless fireworks console.



PYROADAPTOR

by Showven

Signal converter
Links up to 64 Pyroslaves
FX COMMANDER compatible



PYROSLAVE X4

by Showven

4 firing channels
60 h of battery life
Rain-resistant (IP65)



PYROSLAVE X16

by Showven

16 firing channels
60 h of battery life
Rain-resistant (IP65)



PYROSLAVE X32

by Showven

32 firing channels
60 h of battery life
Rain-resistant (IP65)



PYROSLAVE C16

by Showven

Controller for Pyroadaptor
16 firing channels
Water-resistant





Signal converter PYROADAPTOR

SHOWVEN

The **PYROADAPTOR** is an accessory for fireworks consoles.


It is a signal converter and charger for **PYROSLAVES**. It has been designed to connect a maximum of 64 PYROSLAVES.

It must be plugged into the AC outlet and can recharge a maximum of 25 PYROSLAVES simultaneously.

Robust aluminium casing suitable for outdoor applications and conditions. Can be used wired or wireless (dual-band antennas prevent signal interference).

Compatible with the SFX and PYRO console: **FX COMMANDER**

SEE ON THE SITE ►



WATCH THE VIDEO ►

MODEL

PYROADAPTOR

SVPYAD

- 1 PYROADAPTOR
- Supports up to 64 PYROSLAVES
- Recharges up to 25 PYROSLAVES
- Power cable included
- Power cables connecting to PYROSLAVE batteries (not included)
- For use with the PYROSLAVE



SEE ON THE SITE ►

WATCH THE VIDEO ►

Firework igniter PYROSLAVE X4

SHOWVEN

The **PYROSLAVE X4** is a fireworks controller.

Featuring 4 firing channels, an IP65 enclosure, 60h battery operation (with the option of activating a standby mode to save battery power).

Can be used wired or wirelessly by connecting to the PYROADAPTOR and a DMX console such as FX COMMANDER or PYROMOTE.

18650 lithium battery (not included, easy to find on the market).

The **PYROSLAVE X4** is used with the **PYROADAPTOR** for signal conversion and battery charging.

MODEL

PYROSLAVE X4

SVPYSL4

- 1 PYROSLAVE - 4 channels
- Charging on 18650 lithium batteries X2 (not included)
- To be used with PYROADAPTOR / FX COMMANDER / PYROMOTE



Firework igniter PYROSLAVE X16

SHOWVEN

The **PYROSLAVE X16** is a fireworks controller.


Featuring 16 firing channels, an IP65 enclosure, 60h battery operation (with the option of activating a standby mode to save battery power).

Can be used wired or wirelessly by connecting to the PYROADAPTOR and a DMX console such as FX COMMANDER or PYROMOTE.

18650 lithium battery (not included, easy to find on the market).

The **PYROSLAVE X16** is used with the **PYROADAPTOR** for signal conversion and battery charging.

SEE ON THE SITE ►



WATCH THE VIDEO ►

MODEL

PYROSLAVE X16

SVPYSL16

- 1 PYROSLAVE - 16 channels
- Charging on 18650 lithium batteries (not included)
- To be used with PYROADAPTOR / FX COMMANDER / PYROMOTE



SEE ON THE SITE ►

WATCH THE VIDEO ►

Fireworks igniter PYROSLAVE X32

SHOWVEN

The **PYROSLAVE X32** is a fireworks controller.

Featuring 32 firing channels, an IP65 enclosure, 60h battery operation (with the option of activating a standby mode to save battery power).

Can be used wired or wirelessly by connecting to the PYROADAPTOR and a DMX console such as FX COMMANDER or PYROMOTE.

18650 lithium battery (not included, easy to find on the market).

The **PYROSLAVE X32** is used with the **PYROADAPTOR** for signal conversion and battery charging.

MODEL

PYROSLAVE X32

SVPYSL32

- 1 PYROSLAVE - 32 channels
- Charging on 18650 lithium batteries X4 (not included)
- To be used with PYROADAPTOR / FX COMMANDER / PYROMOTE



SEE ON THE SITE ►



WATCH THE VIDEO ►

Fireworks controller PYROSLAVE C16

SHOWVEN

The **PYROSLAVE C16** is a fireworks controller.

Featuring 16 firing channels, a water-resistant case, 60h battery operation (with the option of activating a standby mode to save battery power).

Can be used wired or wirelessly by connecting to the PYROADAPTOR and an FX COMMANDER or PYROMOTE DMX console.

18650 lithium battery (not included, easy to find on the market).

The **PYROSLAVE C16** is used with the **PYROADAPTOR** for signal conversion and battery charging.

MODEL

PYROSLAVE C16

SVPYSLC16

- 1 PYROSLAVE - 16 channels
- Charging on 18650 lithium batteries X4 (not included)
- To be used with PYROADAPTOR / FX COMMANDER / PYROMOTE



| Accessories & consumables



NOZZLE G16

[SEE ON THE SITE >](#)



NOZZLE G20

[SEE ON THE SITE >](#)



NOZZLE G25

[SEE ON THE SITE >](#)



NOZZLE GA

[SEE ON THE SITE >](#)



NOZZLE M

[SEE ON THE SITE >](#)



NOZZLE L

[SEE ON THE SITE >](#)



NOZZLE H

[SEE ON THE SITE >](#)



NOZZLE XXH

[SEE ON THE SITE >](#)




FLAME NOZZLE
EXCHANGE TOOL

[SEE ON THE SITE >](#)




GAS NOZZLE
EXCHANGE TOOL

[SEE ON THE SITE >](#)



SUPPORT 2
GAS CARTRIDGES

[SEE ON THE SITE >](#)



SUPPORT 4
GAS CARTRIDGES

[SEE ON THE SITE >](#)



SAFETY E-STOPPER

[SEE ON THE SITE >](#)



T-SHAPED DISTRIBUTOR
2x1.1/4 et 1x3/4

[SEE ON THE SITE >](#)



T-SHAPED DISTRIBUTOR
2x1.1/4 et 1x3/8

[SEE ON THE SITE >](#)



T-SHAPED DISTRIBUTOR
3x1.1/4

[SEE ON THE SITE >](#)



FUEL DISTRIBUTOR
1 TO 12

[SEE ON THE SITE >](#)



FUEL DISTRIBUTOR
1 TO 6

[SEE ON THE SITE >](#)



BRANCH HOSE
3/4" DN19

[SEE ON THE SITE >](#)



BRANCH HOSE
3/8" DN10

[SEE ON THE SITE >](#)



MAIN HOSE
1.1/4" DN32

[SEE ON THE SITE >](#)



MAIN HOSE
1/2" DN16

[SEE ON THE SITE >](#)



FLIGHTCASE STANDARD
SHOWVEN U-FLAMER

[SEE ON THE SITE >](#)



WIRELESS DMX SYSTEM

[SEE ON THE SITE >](#)



| Accessories & consumables



PYROMOTE

[SEE ON THE SITE >](#)



FX COMMANDER

[SEE ON THE SITE >](#)



ISOPAR FIRE FLUID







[SEE ON THE SITE >](#)



ISOPRO FIRE FLUID

[SEE ON THE SITE >](#)





| SMOKE & LOW FOG

Machines to fumée to jet vertical_____	258
Machines to fumée professionnelles_____	264
Machines to fumée basse_____	268
Accessoires & consommables_____	276



| Vertical jet smoke machines

Fog machine with LED lighting and a vertical jet of 5 to 15 meters.



SONICBOOM JET

by Showven

Liquid-powered (CO2 effect)
Smoke jet up to 15 m
Integrated LED lighting



SONICBOOM PLUS

by Showven

Liquid-powered (CO2 effect)
Smoke jet up to 10 m
Integrated LED lighting



SONICBOOM X

by Showven

Liquid-powered (CO2 effect)
Smoke jet up to 10 m
Integrated LED lighting



SHOWVEN


PASSION FOR INNOVATION

Smoke machine SONICBOOM JET

SHOWVEN



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 54.6 x lg 33.1 x Ht 37.2 cm
Weight	37 Kg
Electrical characteristics	230 Volt - 50 Hertz - 15 Amps
Orientation of the effect	Vertical or horizontal output
Projection of the effect	15 meters

The **Smokejet Sonicboom Jet** is a new generation smoke generator with a more powerful and responsive jet. It produces jets of smoke up to **15 meters** high in bursts for an instant and massive effect.

This machine is equipped with a compression system to boost the jet "Co2 style" and incorporates high-power 30 RGB LED of lighting to ensure the coloring of the smoke. You can turn the Sonicboom Jet in any direction, even upside down.

A visual effect similar to that of Co2, simple to use and suitable for mainly indoor use. Its outdoor use is possible subject to climatic conditions.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSBJET

- 1 SONICBOOM JET
- Optional Flightcase to choose from in Accessories
- 1 Power supply cable included
- **1 Drum of Volcano 5L offered**

PACK 2 MACHINES

SVSBJETP2

- 2 SONICBOOM JET
- 2 Flightcase of 1 unit included
- 2 Power supply cables included
- **2 Drums of Volcano 5L offered**

PACK 4 MACHINES

SVSBJETP4

- 4 SONICBOOM JET
- 4 Flightcase of 1 unit included
- 4 Power supply cables included
- **4 Drums of Volcano 5L offered**

PACK 6 MACHINES

SVSBJETP6

- 6 SONICBOOM JET
- 6 Flightcase of 1 unit included
- 6 Power supply cables included
- **6 Drums of Volcano 5L offered**



SEE ON THE SITE ►



WATCH THE VIDEO ►

Dimensions	Lg 46 x lg 30 x Ht 32.4 cm
Weight	15 Kg
Electrical characteristics	230 Volt - 50 Hertz - 13 Amps
Orientation of the effect	Vertical or horizontal output
Projection of the effect	10 meters

Smoke machine SONICBOOM PLUS

SHOWVEN

The **Smokejet Sonicboom Plus** is a new generation smoke generator with double nozzles, vertical and horizontal. It produces jets of smoke up to 10 meters high in less than 2 seconds.

This machine is equipped with a compression system to boost the jet "Co2 style" and incorporates high-power 38x9W RGB LED lighting to ensure the coloring of the smoke.

A visual effect similar to that of Co2, simple to use and suitable for mainly indoor use. Its outdoor use is possible subject to climatic conditions.

EXCLUSIVE PACKS

PACK 1 MACHINE

SVSBPLUS

- 1 SONICBOOM PLUS
- Optional Flight Case to choose from the accessories
- 1 Power supply cable included
- **1 Drum of Volcano 5L offered**

PACK 2 MACHINES

SVSBPLUSP2

- 2 SONICBOOM PLUS
- 1 Flightcase of 2 units included
- 2 Power supply cables included
- **2 Drums of Volcano 5L offered**

PACK 4 MACHINES

SVSBPLUSP4

- 4 SONICBOOM PLUS
- 2 Flightcases of 2 units included
- 4 Power supply cables included
- **4 Drums of Volcano 5L offered**

PACK 6 MACHINES

SVSBPLUSP6

- 6 SONICBOOM PLUS
- 3 Flightcases of 2 units included
- 6 Power supply cables included
- **6 Drums of Volcano 5L offered**

Smoke machine SONICBOOM X

SHOWVEN



The **SONICBOOM X** is a single nozzle smoke generator for vertical or horizontal jets. It produces jets of smoke up to 10 meters high in less than 2 seconds.

This machine is equipped with a compression system to boost the jet "Co2 style" and incorporates high-power 35x5W RGB LED lighting to ensure the coloring of the smoke.

A visual effect similar to that of Co2, simple to use and suitable for mainly indoor use. Its outdoor use is possible subject to climatic conditions.

SEE ON THE SITE ►



EXCLUSIVE PACKS

PACK 1 MACHINE

SVSBX

- 1 SONICBOOM X
- Optional Flight Case to choose from the accessories
- 1 Power cable included
- **1 Drum of Volcano 5L offered**

PACK 2 MACHINES

SVSBXP2

- 2 SONICBOOM X
- 1 Flightcase of 4 units included
- 2 Power supply cables included
- **2 Drums of Volcano 5L offered**

PACK 4 MACHINES

SVSBXP4

- 4 SONICBOOM X
- 1 Flightcase of 4 units included
- 4 Power supply cables included
- **4 Drums of Volcano 5L offered**

PACK 6 MACHINES

SVSBXP6

- 6 SONICBOOM X
- 2 Flightcase of 4 units included
- 6 Power supply cables included
- **6 Drums of Volcano 5L offered**



WATCH THE VIDEO ►

Dimensions	Lg 48.2 x lg 40.8 x Ht 21.5 cm
Weight	17.2 Kg
Electrical characteristics	230 Volt - 50 Hertz - 13 Amps
Orientation of the effect	Vertical or horizontal output
Projection of the effect	10 meters

| Professional smoke machines

Professional smoke machines for entertainment and shows.



PRO FOG MACHINE P-S1500

by Showven

1 horizontal outlet
Adjustable density
Tank capacity of 3 L



PRO FOG MACHINE X-S3000

by Showven

1 horizontal outlet
Adjustable density
Tank capacity of 9 L



SHOWVEN

PASSION FOR INNOVATION

Smoke machine PRO FOG MACHINE P-S1500

SHOWVEN



SEE ON THE SITE ►



MODEL

PS1500

SVPFPS15

- Robust and intelligent smoke outlet
- Wireless control
- Stable, reliable and durable performance
- 1 Power cable included
- 1 Drum of smoke ST-HIGH 5L offered



WATCH THE VIDEO ►

Dimensions	Lg 49 x lg 31 x Ht 26 cm
Weight	10.8 Kg
Electrical characteristics	230 Volt - 50 Hertz - 6.5 Amps
Orientation of the effect	1 horizontal outlet
Control type	DMX-512 controllable



Smoke machine PRO FOG MACHINE X-S3000

SHOWVEN

The **PRO FOG MACHINE X-S3000** is a compact and reliable professional fog machine featuring an optimized output nozzle with a high precision temperature control circuit.

This machine is equipped with a direct rotary knob that will allow you to control the output flow variation, you will obtain an effect time of up to 40 seconds continuously.

Suitable for use mainly indoors, outdoor use is possible subject to weather conditions.

SEE ON THE SITE ►



MODEL

X-S3000

SVPFXS3

- Super long effect time, max output up to 40s
- Continuously in low output mode
- 1 Power cable included
- **1 Drum of smoke ST-HIGH 5L offered**



WATCH THE VIDEO ►

Dimensions	Lg 66 x lg 40.4 x Ht 29 cm
Weight	16.6 Kg
Electrical characteristics	230 Volt - 50 Hertz - 13 Amps
Orientation of the effect	1 horizontal outlet
Control type	DMX-512 controllable

| Low fog machines


Low fog machines to create ground effects.



CREEPER AQ

by Showven

Low fog machine (1 outlet)
Liquid-powered system
Water tank capacity 24 L



CREEPER AQ MINI

by Showven

Low fog machine (1 outlet)
Liquid-powered system
Water tank capacity 6.5 L



CREEPER AQ PLUS

by Showven

Low fog machine (2 outlets)
Liquid-powered system
Water tank capacity 35 L



CREEPER ICE

by Showven

Low fog machine (1 outlet)
Dry-ice powered
Water tank capacity 55 L



CREEPER ICE PLUS

by Showven

Low fog machine (2 outlets)
Dry-ice powered
Water tank capacity 75 L



SHOWVEN
PASSION FOR INNOVATION

Low Fog machine CREEPER AQ

SHOWVEN



SEE ON THE SITE ►



MODEL

CREEPER AQ

SVCRAQ

- Dense smoke diffusion on the ground
- Density and dispersion speed adjustment
- Weatherproof
- 1 Power supply cable included
- **1 Drum of Low Fog 5L offered**



WATCH THE VIDEO ►

Dimensions	Lg 80.5 x lg 39 x Ht 48 cm
Weight	35 Kg
Electrical characteristics	230 Volt - 50 Hertz - 8.7 Amps
Orientation of the effect	1 outlet for the ground
Tank capacity	24 Liters of water ; 3.3 Liters of fluid

Low Fog machine CREEPER AQ MINI

SHOWVEN



SEE ON THE SITE ►



WATCH THE VIDEO ►

The **CREEPER AQ MINI** is an ultrasonic bass smoke generator that works with purified water and smoke fluid. More environmentally friendly, this machine has two tanks for a long duration of effect.

Control your effect with the many available settings such as smoke density, humidity and fan speed.

Control your machine in DMX-512 or with a wireless remote control, these multiple features allow you great versatility in the style of your effect indoors or outdoors.

With your machine: **1 Drum of Low Fog 5L offered.**

MODEL

CREEPER AQ MINI

SVCRAQMINI

- More portable
- Dense smoke diffusion on the ground
- Density and dispersion speed adjustment
- Weatherproof
- 1 Power supply cable included
- **1 Drum of Low Fog 5L offered**

Dimensions	Lg 46 x lg 30 x Ht 32.4 cm
Weight	15 Kg
Electrical characteristics	230 Volt - 50 Hertz - 8.7 Amps
Orientation of the effect	1 outlet on the ground
Tank capacity	6.5 Liters of water ; 2 Liters of fluid

Low Fog machine CREEPER AQ PLUS

SHOWVEN



SEE ON THE SITE ►



The **CREEPER AQ PLUS** is an ultrasonic bass smoke generator that works with purified water and smoke fluid. More respectful of the environment, this machine has two tanks for a duration of effect up to 2 hours continuously.

Control your effect with the many available settings such as smoke density, humidity and fan speed.

Control your machine in DMX-512 or with a wireless remote control, these multiple features allow you great versatility in the style of your effect.

The CREEPER AQ PLUS low smoke generator has two powerful outputs for a wider coverage area, indoors or outdoors.

With your machine: **1 Drum of Low Fog 5L offered.**

MODEL

CREEPER AQ PLUS

SVCRAQPLUS

- Large diffusion of dense smoke on the ground
- Density and dispersion speed adjustment
- Weatherproof
- 1 Power supply cable included
- **1 Drum of Low Fog 5L offered**



WATCH THE VIDEO ►

Dimensions	Lg 95 x lg 50 x Ht 54 cm
Weight	48 Kg
Electrical characteristics	230 Volt - 50 Hertz - 10.9 Amps
Orientation of the effect	2 sorties on the ground
Tank capacity	35 Liters of water ; 3.3 Liters of fluid

Low Fog machine CREEPER ICE

SHOWVEN



SEE ON THE SITE ►



The **CREEPER ICE** is a low fog generator based on dry ice, different from other dry ice machines available in the market, CREEPER ICE with DMX control, separate water and dry ice tank, operators can not only control the on/off easily at the control desk, but you can also adjust the output volume as needed.

CREEPER ICE can generate dense, rolling clouds of low fog with good ground adhesion in any location. Excellent choice for circumstances requiring a strong grip on the ground. More environmentally friendly.

MODEL

CREEPER ICE

SVCRAQICE

- More atomizers, thicker fog
- Weatherproof
- Water level sensor
- Advanced water filling system
- Adjusting density and speed
- 6000W of power
- Power supply cable included



WATCH THE VIDEO ►

Dimensions	Lg 49.2 x lg 58.4 x Ht 76 cm
Weight	35 Kg
Power	3000 / 6000 Watts
Orientation of the effect	1 outlet on the ground
Tank capacity	55 Liters of water



SEE ON THE SITE ►



Low Fog machine CREEPER ICE PLUS

SHOWVEN

The **CREEPER ICE PLUS** is a dry ice based low fog maker, different from other dry ice machines available in the market, CREEPER ICE with DMX control, separate water and dry ice tank, operators can not only control the on/off easily at the control desk, but you can also adjust the output volume as needed.

CREEPER ICE can generate dense, rolling clouds of low fog with good ground adhesion in any location. Excellent choice for circumstances requiring a strong grip on the ground. More environmentally friendly.

MODEL

CREEPER ICE PLUS

SVCRAQICEPLUS

- Dual output, faster and denser effects
- Weatherproof
- Water level sensor
- Advanced water filling system
- Density and speed adjustment
- 9000W of power
- 1 Power supply cable included



WATCH THE VIDEO ►

Dimensions	Lg 64.2 x lg 58.4 x Ht 88.7 cm
Weight	45 Kg
Power	3000 / 9000 Watts
Orientation of the effect	2 outlets on the ground
Tank capacity	75 Liters of water



| Accessories & consumables



WIRELESS DMX SYSTEM

[SEE ON THE SITE >](#)



FLIGHTCASE STANDARD
SHOWVEN SMOKEJET

[SEE ON THE SITE >](#)



POWERCON LINK CABLE
TRUE 1

[SEE ON THE SITE >](#)



POWERCON SUPPLY CABLE
TRUE 1

[SEE ON THE SITE >](#)



POWERCON LINK COUPLER

[SEE ON THE SITE >](#)



UE POWERCON
SUPPLY CABLE

[SEE ON THE SITE >](#)



UE POWERCON
LINK CABLE

[SEE ON THE SITE >](#)



XLR 3 CABLE M/F

[SEE ON THE SITE >](#)



XLR 5 CABLE M/F

[SEE ON THE SITE >](#)



PYROMOTE

[SEE ON THE SITE >](#)



FX COMMANDER

[SEE ON THE SITE >](#)



ECONOMY LIGHT
SMOKE FLUID

[SEE ON THE SITE >](#)



**ECONOMY MEDIUM
SMOKE FLUID**

[SEE ON THE SITE >](#)



**ECONOMY DENSE
SMOKE FLUID**

[SEE ON THE SITE >](#)



**ECONOMY ULTRA DENSE
SMOKE FLUID**

[SEE ON THE SITE >](#)



**ECONOMY LONG LIFE
SMOKE FLUID**

[SEE ON THE SITE >](#)



**ECONOMY FUNFAIR
SMOKE FLUID**

[SEE ON THE SITE >](#)



**ECONOMY CO2
SMOKE FLUID**

[SEE ON THE SITE >](#)



**ECONOMY LOW FOG
SMOKE FLUID**

[SEE ON THE SITE >](#)



**ECONOMY LIGHT
HAZER FLUID**

[SEE ON THE SITE >](#)



**ECONOMY HIGH
HAZER FLUID**

[SEE ON THE SITE >](#)



**ST LIGHT
SMOKE FLUID**

[SEE ON THE SITE >](#)



**ST MEDIUM
SMOKE FLUID**

[SEE ON THE SITE >](#)



**ST HIGH
SMOKE FLUID**

[SEE ON THE SITE >](#)



| Accessories & consumables



**ST EXTREME
SMOKE FLUID**

[SEE ON THE SITE >](#)



**ST CO2
SMOKE FLUID**

[SEE ON THE SITE >](#)



**HD LIGHT
SMOKE FLUID**

[SEE ON THE SITE >](#)



**HD MEDIUM
SMOKE FLUID**

[SEE ON THE SITE >](#)



**HD HIGH
SMOKE FLUID**

[SEE ON THE SITE >](#)



**HD EXTREME
SMOKE FLUID**

[SEE ON THE SITE >](#)



**HD OUTDOOR
SMOKE FLUID**

[SEE ON THE SITE >](#)



**HD LOW FOG
SMOKE FLUID**

[SEE ON THE SITE >](#)



**XT LIGHT
SMOKE FLUID**

[SEE ON THE SITE >](#)



**XT MEDIUM
SMOKE FLUID**

[SEE ON THE SITE >](#)



**XT HIGH
SMOKE FLUID**

[SEE ON THE SITE >](#)



**XT EXTREME
SMOKE FLUID**

[SEE ON THE SITE >](#)



**XT OUTDOOR
SMOKE FLUID**

[SEE ON THE SITE >](#)



**XT LOW FOG
SMOKE FLUID**

[SEE ON THE SITE >](#)



**HZ LIGHT
HAZER FLUID**

[SEE ON THE SITE >](#)



**HZ HIGH
HAZER FLUID**

[SEE ON THE SITE >](#)



**U-SPECIAL
HAZER FLUID**

[SEE ON THE SITE >](#)



**C-SPECIAL
HAZER FLUID**

[SEE ON THE SITE >](#)



**PREMIUM CLEANER
FLUID**

[SEE ON THE SITE >](#)



Premium FX
Atmospheric Special Effects



PREMIUM FACTORY SAS – 1 Route Neuve, 71710 MONTCENIS – FRANCE
Office +33 805 69 13 27 | info@premiumfactory.eu | www.premiumfx.eu
S.A.S. with a capital of 40 000 € | SIRET / EORI 84070379700018 | NAF2899B | TVA / VAT FR47840703797