


NEW PRODUCTS PREVIEW 2025



Showven Technologies Co., Ltd.

 www.showven.cn

 info@showven.cn

 +86-150-7314-9988

 No.1 Tengda Road, Liuyang ETDZ, Changsha, 410300, Hunan Province, P.R.China.

SHOWVEN®

SHOWVEN®

ABOUT US



2015
Founded



40+
R&D engineers







10%+
annual revenue
spent on R&D



200+
patents



100+
countries and
regions sales coverage



38+
patents of invention with
US, EU, AU coverage


34000m²
ISO9001 certified factory

200+
employees

MAIN PRODUCTS
SPARKULAR, FLAMER, CONFETTI
SMOKE, PYRO & CONSOLE, LASER

CORE VALUE:
INNOVATION QUALITY SERVICE





cFlamer Introduction

cFlamer is a series of color flammers developed by SHOWVEN®. Thanks to both the water and corrosion-resistant pump and pipe systems it uses on the machine, cFlamers are compatible with both our color fluid and regular flame fluid such as ISOPAR, ISOPROPANOL, etc. To meet different application requests, we designed 5 different models namely cFlamer, cFlamer Quad, cFlamer mVolcano, cFlamer Volcano, and cFlamer Boom.

cFlamer is a vertical color flamer with a single vertical output nozzle.

cFlamer mVolcano is a highly compact mini 5 heads flamer, it can fire in five different directions while it can only fire in one direction each time.

cFlamer Volcano is a 5 heads flamer integrated with 5 systems inside the machine, it can generate 5 different colors at different firing angles at the same time.

cFlamer Quad is a vertical color flamer but integrated with 4 systems inside so that it can generate 4 different color flames from the integrated nozzle. With the preset sequences, it can generate color-changing flames.

cFlamer Boom is a never-seen special effect system with triple amazing effects including flame ball, sparks, and boom sound.

Color Additives: Besides machines, we also supply our customers with color additives, there are five different color additives available FX-RED, FX-GREEN, FX-BLUE, FX-YELLOW, FX-PURPLE. The genius design is that our customers can get methanol locally and just add our color additives which can be shipped as regular goods. This will help you to save transportation costs to the greatest extent.



\ cFlamer

\ cFlamer mVolcano

\ cFlamer Volcano

\ cFlamer Quad

\ cFlamer Boom



\ FX-RED



\ FX-GREEN



\ FX-BLUE



\ FX-YELLOW



\ FX-PURPLE



cFlamer

cFlamer is a color flamer with a single vertical output nozzle. It is integrated with a water and corrosion-resistant pump and pipe systems inside the machine, along with SHOWVEN® original color additives, it can generate 5 different color flames: red, green, blue, yellow, and purple. Besides, it is also compatible with regular flame fluid such as ISOPAR, ISOPROPANOL. The maximum flame height is about 10m.



SPECIFICATIONS

- \ Model: cFlamer
- \ Dimension: 370x330x305mm
- \ Weight: 20kg
- \ Input and Power: AC 100-120V / AC 200-240V, 50/60Hz, 400W
- \ Housing Material: Aluminum+304 stainless steel
- \ Effect Direction: Vertical
- \ Max. Flame Height (No Wind) : 10m
- \ Fuels: Color fluid (SHOWVEN color additives+Methanol), ISOPAR L, ISOPROPANOL
- \ Color Additives Optional: FX-RED / GREEN / BLUE / YELLOW / PURPLE
- \ Fuel Tank Capacity: 5.3L

- \ Nozzle Type: Nozzle cH
- \ Interface: NEUTRIK POWERCON TRUE1 IN/OUT
Waterproof 3-pin and 5-pin XLR IN/OUT
- \ Control: DMX, 9-60V Pyro Signal
- \ E-stop: Yes
- \ ARM Indicator Light: Yes
- \ Fuel Filtration: Yes
- \ Ignition: High Voltage Electron Ignition*2
- \ Valve: Dual
- \ Use in Rain: Yes

SHOWVEN



cFlamer Quad

cFlamer Quad is a vertical color flamer but integrated with 4 systems inside so that it can generate 4 different color flames from the integrated nozzle. With the preset sequences, it can generate color-changing flames makes it a unique flame effect on market.



SPECIFICATIONS

- \ Model: cFlamer Quad
- \ Dimension: 585x419x330mm
- \ Weight: 51kg
- \ Input and Power: AC 100-120V / AC 200-240V, 50/60Hz, 1500W
- \ Housing Material: Aluminum + 304 stainless steel
- \ Effect Direction: Vertical
- \ Max. Flame Height (No Wind) : 10m
- \ Fuels: Color fluid (SHOWVEN color additives+Methanol), ISOPAR L, ISOPROPANOL
- \ Color Additives Optional: FX-RED / GREEN / BLUE / YELLOW / PURPLE
- \ Fuel Tank Capacity: 2.5L*4

- \ Nozzle Type: Nozzle cH Combo
- \ Interface: NEUTRIK POWERCON TRUE1 IN/OUT
Waterproof 3-pin and 5-pin XLR IN/OUT
- \ Control: DMX, 9-60V Pyro Signal
- \ E-stop: Yes
- \ ARM Indicator Light: Yes
- \ Fuel Filtration: Yes
- \ Ignition: High Voltage Electron Ignition*2
- \ Valve: Dual
- \ Use in Rain: Yes



cFlamer mVolcano

cFlamer mVolcano is a highly compact mini 5 heads color flamer, it can fire in five different directions while it can only fire in one direction each time. Same as cFlamer it integrated with a water and corrosion-resistant pump and pipe systems inside machine, along with SHOWVEN® original color additives, it can generate 5 different color flames red, green, blue, yellow and purple.



SPECIFICATIONS

- \ Model: cFlamer mVolcano
- \ Dimension: 460x330x305mm
- \ Weight: 26kg
- \ Input and Power: AC 100-120V / AC 200-240V, 50/60Hz, 400W
- \ Housing Material: Aluminum + 304 stainless steel
- \ Effect Direction: 5 angles
- \ Max. Flame Height (No Wind) : 10m
- \ Fuels: Color fluid (SHOWVEN color additives+Methanol), ISOPAR L, ISOPROPANOL
- \ Color Additives Optional: FX-RED / GREEN / BLUE / YELLOW / PURPLE
- \ Fuel Tank Capacity: 7.5L

- \ Nozzle Type: Nozzle cH
- \ Interface: NEUTRIK POWERCON TRUE1 IN/OUT
Waterproof 3-pin and 5-pin XLR IN/OUT
- \ Control: DMX, 9-60V Pyro Signal
- \ E-stop: Yes
- \ ARM Indicator Light: Yes
- \ Fuel Filtration: Yes
- \ Ignition: High Voltage Electron Ignition*2
- \ Valve: Dual
- \ Use in Rain: Yes



cFlamer Volcano

cFlamer Volcano is a 5 heads flamer integrated with 5 systems inside the machine, it can generate 5 different colors at different firing angles at the same time. Each of the output nozzle can be controlled separately, that means you can firing any nozzle individually or all 5 nozzles all together at the same time.



SPECIFICATIONS

- \ Model: cFlamer Volcano
- \ Dimension: 690x525x375 mm
- \ Weight: 76kg
- \ Input and Power: AC 100-120V / AC 200-240V, 50/60Hz, 2000W
- \ Housing Material: Aluminum + 304 stainless steel
- \ Effect Direction: 5 angles
- \ Max. Flame Height (No Wind) : 10m
- \ Fuels: Color fluid (SHOWVEN color additives+Methanol), ISOPAR L, ISOPROPANOL
- \ Color Additives Optional: FX-RED / GREEN / BLUE / YELLOW / PURPLE
- \ Fuel Tank Capacity: 5L*5

- \ Nozzle Type: Nozzle cH
- \ Interface: NEUTRIK POWERCON TRUE1 IN/OUT
Waterproof 3-pin and 5-pin XLR IN/OUT
- \ Control: DMX, 9-60V Pyro Signal
- \ E-stop: Yes
- \ ARM Indicator Light: Yes
- \ Fuel Filtration: Yes
- \ Ignition: High Voltage Electron Ignition*2
- \ Valve: Dual
- \ Use in Rain: Yes



cFlamer Boom

cFlamer Boom is a never-seen special effect system with triple amazing effects including flame ball, sparks, and boom sound. It can use the regular fuel such as ISOPAR, ISOPROPANOL. In the meantime it can also use the color fluid to generate color flame balls.



SPECIFICATIONS

- \ Model: cFlamer Boom
- \ Dimension: 580x400x428 mm
- \ Weight: 54kg
- \ Input and Power: AC 100-120V / AC 200-240V, 50/60Hz, 600W
- \ Housing Material: Aluminum + 304 stainless steel
- \ Effect Direction: Vertical
- \ Max. Flame Height (No Wind) : 8-10m
- \ Fuels: Color fluid (SHOWVEN color additives+Methanol), ISOPAR L, ISOPROPANOL
- \ Sparks Effect Consumable: HC8200 LARGE
- \ Color Additives Optional: FX-RED / GREEN / BLUE / YELLOW / PURPLE

- \ Fuel Tank Capacity: 5.3L
- \ Interface: NEUTRIK POWERCON TRUE1 IN/OUT
Waterproof 3-pin and 5-pin XLR IN/OUT
- \ Control: DMX, 9-60V Pyro Signal
- \ E-stop: Yes
- \ ARM Indicator Light: Yes
- \ Fuel Filtration: Yes
- \ Ignition: High Voltage Electron Ignition*2
- \ Valve: Dual
- \ Use in Rain: Yes



SPARKULAR® Cyclone II

SPARKULAR® Cyclone II is an upgrade based on SPARKULAR® Cyclone. Thanks to the new design and technologies we introduced, it is with 35% smaller on the footprint, and 40% lighter on weight (only 16kg) comparing with the first generation. Besides, the noisy is also greatly decreased.



FEATURES

- \ Compact, 35% smaller than SPARKULAR® Cyclone
- \ Lighter weighted, only 16kg
- \ Lower noisy

SPECIFICATIONS

- \ Dimension: 348×316×290mm
- \ Weight: 16kg
- \ Voltage: AC 200-240V / AC 100-120V, 50/60Hz
- \ Power: 1500W
- \ Fountain Height: 5-10m adjustable
- \ Hopper capacity: 450g
- \ HC8200 consumption: 50g/min

- \ Rainproof structure, can be used in rain
- \ 5-10m adjustable effect

- \ Control: DMX
- \ Interface: NEUTRIK POWERCON TRUE1 IN/OUT
3 and 5 pin DMX IN/OUT
- \ DMX channels: 2



SPARKULAR® JET II

SPARKULAR® JET II is a brand new upgrade based on our first generation of SPARKULAR® JET combined with valuable feedbacks from our customers, latest technologies and our years of experiences. It is with much shorter firing delay and allows triple continuous shots with almost no turn around time. Besides, it update to our latest interface design with ARM indicator light; same as first generation, SPARKULAR® JET II also equipped with built-in automatic air compressor, no external pressure tank needed. Except 3 and 5-pin DMX control it also can be triggered by 9-60V pyro signal.



FEATURES

- \ Firing delay as short as half second
- \ Upto three continuous shots
- \ Fuller and more consistent sparks effect

SPECIFICATIONS

- \ Dimension: 348×348×290mm
- \ Weight: 25kg
- \ Voltage: AC 200-240V / AC100-120V, 50/60Hz
- \ Power: 800W
- \ Fountain Height: HC8200 LARGE: 9-10m
HC8200 MEDIUM: 6-8m

- \ Rainproof structure, can be used in rain
- \ Adjustable effect up to 10m
- \ Both 3-pin and 5-pin DMX, 9-60V pyro control

- \ Hopper capacity: 450g*2
- \ HC8200 consumption rate: 20-25g/shot
- \ Control: DMX, 9-60V pyro signal
- \ Interface: NEUTRIK POWERCON TRUE1 IN/OUT
3 and 5 pin DMX IN/OUT
- \ DMX channels: 2



SPARKULAR® WHEEL

SPARKULAR® WHEEL is another brand new sparks effects originally introduced by SHOWVEN®. The output nozzles can rotate 360 degrees and can also firing in any fixed direction. It can simulate the molten iron flower effect, if combined several units together it can also generate fireworks wheel effects. It can be used on both big stages and small wedding gatherings.



FEATURES

- \ Brand new effects, 360°rotating nozzles
- \ Adjustable rotation speed, direction and angles
- \ Firing mode can be rotating, waving or fixed direction
- \ Various combinations, various effects

SPECIFICATIONS

- \ Dimension: 310×307×285mm
- \ Weight: 16kg
- \ Voltage: AC 200-240V / AC 100-120V, 50/60Hz
- \ Power: 500W
- \ Hopper capacity: 550g
- \ HC8200 consumption: 50g/min

- \ Multiple installation interface to meet diverse scenario requirements
- \ Rainproof structure, can be used in rain
- \ Auto dynamic control based on multi sensor's feedback, ensure safer use

- \ Fountain Height: Appr. 4m upward, 6-7m downward, 5-6m sparks diameter when rotating
- \ Control: DMX
- \ Interface: NEUTRIK POWERCON TRUE1 IN/OUT 3 and 5 pin DMX IN/OUT
- \ DMX channels: 6



SONICBOOM® ReCO₂

SONICBOOM ReCO₂ is real CO₂ JET simulator evolved from our SONICBOOM® platform but with an additional high-speed turbofan, which makes it same blast speed as CO₂ JET and even more powerful output upto 15m. With the 5L built-in tank, it can generate accumulatively 10min smoke columns, equals to 10 large size CO₂ gas bottles. Just similar as our SONICBOOM® JET, it also integrated with 30pcs of 9W LED, makes the smoke columns more colorful and impressive.



SPECIFICATIONS

- \ Dimension: 432×325×365 mm
- \ Weight: 30kg
- \ Voltage and Fuse: AC 220-240V, 50/60Hz, 15A/250V
AC 100-120V, 50/60Hz, 18A/250V
- \ Work Power: 3000W/1800W (220V version)
2400W/1800W (110V version)
- \ Max Output Height: 15m
- \ LED power: 9W*30PCS

- \ Max Continuous Output Duration: 8s
- \ Smoke Output: 90000cuft/min
- \ Tank Capacity : 5L built-in tank
- \ Fluid Consumption Rate: 500ml/min
- \ DMX Channels: 1/11 channel switchable
- \ Fuels: FX-S, FX-M